



18 8th Rd., Taichung Ind. Park, Taichung City, 407 Taiwan.
Tel: +886-4-2359-1201 Fax: +886-4-2359-1562
Email: acor@acorsports.com.tw
Website: www.acorsports.com



ACOR

PROFESSIONAL QUALITY SERVICE



ALL NEW COLLECTION

All about you
Create my own style
Our promise to you
Reach your dreams

ACOR – ALL CYCLING OFF/ON ROAD

ACOR, the brand which comes from “Acorn” is a symbol of patience and the achievement of hard labor. An English proverb states that Great oaks from little acorns grow, urging the listener to wait for maturation of a project or idea. At ACOR, we are doing and following this spirit.

The core principle upon which ACOR was founded lies within our commitment to develop innovative technologies that will redefine the cycling experience. At ACOR, our primary focus has been and will continue to be fulfilling our dedication to reinvent the bicycle components and accessories through our expertise and know-how in the fields of bicycle manufacturing and material technologies.

ACOR is flexible and able to respond quickly to changing market expectations and demand. Through strong research and development supported by manufacturing technologies and processes, ACOR provides a broad range of bicycle components and accessories of the highest quality to meet market trends. Combining CNC processing with high grade materials, such as titanium and aluminum, we produce products of exceptional quality and extraordinary versatility, all of which meet EN standards.

Nowadays ACOR brand is distributed worldwide in more than 20 countries. We are a company where expertise matters. Our focus in achieving the highest standards in everything we do is a clear reflection of the outstanding products we make.

2014-2015
PROFILE

TITANIUM

- 01 FRAMES
- 02 HANDLEBARS
- 02 SEATPOSTS

CONTENTS

ACCESSORIES

- 03 BASKETS
- 04 BELLS
- 05 BIKE HOLDERS
- 05 BOTTLE CAGES
- 06 CARRIERS
- 07 CHAIN GUIDES
- 07 CHILD SEAT
- 08 LIGHTS
- 09 PUMPS
- 10 KICKSTANDS
- 11 TOOLS
- 12 TRAINING WHEELS
- 12 WATER BOTTLES

BICYCLE PARTS

- 13 BRAKE SHOES
- 15 BOTTOM BRACKETS
- 15 BRAKE LEVERS
- 16 BRAKES
- 18 CABLES
- 19 CHAINS
- 22 DISC ROTORS
- 23 GRIPS
- 24 GRIP TAPES
- 25 HANDLEBARS
- 26 HEADSETS
- 27 PEDALS
- 29 SEATTUBE CLAMPS
- 29 QUICK RELEASE
- 30 STEMS
- 30 STEM TOP CAPS

T-M013



FRAMES


Spec	Ti 3AL2.5V 27.5" Mountain Frame PG curve / oval top tube & PG two-sided curve / oval down tube Ti 6AL4V 1-1/8" to 1.5" tapered integrated head tube OD 46 / 56mm / ID 42 / 52mm Ti 6AL4V CNC SHIMANO E-thru system dropout OLD 142mm / 12mm axle Ti 6AL4V CNC PM disc mount not replaceable hanger Bottom bracket suitable SHIMANO BB92 system cable run internally 31.6mm
Seatpost	Customization
Option Size	1876g
Weight	

T-M014



FRAMES

Spec	Ti 3AL2.5V 29ER Mountain Frame PG curve / oval top tube & PG curve / two-sided oval down tube Ti 6AL4V 1-1/8" to 1.5" tapered integrated head tube OD 46 / 56mm / ID 42 / 52mm Ti 6AL4V CNC SHIMANO E-thru system dropout OLD 142mm / 12mm axle Ti 6AL4V CNC PM disc mount not replaceable hanger Bottom bracket suitable SHIMANO BB92 system cable run internally 31.6mm
Seatpost	Customization
Option Size	1928g
Weight	



T-R008

FRAMES

Spec	Ti 3AL2.5V 700C Disc Road Frame DB oval top tube & PG two-sided oval down tube Ti 6AL4V 1-1/8" to 1.5" tapered integrated head tube OD 46 / 56mm / ID 42 / 52mm Ti 6AL4V investment casting dropout OLD 135mm Ti 6AL4V CNC PM disc mount bottom bracket suitable SHIMANO BB86 system Alloy replaceable hanger cable run internally to head tube 27.2mm
Seatpost	Customization
Option Size	1700g
Weight	


T-R009



FRAMES

Spec	Ti 3AL2.5V 700C Disc Road Frame Deformed tube diamond shaped top tube & down tube Ti 6AL4V 1-1/8" to 1.5" tapered integrated head tube OD 46 / 56mm / ID 42 / 52mm Ti 6AL4V investment casting dropout OLD 135mm Ti 6AL4V CNC PM disc mount bottom bracket suitable SHIMANO BB86 system Alloy replaceable hanger special shaped head tube 27.2mm
Seatpost	Customization
Option Size	1674g
Weight	

T-S001



FRAMES

Spec	Ti 3AL2.5V 26" Fat / Snow Bike Frame PG curve / two-sided oval top tube & PG two-sided curve / oval down tube Ti 6AL4V 1-1/8" to 1.5" tapered internal head tube OD 50 / 57mm / ID 44 / 49.57mm Ti 6AL4V CNC SHIMANO E-thru system dropout OLD 197mm / 12mm axle Ti 6AL4V CNC PM disc mount not replaceable hanger Bottom shell 100mm cable run internally 31.6mm
Seatpost	Customization
Option Size	2164g
Weight	

T-HB07




HANDLE BARS

Spec	Ti 3AL2.5V Rise Handle Bar
Width	680 / 720 / 780 / 800mm
Barbore	31.8mm
Rise	20mm
Backsweep	9°
Upsweep	6°
Weight	250g / 720mm

T-SEP06

SEAT POSTS

Spec	Ti 3AL2.5V Seat Post simply and easily angle adjustment design AL6061 rail holder
Size	27.2 / 30.9 x 350mm
Offset	20mm
Weight	310g / 30.9 x 350mm



ABK-21501

BASEKETS

Spec P.E. willow & rattan weave front basket
With QR and handle with grip
Size 34 x 27 x 18 / 20 cm
Weight 1334g



ABK-21502

BASEKETS

Spec P.E. willow & rattan weave front basket
With QR and handle with grip
Size 37 x 25 x 23.5 cm / 6mm P.E
Weight 1232g



ABK-21503

BASEKETS

Spec P.E. cover wire weave front basket
Fit to 20" bike
Size 26 x 23 x 18 / 15 cm
Weight 700g



BASEKETS

Spec P.E. cover wire weave front basket
Fit to 24" bike
Size 30 x 25 x 22 / 18cm
Weight 736g

BASEKETS

Spec P.E. cover wire weave front basket
Fit to 16" bike
Size 24 x 20 x 15 / 12cm
Weight 620g

ABK-21504

BASEKETS

Spec Front basket handle bar QR for
ABK-21501 & ABK-21502



ABE-21501A

BELLS

Spec Ding Dong bell steel top cap & clamp
Size 55mm for 22.2mm handle bar
Weight 89g



ABE-21501B

BELLS

White wallpaper style



ABE-21501C

BELLS

Rose style



ABE-21501D

BELLS

Cartoons flower style



ABE-21501E

BELLS

Peony style



ABE-21501F

BELLS

Black wallpaper style



ABE-21405

BELLS

Spec Copper bell with alloy bracket
Size For 22.2mm handle bar



ABE-21502A

BELLS

Spec Ding Dong bell steel top cap & clamp bell with paint & non-film sticker decal
Size 83mm for 22.2mm handle bar
Weight 279g



ABE-21502B

BELLS

Spec Ding Dong bell steel top cap & clamp bell with paint & non-film sticker decal
Size 83mm for 22.2mm handle bar
Weight 279g





AWS-21402

BIKE HOLDERS

Spec Hi-Ten L type bike stand with anti-scratch protectors
Size Fitted for 29" & 700C
Weight 2455g



ABC-21202

BOTTLE CAGES

Spec Alloy bottle cage
 Up-right side direction design
Size Suitable for narrow bike frame
Weight 32g



ACR-21501

CARRIERS

Spec Alloy rear carrier in folding type with steel spring clip
 Max. loading 25kgs
Fittings Steel brackets, reflector plate, hardware
Size Adjustable for 26"~28" bike
Weight 900g



ABC-21501

BOTTLE CAGES

Spec Alloy ultra light water bottle cage 1.2mm thickness
 With rubber part makes cage more extension
 With non-film sticker decal
Weight 31g



ABC-21502

BOTTLE CAGES

Spec Alloy water bottle cage without welding construction for narrow & MTB frames
 Special design taking the bottles from right and left side direction
Weight 43g



ABC-21503

BOTTLE CAGES

Spec Alloy water bottle cage without welded on connection Ø5mm solid bar
 With black plastic bottom
Weight 53g



ABC-21504

BOTTLE CAGES

Spec Plastic side open bottle cage
Weight 42g



ABC-21505

BOTTLE CAGES

Spec Alloy bottle cage with TPE macro adjustable
Weight 22g



CHAIN GUIDES

Spec	AL6061 -T6 chain keeper with plastic upper guard For MTB 1 x 9 or 1 x 10 drive train
Size	34.9mm with adapter to 31.8mm
Weight	49g / set



ACC-21501

CHAIN GUIDES

Spec	AL6061 -T6 chain keeper with CH-EX plastic upper guard For MTB 1 x 9 or 1 x 10 drive train
Size	34.9mm with adapter to 31.8mm
Weight	85g / set



ACC-21502

CHAIN GUIDES


Spec	Chain drop protector for Racing bike near chainring
Size	Triple
Weight	9.2g



ACC-21503C

CHAIN GUIDES

Spec	Chain drop protector for Racing bike near chainring
Size	Fix 36T~46T
Weight	10g



ACC-21503A

CHAIN GUIDES

Spec	Chain drop protector for Racing bike near chainring
Size	Fix 34T~50T & 39T~53T
Weight	11g



ACC-21503B

CHILD SEAT

Spec	Easy installation child seat Manufactured according to TUV safty regulations Suitable for 2 years above or 9kgs to max. 22kgs child Max. load 22kgs
Size	D600 x W490 x H700 mm
Weight	2992g



ACS-21401



ALT-21407F

LIGHTS

Spec	USB Rechargeable Front Light, 2 LED Bulbs 4 Mode W/ QR Bracket, Cable Tie, USB Cable and Velcro Attachment Functions as a helmet clip light Low battery indicator and battery protector water resistant Run Time: 1.5 hrs (Super Bright) to 12 hrs (Flashing)
Size	48 × 28 × 21 mm
Weight	15.7 g

ALT-21407R

LIGHTS

Spec	USB Rechargeable Rear Light, 3 LED Bulbs 4 Mode W/ QR Bracket, Cable Tie, USB Cable and Velcro Attachment Functions as a helmet clip light Low battery indicator and battery protector water resistant Run Time: 2 hrs (Super Bright) / 5 hrs (Constant) to 25 hrs (Chasing)
Size	41.5 × 28 × 21 mm
Weight	15.2 g



ALT-21408

LIGHTS

Spec	Compact Commuter 3 White LED Headlight, 3 Mode W/ tool free bracket, 2*AA Batteries, Water Resistant, 300 Candela of powerful brightness provides exceptional light when riding after dark. Run Time: 30 hrs (High Beam) to 120 hrs (Flashing)
Size	89.4 × 37.9 × 23.9 mm
Weight	26.6 g (without battery)



ALT-21409

LIGHTS

Spec	All Sight Rear Safety Light with Light Guide Optical Design, 0.5W Red LED, 2 Mode W/Bracket 2*AAA Batteries Included, Water Resistant Run Time: 18 hrs (Constant) to 36 hrs (Flashing)
Size	70 × 32 × 36.5 mm
Weight	33.5 g (without battery)



ALT-21501

LIGHTS

Spec	Alloy CNC cycle light connector 2pcs/ set for fork pivot Available for DISC brake / V-brake system
Weight	133g / set





AMP-21404
PUMPS

Spec CO2 inflator fit for 16 grams with thread cartridge
Fit both Presta and Schrader with dust-cap
Attached one 16 grams CO2

Weight 49g w/o CO2 cartridge



AMP-21405
PUMPS

Spec 16 grams thread cartridge CO2 2pcs/set

Weight 44g



AMP-21501

PUMPS

Spec High pressure floor pump w/clever twin-valve alum barrel & Die-casting alum base wooden handle fit for Schrader, Presta, Dunlop and E/V Max.pressure 240 psi

Size 2.5" gauge, 26" in total height

Weight 1330g



AMP-21505
PUMPS

Spec 2 in 1 CO2 mini pump innovative pump head design
Which combines of dual function for one side mini pump inflating
And one size CO2 cartridge inflating with dust cap
Divided inside air-flow channel for more security
Fit for 16 grams with thread cartridge & both Presta & Schrader
Alum barrel, handle, valve cap both side valve

Weight 143g



AMP-21502
PUMPS

Spec Two-tone handle pocket mini pump
Reinforced plastic barrel Max.pressure 120 psi
Reversible Presta and Schrader
7" Micro size for easy storage in jersey pocket

Size Length: 7"

Weight Replace AMP-601
105g



AMP-21506

PUMPS

Spec Micro CO2 Inflator with dust cap attached one CO2 cartridge
Innovation body design for dual function of cartridge storage
And punch the air fit for 16 grams w/thread cartridge
Fit for Presta and Schrader

Weight 20g w/o CO2 cartridge



AMP-21503
PUMPS

Spec CNC mini pump with Aluminum handle and barrel
With extractable hose, screw-in clever valve, dust cap
Fit for Presta and Schrader
Max. pressure 120 psi

Weight 130g



AMP-21504
PUMPS

Spec Shock mini pump with gauge
Foldable hose, attached with Presta adaptor
Max. pressure 300 psi 2-3 PSI micro adjust button
Double function for inflating suspension shock and tyre

Weight 246g



AKS-21410
KICKSTANDS

Spec Alloy adjustable center kickstand fitted on chain stay neck
With steel bolt & steel top plate

Size For 24"-28" bikes

Weight 252g
To replace AKS-2403

ATL-21404

TOOLS

Spec Tool inner wire pliers
Weight 240g



ATL-21501

TOOLS

Spec Nylon trouser band with Velcro and 3M reflector
Size 20 x 350mm
Weight 16g / pr



ATL-21502

TOOLS

Spec CR-MO heat treated hub bolt for fixed gear axle
Size M9 or M10 x 1.0, Length:14.6mm 2pc/set
Weight M9--17g



ATL-21503

TOOLS

Spec Canvas & ribbon toe clip design with Velcro
Weight 162g / pr
Color Black



ATL-21504

TOOLS

Spec Cowhide & ribbon toe clip design with Velcro
Weight 176g / pr
Color Beige

ATW-21501

TRAINING WHEELS

Spec Adjustable stay for 16"-24" bikes 3mm steel plate stay bracket
5" plastic & steel rim EVA black tire UPC coated steel stays
Weight 962g



AWB-21401L

WATER BOTTLES

Spec Candy color bottle food grade LDPE injection
With spray nozzle design without dustproof cover
Size 1000c.c.
Weight 119g





ABS-2602C BRAKE SHOES

Spec Clear rubber compound for Trial bikes V-type brake shoes
With colorful bolts set
Size Length 60mm
Weight 120g / set



ABS-21501 BRAKE SHOES

Spec Brake shoes fit Magura Hydraulic rim brake
Ultra high friction for Trail / BMX bikes, 2pcs / prs
Weight 24g / prs



ABS-21502 BRAKE SHOES

Spec One-piece ABS-function V-brake shoes 2prs / set
Size Length 72mm
Weight 136g / set



ABS-21503 BRAKE SHOES

Spec Extra light road brake shoes 2prs / set
Size Length 55mm
Weight 69g / set



ABS-21504 BRAKE SHOES

Spec Replacement 55mm pads for ABS-21503 2prs / set
Weight 23g / set



ABS-21505 BRAKE SHOES

Spec Clear rubber compound V-brake shoes for BMX bikes
2prs / set
Size Length 72mm
Weight 123g / set



ABS-21505C BRAKE SHOES

Spec Clear rubber compound V-brake shoes for BMX bikes
With colorful bolts set
Size Length 72mm
Weight 123g / set

ABS-21506 BRAKE SHOES

Spec Extra light brake pads for Alloy and Carbon rim 2prs / set
Exclusive holes superior heat dissipation
Size Length 55mm
Weight 20g



ABS-21507 BRAKE SHOES

Spec Full CNC machined extra-light brake shoes 2 prs / set
High-friction coefficient compound
Size Length 55mm
Weight 62g / set



ABS-21508 BRAKE SHOES

Spec Replacement 55mm pads for ABS-21507 2prs / set
Weight 13g



ABB-21501
BOTTOM BRACKETS

Spec External BB set 2 sealed bearings compatible Shimano system
Size For shell 68mm & 73mm
Weight 103g



ABL-21404
BRAKE LEVERS

Spec Alloy brake lever 2F design for Linear pull brake
Size 22.2mm handlebar
Weight 174g / pair
To replace ABL-21201



ABL-21501
BRAKE LEVERS

Spec Alloy melt-forged 3 finger lever for V-brake
Weight 214g / pr



ABL-21503
BRAKE LEVERS

Spec Super nylon composite alloy forged aero-lever
Return spring with quick release for ROAD
Size Diameter: 22.2~23.8mm
Weight 275g / pr



ABL-21502
BRAKE LEVERS

Spec Alloy melt-forged 4 finger lever for V-brake
Weight 239g / pr



ABL-21504
BRAKE LEVERS

Spec Alloy adjusting barrels for brake lever
Size M10 2pcs / set
Weight 6g / pc



ABR-21404F / ABR-21404R

BRAKES


Spec Melt-forged Alloy Front /Rear V-brake
110 linear with 70mm brake pads
Size Dim22-39mm
Weight 181g/pc
To replace ABR-2402



ABR-21405

BRAKES

Spec Alloy melt-forged mechanical disc brake ball bearing system
With Front & rear brake, 160mm disc rotor, 12pcs disc bolt
Weight 500g



ABR-21504

BRAKES

Spec Alloy forged & CNC process F+R hydraulic disc brake
Non-corrosive and high stability mineral oil
No need to bleed oil again after hide the wire into frame
Suitable for any brake lever and shifter system
Dual-Piston, easy to adjust the position of rotor
The weight only 142g/pc, the lightest model at the market
Braking performance is smoother and safer
Never worry about brake system to hurt carbon wheel
It's patent product with 160mm rotor & bolt
Weight 285g / pr





ABR-21501
BRAKES

Spec Disc adapter for Shimano center lock system to fit 6 bolt standard discs
Size For 15 & 20mm E-thru axle
Weight 27g / pc



ABR-21506
BRAKES

Spec Disc adapter for Shimano center lock system to fit 6 bolt standard discs
Size For 9mm QR
Weight 24g / pc



ABR-21503
BRAKES

Spec AL6061-T6 post mount disc brake adapter PM caliper to fit PM fork/frame
Size Adapter for 140mm to 160mm or 160mm to 180mm disc
Weight 11g W/O bolt



ABR-21502A
BRAKES

Spec Transforms post mounting caliper into IS mounting fork/frame
Size Front 160mm or Rear 140mm

ABR-21502B
BRAKES

Spec Transforms post mounting caliper into IS mounting fork/frame
Size Rear 160mm

ABR-21502C
BRAKES

Spec Transforms post mounting caliper into IS mounting fork/frame
Size Front 180mm



ABR-21502D
BRAKES

Spec Transforms post mounting caliper into IS mounting fork/frame
Size Rear 180mm

ABR-21502E
BRAKES

Spec Transforms post mounting caliper into IS mounting fork/frame
Size Front 203mm

ABR-21502F
BRAKES

Spec Transforms post mounting caliper into IS mounting fork/frame
Size Rear 203mm



ACB-21403
CABLES

Spec Stainless steel 19 strands slick brake inner wire for Road
With 5.5x10mm nipple suitable for Campagnolo system
Size OD:1.5xL2000mm
100pcs / box



ACB-21502
CABLES

Spec Stainless steel 31 strands slick superior shine brake inner wire for Road
With 6x11mm nipple suitable for Shimano system
More strong, more soft, anti-stretch
Size OD:1.5xL2000mm
100pcs / box



ACB-21504
CABLES

Spec Stainless steel 31 strands slick superior shine shift inner wire
With 3.9x5mm nipple suitable for Campagnolo system
More strong, more soft, anti-stretch
Size OD:1.1xL2000mm
100pcs / box



ACB-21501
CABLES

Spec Stainless steel 31 strands slick superior shine brake inner wire for Road
With 5.5x11.5mm nipple suitable for Campagnolo system
More strong, more soft, anti-stretch
Size OD:1.5xL2000mm
100pcs / box



ACB-21503
CABLES

Spec Stainless steel 31 strands slick superior shine brake inner wire for MTB
With 7x6mm nipple suitable for Shimano system
More strong, more soft, anti-stretch
Size OD:1.5xL2000mm
100pcs / box



ACB-21505
CABLES

Spec Stainless steel 31 strands slick superior shine shift inner wire
With 4.4x4.4mm nipple suitable for Shimano system
More strong, more soft, anti-stretch
Size OD:1.1xL2000mm
100pcs / box



ACB-21506
CABLES

Spec 4MM SP shift cable housing for 11 SPD designed
Size 30M/file box



ACA-2501A
CHAINS

Spec	9 SPD chain pin Length: 6.4mm 1/2" x 11/128" speed of sprocket: 9 DHA chromium carbide pin
Size	116-link
Weight	320g

ACA-2502A
CHAINS

Spec	10 SPD chain pin Length: 5.9mm 1/2" x 11/128" speed of sprocket: 10 DHA chromium carbide pin & roller
Size	116-link
Weight	291g

ACA-2503A
CHAINS

Spec	7 & 8 SPD chain pin Length: 7.3mm 1/2" x 3/32" speed of sprocket: 7 & 8 DHA chromium carbide pin
Size	116-link
Weight	348g



ACA-2601A
CHAINS

Spec	Single SPD chain with special half link design tensile strength 1400kgf 1/2" x 1/8" speed of sprocket: single speed extreme heavy duty DHA chromium carbide chain pin
Size	96-link
Weight	430g



ACA-2802
CHAINS

Spec	10 SPD Anti-rust chain pin Length: 5.9mm 1/2" x 11/128" speed of sprocket: 10 DHA chromium carbide pin & roller Anit rust ability: salt spray testing over 500 hours
Size	116-link
Weight	307g

ACA-2803
CHAINS

Spec	7 & 8 SPD Anti-rust chain pin Length: 7.3mm 1/2" x 3/32" speed of sprocket: 7 & 8 Anit rust ability: salt spray testing over 500 hours
Size	116-link
Weight	337g



ACA-21004
CHAINS

Spec	Titanium coating 10 SPD super light multiple speed chain hollow pin Pin length: 5.9mm 1/2"x11/128"" speed of sprocket: 10 SLA superior lubricating aid, DHA chromium carbide pin & roller
Size	116-link
Weight	290g



ACA-21401
CHAINS

Spec	10 SPD chain pin Length: 5.9mm 1/2" x 11/128" speed of sprocket: 10 DHA chromium carbide pin & roller tensile strength: 1000kg for E-BIKE (propose) Extremely strong and durable chain designed for mid-motor E-BIKE, BOSCH E-BIKE and other E-BIKE system
Size	136-link
Weight	290g

ACA-21402
CHAINS

Spec	9 SPD chain pin Length: 6.4mm 1/2" x 11/128" speed of sprocket: 9 DHA chromium carbide pin tensile strength: 1000kgf for E-BIKE (propose) Extremely strong and durable chain designed for mid-motor E-BIKE, BOSCH E-BIKE and other E-BIKE system
Size	136-link
Weight	338g



ACA-21501
CHAINS

Spec	11 SPD chain pin Length: 5.5mm 1/2" x 11/128" speed of sprocket: 11 DHA chromium carbide pin & roller SLA superior lubricating aid
Size	116-link
Weight	273g

ACA-21501
CHAINS

Spec	11 SPD chain pin Length: 5.5mm 1/2" x 11/128" speed of sprocket: 11 DHA chromium carbide pin & roller SLA superior lubricating aid
Size	116-link
Weight	273g



ACA-21502
CHAINS

Spec	10 SPD chain pin Length: 5.9mm 1/2" x 11/128" speed of sprocket: 10 DHA chromium carbide pin & roller SLA superior lubricating aid
Size	116-link
Weight	323g

ACA-21503
CHAINS

Spec	Super light single SPD chain 1/2" x 1/8" speed of sprocket: single speed SLA superior lubricating aid
Size	110-link
Weight	400g



ACA-21504A CHAINS

Spec	Reusable(propose five times) quick lock link for chain It's innovated design of chain connector Have two safe sections to precisely locked
Size	For 11 SPD chain
Weight	2g

ACA-21504B CHAINS

Spec	Reusable(propose five times) quick lock link for chain It's innovated design of chain connector Have two safe sections to precisely locked
Size	For 10 SPD chain
Weight	2g

ACA-21504C CHAINS

Spec	Reusable(propose five times) quick lock link for chain It's innovated design of chain connector Have two safe sections to precisely locked
Size	For 9 SPD chain
Weight	2g

ACA-21504D CHAINS

Spec	Reusable(propose five times) quick lock link for chain It's innovated design of chain connector Have two safe sections to precisely locked
Size	For 8 or 7 SPD chain
Weight	2g



ACA-21505A CHAINS

Spec	Reusable(propose five times) quick release link for chain With safe section to precisely locked
Size	For 10 SPD chain
Weight	2g

ACA-21505B CHAINS

Spec	Reusable(propose five times) quick release link for chain With safe section to precisely locked
Size	For 9 SPD chain
Weight	2g

ACA-21505C CHAINS

Spec	Reusable(propose five times) quick release link for chain With safe section to precisely locked
Size	For 8 or 7 SPD chain
Weight	2g

ACA-21505D CHAINS

Spec	Reusable(propose five times) quick release link for chain With safe section to precisely locked
Size	For single SPD chain
Weight	2g



ACA-21506A CHAINS

Spec	Irreusable quick fix connecting pin chromium carbide treatment Compatible with SHIMANO, Campagnolo and SRAM chain
Size	For 11 SPD chain
Weight	2g

ACA-21506B CHAINS

Spec	Irreusable quick fix connecting pin chromium carbide treatment Compatible with SHIMANO, Campagnolo and SRAM chain
Size	For 10 SPD chain
Weight	2g

ACA-21506C CHAINS




Spec	Irreusable quick fix connecting pin chromium carbide treatment Compatible with SHIMANO, Campagnolo and SRAM chain
Size	For 9 SPD chain
Weight	2g

ACA-21506D CHAINS

Spec	Irreusable quick fix connecting pin chromium carbide treatment Compatible with ACA-2601 1/2" x 1/8" or 1/2" x 3/32"
Weight	2g

ACA-21506E CHAINS

Spec	Irreusable quick fix connecting pin chromium carbide treatment Compatible with ACA-2601A 1/2" x 1/8"
Weight	2g



ABR-21505 DISC ROTORS

Spec	High strength and light disc with floating performance Outer disc SUS410 stainless steel inner disc AL7075-T6 Superior heat dissipation excellent disc wear With 12pcs disc bolt
Size	160mm / 180mm
Weight	117g w/o bolt / 147g w/o bolt

ASG-21501

GRIPS

Spec	Silicon foam grip anti-slip shock-absorb abrasion-resist
Size	130mm
Weight	82g / pr



ASG-21502

GRIPS

Spec	EVA foam grip
Size	130mm
Weight	31g / pr



ASG-21503

GRIPS

Spec	Rubber/GEL grip
Size	130mm
Weight	102g / pr



ASG-21507

GRIPS

Spec	GEL/Silicon grip 2-side lock system with end caps
Size	7/8" x 129mm
Weight	130g / pr



ASG-21504



GRIP TAPES

Spec	PU/EVA foamed bar tape with oblique line on the surface With ACOR CARBON LOOKING end caps
Size	3 x 200 cm
Weight	70g / pr W/O end caps


ASG-21505



GRIP TAPES

Spec	PU/EVA foamed bar tape with diamond line on the surface With ACOR CARBON LOOKING end caps
Size	3 x 200 cm
Weight	64g / pr W/O end caps

ASG-21506



GRIP TAPES

Spec	PU/EVA foamed bar tape STAR LOOKING on the surface With ACOR CARBON LOOKING end caps
Size	3 x 200cm
Weight	56g / pr W/O end caps



AHB-21501

HANDLEBARS

Spec	Alloy Extend bar with Hydraulic shock absorber suitable for cell phone, GPS
Size	Fit to 28.6 / 31.8mm handlebar 300g for original spring limit loading 450g for attached spring limit loading
Weight	118g w/o box

AHB-21408

HANDLEBARS

Spec	Butterfly handle bar
Size	W585x25.4mm Grip area: 148mm
Weight	479g



AHB-21502

HANDLEBARS

Spec	AL6061 D/B rise handle bar
Width	700/710/720/730/740mm
Barbore	31.8mm
Rise	0.5"/1"/1.5"/2"
Backsweep	9°
Upsweep	5°
Weight	315g / 720mm

AHB-21502A

HANDLEBARS

Spec	AL6061 D/B rise handle bar
Width	750/760/770/780/790/800/810mm
Barbore	31.8mm
Rise	0.5"/1"/1.5"/2"/3"
Backsweep	9°
Upsweep	5°
Weight	358g / 760mm



AHB-21503

HANDLEBARS

Spec	AL6061 D/B rise handle bar
Width	700/710/720/730/740/750mm x T2.2/1.8
Barbore	35mm
Rise	20mm
Backsweep	9°
Upsweep	4°
Weight	347g / 750mm

AHB-21503

HANDLEBARS

Spec	AL6061 D/B rise bar
Width	700/710/720/730/740/750mm x T2.2/1.8
Barbore	35mm
Rise	20mm
Backsweep	9°
Upsweep	4°
Weight	347g / 750mm



AHS-21501

HEADSETS

Spec	Alloy tapered integrated threadless headset ACB sealed bearings High cap
Size	OD 46mm / 56mm head tube 1-1/8"-1.5" 28.6 x 41.8 x 51.8 x 39.8 x H16.4mm
Weight	116g



AHS-21501A

HEADSETS

Spec	Alloy tapered integrated threadless headset ACB sealed bearings Low cap
Size	OD 46mm / 56mm head tube 1-1/8"-1.5" 28.6 x 41.8 x 51.8 x 39.8 x H16.4mm
Weight	106g



AHS-21502

HEADSETS

Spec	Alloy tapered internal threadless headset ACB sealed bearings
Size	1-1/8"-1.5" 28.6 x 44 x 49.6 x 39.8 x H29.9 mm
Weight	168g

AHS-21503

HEADSETS

Spec	Alloy semi-integrated threadless headset Alloy cartridge bearing cups
Size	1-1/8" 28.6 x 44 x 30 x H13mm
Weight	125g



AHS-21503A

HEADSETS

Spec	Semi-integrated threadless headset Steel cartridge bearing cups
Size	1-1/8" 28.6 x 44 x 30 x H13 mm
Weight	149g



AHS-21504

HEADSETS

Spec	Alloy tapered internal threadless headset ACB sealed bearings
Size	1-1/8" -1.5" 28.6 x 44 x 56 x 39.8 x H12.5mm
Weight	131g

APD-21501

PEDALS

Spec	Nylon with fiber body 9/16" Cr-Mo axle ball bearing pedal
Size	Molded pins with BS reflectors
Weight	100x105x16mm
	380g / pr



APD-21502

PEDALS

Spec	Alloy one-piece extrusion CNC finished
Size	9/16" Cr-Mo axle ball bearing pedal molded pins
Weight	86x71x24mm
	341g / pr



APD-21503

PEDALS


Spec	Alloy forged body CNC-machined 9/16" Cr-Mo axle
Size	LSL bushing & sealed bearings pedal with BS reflectors
Weight	103x73mm
	395g / pr



APD-21504

PEDALS

Spec	Road pedal alloy high-polished die-cast body
Size	CNC-machined 9/16" Cr-Mo axle LSL bushing & sealed bearings
Weight	Single-sided Cr-Mo tension adjustable binding with cleat
	84x78mm
	352g / pr



APD-21505



PEDALS

Spec	Alloy die-cast body CNC-machined 9/16" Cr-Mo axle
Size	Ball bearings pedal replaceable pins with BS reflectors
Weight	102x110mm
	463g / pr

APD-21506



PEDALS

Spec	Road pedal alloy die-cast body CNC-machined 9/16" Cr-Mo axle
Size	LSL bushing & sealed bearings fiber-glass reinforced thermoplastic
Weight	Tension adjustable binding with cleat suitable Look Keo system
	86x86mm
	416g / pr

APD-21507



PEDALS

Spec	AL6061 CNC-machined body CNC-machined 9/16" Cr-Mo axle
Size	LSL bushing & sealed bearings pedal replaceable pin
Weight	100x97mm
	384g / pr

APD-21508 / APD-21508P

PEDALS

Spec	Pedal pin tool for APD-21508C & APD-21508F
------	--



APD-21509

PEDALS

Spec	AL6061 CNC-machined body CNC-machined 9/16" Cr-Mo axle
Size	LSL bushing & sealed bearings pedal dual-sided Cr-Mo
Weight	Tension adjustable binding with cleat
	85x77mm
	351g / pr





AQR-21501

SEATTUBE CLAMPS

Spec	AL6066 CNC made seat clamp with oval hole for carbon
Size	31.8 / 34.9mm x H14mm
Weight	34.9mm--18g



AQR-21502 / AQR-21502A

SEATTUBE CLAMPS

Spec	AL6061 CNC made seat clamp Special chamfer for carbon frame
Size	31.8 / 34.9mm x H15mm
Weight	34.9mm -- 24g



AQR-21503

SEATTUBE CLAMPS

Spec	AL6061 extrusion CNC machined seat clamp
Size	31.8 / 34.9mm
Weight	34.9mm -- 21g



AQR-21504

SEATTUBE CLAMPS


Spec	AL6061 extrusion CNC machined seat clamp with QR
Size	31.8 / 34.9mm
Weight	34.9mm -- 44g



AQR-21505

QUICK REALEASES

Spec	Alloy & Fibre Reinforced Polymer (FRP) Composites chain hanger
Weight	45g



AQR-21506

QUICK REALEASES

Spec	Alloy & Fibre Reinforced Polymer (FRP) Composites chain washer With 135/130mm adapter
Weight	153g



ASM-21502

STEMS

Spec	AL6061 3D forged stem with stainless bolt
Angle	+/- 7°
Size	28.6 x EXT.: 60/70/80/90/100/110/120 x 31.8mm x H40mm
Weight	EXT.100--141g



ASM-21503

STEMS

Spec	AL6061 3D forged stem with stainless bolt
Angle	+/- 7°
Size	28.6 x EXT.: 60/70/80 x 35mm x H45mm
Weight	177g / 80mm

ASM-21501

STEM TOP CAPS

Spec	Alloy 2-step designed top cap For carbon steerer tube
Size	1-1/8" x 22~23mm, 23~24mm, 24~25mm
Weight	41g (22~23mm)



ASM-21504

STEM TOP CAPS

Spec	AL6061-T6 CNC-machined top cap with star washer
Size	28.6mm
Weight	24g

AGENT LIST



AUSTRIA

BBF BIKE GmbH

TEL: 49 3342 354360
FAX: 49 3342 354333
<http://www.bbf-bike.de>
E-Mail: info@bbf-bike.de



COLOMBIA

LIBAR S.A.S.

TEL: 571 4851 211
FAX: 571 4026 156
E-Mail: alievanoventas@libarbicicletas.com



ITALY

BBF BIKE GmbH

TEL: 49 3342 354360
FAX: 49 3342 354333
<http://www.bbf-bike.de>
E-Mail: info@bbf-bike.de



CHINA

TEL: 010 69272380
FAX: 010 69277543
<http://www.vnchina.com.cn>
E-Mail: sales@tibicycle.com



CROATIA

Marko-Projekt

TEL: 385 1 4618 777
FAX: 385 1 4616 592
<http://www.markoprojekt.com>
E-Mail: zdravko.bukarica@zg.htnet.hr



DENMARK

PYTHON PRO APS

TEL: 45 7011 1111
FAX: 45 7011 1108
E-Mail: in@cobra.dk



LUXEMBURG

Bike Trading NV


TEL: 32 57 487500
FAX: 32 57 487501
<http://www.acorsport.com>
E-Mail: info@formula-cycling.be



GERMANY

BBF BIKE GmbH

TEL: 49 3342 354360
FAX: 49 3342 354333
<http://www.bbf-bike.de>
E-Mail: info@bbf-bike.de



HONG KONG

SUN HOP CYCLE CO.

TEL: 852 23966581
FAX: 852 7898182
<http://www.sunhop.com>
E-Mail: sunhop@biznetvigator.com



ROMANIA

J. P. Mali

TEL: 36 1 420 5032
FAX: 36 1 420 5321
<http://www.mali.hu>
E-Mail: mali@mali.hu



BELGIUM

Bike Trading NV

TEL: 32 57 487500
FAX: 32 57 487501
<http://www.acorsport.com>
E-Mail: info@formula-cycling.be



HUNGARY

J. P. Mali

TEL: 36 1 420 5032
FAX: 36 1 420 5321
<http://www.mali.hu>
E-Mail: mali@mali.hu



U.K.

Greyville

TEL: 44 1 543 251328
FAX: 44 1 543 256260
<http://www.greyville.com>
E-Mail: sales@greyville.com



CZECH REPUBLIC

Velo C.Z.


TEL: 420 495 271 379
FAX: 420 495 269 198
<http://www.wheeler.cz>
E-Mail: info@wheeler.cz



POLAND

BBF BIKE GmbH

TEL: 49 3342 354360
FAX: 49 3342 354333
<http://www.bbf-bike.de>
E-Mail: info@bbf-bike.de



JAPAN

Action Sports

TEL: 81 48 2587811
FAX: 81 48 2587813
<http://www.actionsports.co.jp>
E-Mail: acor@actionsports.co.jp



HOLLAND

Bike Trading NV

TEL: 32 57 487500
FAX: 32 57 487501
<http://www.acorsport.com>
E-Mail: info@formula-cycling.be



THAILAND

Asia International

TEL: 662 887 7813
FAX: 662 448 3150
<http://www.asiabike.com>
E-Mail: seema1@ksc.th.com



SLOVAKIA

AGF Invest, s.r.o.

TEL: 421 2 62 85 95 49
FAX: 421 2 62 85 90 52
<http://www.agfinvest.sk>
E-Mail: solomonsgift@mweb.co.za