

ACOR ACORPLUS

No.18, 8th Rd., Taichung Ind. Park, Taichung City, 407 Taiwan

Tel:+886-4-2359-1201

Fax:+886-4-2359-1562

Email:acor@acorsports.com.tw www.acorsports.com



All about you
Create my own style
Our promise to you
Reach your dreams

2019 PRODUCT COLLECTION



ACOR - ALL CYCLING OFF/ON ROAD

The brand ACOR which comes from the word "Acorn" which symbolizes patience. There's a saying that goes "Great oaks from little acorns grow". This is ACOR spirit. ACOR is proud to be recognized internationally on manufacturing, product innovation through technology. ACOR is flexible and able to respond demand quickly in changing market.

With information research and R & D support in manufacturing technologies and processes, ACOR provides wide range of bicycle components and accessories. Combining CNC processing and apply to aluminum and titanium material, it makes ACOR products more than functional but variability. And all our products must meet EN standards.

With decades of efforts, now ACOR distributes to worldwide over 20 countries, it is you make this happened. The industry and market never stop to change. The only thing we should do is keeping innovation and creating value. We grow with the times and expect to give you the best.

ACOR TI

TITANIUM

FRAMES	03-04
CLAMPS / BELLS	
SPACERS / STEMS	05
HANDLEBARS	
SEATPOSTS	06

CONTENTS

ACOR

BICYCLE PARTS

BOTTOM BRACKETS	07-08
BRAKES & ADAPTERS	08-10
BRAKE LEVERS	10
BRAKE PADS	10
BRAKE SHOES	11-12
BARENDS	12
CHAINS	13
DISC ROTORS	13
CLAMPS & QUICK RELEASES	14
CABLES	15-16
END PLUGS	17
HANDLEBARS	17-18
GRIPS	19-20
HANDLEBAR TAPES	21-22
SADDLES	22
PEDALS	23-24
SEATPOSTS & ACCESSORIES	25
SPACERS & TOP CAPS	25
STEMS	26

ACCESSORIES

BAGS	27
BASKETS	27-28
BIKE PROTECTORS & CASTERS	28
BIKE HOLDERS	29
BELLS	29-30
BOTTLE CAGES	31-32
BOTTLES	33
CHAIN GUIDES	33
DERAILLEUR PULLEYS	34
FENDERS	34
KICKSTANDS	35-36
LIGHTS	36-37
PUMPS	37-38
PROTECTORS	38-39
TOOLS	39-44
BACK MIRRORS	44
TRAINING WHEELS	44

ACOR PLUS

CARBON PARTS

BOTTLE CAGES / STEMS	47
SEATPOSTS	
HANDLEBARS	48
FORKS	49
WHEELSETS	50

Why Titanium

In Japan, titanium is called dream metal and it is applied in aerospace in untied state since WWII. Titanium is a kind of light metal and someone say it will be the future metal with newly structure and performance. With light, high strength, good springy and anti-corrosion advantages, Titanium is recognized an ideal material for high end and life style bicycles. A titanium frame offer a perfect performance and meet the market need of individuals.

Due to the strength and stiffness, titanium is the best choice of making a bike frame. There's only half weight but 28.4% higher strength and stiffness than steel. Also the titanium frame gives excellent performance of anti-fatigue, and with lighter, stronger, long lifespan owing to its high strength and low density. There's no need to do painting on the surface as titanium frame is anti-corrosion, it just need do metal wiredrawing keeping its metal color.

ACOR Titanium- Innovate to change

Like most metals, titanium is combined with alloy elements to make it stronger and outstanding properties. Ti 3AL/2.5V (3% Aluminum, 2.5% Vanadium and 94.5% Titanium) is specifically created to make high strength tubing. The manufacturing process of titanium tubing which is applied in ACORTi follows strict quality standard, the same standard used on the national aerospace. And using strict cold-worked process to shape the tubes and enhance stiffness. We are have many shape tubes for your options to customize frames.

At ACORTi, we take the design, manufacture and material selection very seriously, all the details make a perfect hand-craft frame with forever lasting. Each titanium frame is a piece of artwork. Without experience technician a perfect frame can't not be created, its technician's master piece and you complete the honor.

ACORTi advantages



AEROSPACE GRADE TITANIUM

ACORTi titanium use aerospace grade titanium which is high quality Ti3AL/2.5V titanium alloy and apply in tubing with innovated technique. We also select 6AL/4V titanium alloy in our higher end models for the perfect riding experience.



COLD-WORED ENHANCE HARDNESS

Different from alloy tubing hot-worked, ACORTi titanium using cold-worked permanent deformation to enhance the hardness and fatigue bear of tubes. Even though this technique will spend more time and effort but we insist this is must to-do. There's nothing more important than high quality frame we offer to you.



GEOMETRY BOOST TUBING QUALITY

A perfect titanium frame is decided by tubing quality and geometry design. We have to precisely control each details of shaped tube, size, weight, function and stiffness. ACORTi titanium serves this the only purpose.



BUTTED WALL THICKNESS CONTROL

We create different wall thickness within a same tube to response each type of bikes. It can improve riding experience, lighten frame weight and give the comprehensive properties of frames.

ACORTi can make double butted, plain gauge, triple butted tubes based on frames. Besides, we can do tubes with different shapes such as drops, oval, taper etc.



FRAMES

T-R017

T47 bottom bracket shell is available

Spec: Ti 3AL2.5V 700C Road Bike Frame
Mechanical & Shimano Di2 system
1-1/8"-1-1/2" head tube
Shimano Flat Mount disc brake system
Shimano E-thru system for road (12x142mm axle)
With fender & carrier eyelets

Weight: 1,800g / 54cm



T-R018

T47 bottom bracket shell is available

Spec: Ti 3AL2.5V 700C Gravel Bike Frame
Mechanical & Shimano Di2 system
1-1/8"-1-1/2" head tube
Shimano Flat Mount disc brake system
Shimano E-thru system for road (12x142mm axle)
With fender & carrier eyelets

Weight: 1,900g / 54cm



T-R015

Spec: Ti 3AL2.5V 700C Road Bike Frame
Mechanical & Shimano Di2 system
1-1/8"-1-1/2" head tube
Shimano BB86.5 Press-Fit bottom bracket shell

Weight: 1,500g / 50cm



T-R005

Spec: Ti 3AL2.5V Road Bike Frame
Deformed pentagon shaped top & down tube
1-1/8" conventional head tube

Weight: 1,420g / 49cm



T-R003

Spec: Ti 3AL2.5V Road Bike Frame
1-1/8" semi-integrated head tube
Head tube OD 45mm / ID 42mm

Weight: 1250g / 52cm



T-R016

Spec: Ti 3AL2.5V 700C Road Bike Frame
Mechanical & SHIMANO Di2 system
1-1/8"-1-1/2" head tube
Shimano BB86.5 Press-Fit bottom bracket shell
Shimano Flat Mount disc brake system
Shimano E-thru system for road (12x142mm axle)

Weight: 1,650g / 50cm



SHIMANO Flat mount disc & E-thru



T-R014

Spec: Ti 3AL2.5V 700C Road Bike Frame
Mechanical & Shimano Di2 system
Deformed top tube & oval down tube
1-1/8"-1-1/2" internal head tube
With fender & carrier eyelets

Weight: 1620g / 48cm



T-R013

Spec: Ti 3AL2.5V 700C Gravel Bike Frame
Mechanical & Shimano Di2 system
1-1/8"-1-1/2" internal head tube
Shimano BB86.5 Press-Fit bottom bracket shell
Shimano Flat Mount disc brake system
SHIMANO E-thru system (12x142mm axle)
With fender & carrier eyelets

Weight: 1700g / 54cm



SHIMANO E-thru & Flat mount disc



T-M019

Spec: Ti 3AL2.5V 27.5" Plus Mountain Bike Frame
1-1/8"-1-1/2" integrated head tube
Shimano BB92 Press-Fit bottom bracket shell
Shimano E-thru I type system (12x148mm axle)
Shimano Direct Mount hanger

Weight: 1850g / 19"



SHIMANO E-thru I type



T-M021

Spec: Ti 3AL2.5V 27.5" Plus Mountain Bike Frame
1-1/8"-1-1/2" integrated head tube
Shimano BB92 Press-Fit bottom bracket shell
Shimano E-thru I type system (12x148mm axle)
Shimano Direct Mount hanger

Weight: 1850g / 15.5"



SHIMANO E-thru I type



T-M020

27.5" is available

Spec: Ti 3AL2.5V 29" Mountain Bike Frame
Mechanical & Shimano Di2 system
1-1/8"-1-1/2" internal head tube
Shimano BB92 Press-Fit bottom bracket shell
Shimano E-thru system (12x142mm axle)
Shimano Direct Mount hanger

Weight: 1800g / 16.5"



SHIMANO E-thru



CLAMPS

T-CLP01

Spec: Ti 6AL4V investment casting seat clamp
Straight cut & slotted design
M5 stainless bolts
Size: 31.8 / 34.9 x H12mm
Weight: 20g--31.8mm



T-CLP02

Spec: Ti 6AL4V investment casting seat clamp
Aslope cut & slotted design
M6 stainless bolts
Size: 31.8 / 34.9 x H12mm
Weight: 22g--31.8mm



BELLS

T-BE03

Spec: Ti 3AL2.5V bell dome size: 32mm
Size: 22.2mm handle bar
Weight: 29g



SPACERS

T-SPAC

Spec: Ti 3AL2.5V spacer
Size: 28.6 x 5 / 10 / 15 / 20mm
Weight: 2g



STEMS

T-STM02

Spec: Ti 3AL2.5V stem M5 stainless bolts
Angle: $\pm 7^\circ$
Size: 28.6 x 70 / 80 / 90 / 100 / 110 / 120mm x H:43mm
Barbore: 31.8mm
Weight: 132g--100mm



T-STM07

Spec: Ti 3AL2.5V stem M5 stainless bolts
Angle: $\pm 7^\circ$
Size: 28.6 x 70 / 80 / 90 / 100 / 110 / 120mm x H:43mm
Barbore: 31.8mm
Weight: 142g--100mm



T-STM08

Spec: Ti 3AL2.5V stem M5 stainless bolts
Angle: $\pm 7^\circ$
Size: 28.6 x 70 / 80 / 90 / 100 / 110 / 120mm x H:43mm
Barbore: 31.8mm
Weight: 145g--100mm



HANDLEBARS

T-HB02

Spec: Ti 3AL2.5V flat handlebar
Width: 580 / 600 / 620mm
Barbore: 31.8mm
Rise: 0mm
Backsweep: 5°
Weight: 160g--580mm



T-HB07

Spec: Spec: Ti 3AL2.5V rise handlebar
Width: Width: 680 / 720mm
Barbore: Barbore: 31.8mm
Rise: Rise: 20mm
Backsweep: Backsweep: 9°
Upsweep: Upsweep: 6°
Weight: 250g--720mm



SEATPOSTS

T-SEP04

Spec: Ti 3AL2.5V seatpost with alloy rail parts
Size: 27.2 / 31.6 x 350mm
Offset: 0mm
Weight: 231g--27.2 x 350mm



T-SEP06

Spec: Ti 3AL2.5V seatpost with alloy rail parts easily angle adjust
27.2 / 30.9 x 350mm, 31.6 x 350mm
15 / 25mm, 15mm
Weight: 310g--30.9 x 350mm



BOTTOM BRACKETS

ABB-21901

Spec: T47 bottom bracket
Alloy adapters & nylon sleeve sealed bearings
Compatible Sram spindle 30mm crankset
With installation wrench
Size: Fits BB shell width 68 & 73mm
Weight: 101g

NEW!



ABB-21902

Spec: T47 bottom bracket
Alloy adapters & nylon sleeve sealed bearings
Compatible Shimano spindle 24mm crankset
Size: Fits BB shell width 68 & 73mm
Weight: 109g

NEW!



ABB-2101

Spec: Square tapered bottom bracket Cr-Moly axle
Alloy cups sealed bearing thread 1.37" x 24T
Size: 68 x 107 / 110 / 113 / 115 / 118 / 122.5 / 124 / 127.5mm
73 x 110 / 113 / 118 / 122.5 / 124 / 127.5mm
Weight: 276g



ABB-21501

Spec: External bottom bracket Shimano type
Plastic sleeve sealed bearings
Compatible Shimano spindle 24mm crankset
Size: Fits BB shell width 68mm & 73mm
Weight: 103g



ABB-21704

Spec: Press fit bottom bracket Shimano type
Nylon adapters sealed bearings
Compatible Shimano spindle 24mm crankset
Size: Fits BB shell width 86.5 & 89.5 & 92mm
Weight: 73g



ABB-21705

Spec: Press fit bottom bracket Shimano type
Nylon adapters sealed bearings
Compatible Sram spindle 24/22mm crankset
Size: Fits BB shell width 86.5 & 89.5 & 92mm
Weight: 74g



ABB-21903

Spec: Converter for PF30 bottom bracket shell
To BSA bottom bracket alloy adapters
Size: Fits BB shell width 68 & 73mm
Weight: 54g

NEW!



ABB-21904

Spec: Converter for BB30 bottom bracket shell
To BSA bottom bracket alloy adapters
Size: Fits BB shell width 68 & 73mm
Weight: 32g

ABB-21702

Spec: Press fit bottom bracket PF30 type
Nylon adapters sealed bearings
Compatible Shimano spindle 24mm crankset
Size: Fits BB shell width 68 & 73mm
Weight: 110g



ABB-21706

Spec: Press fit BB bottom bracket PF30 type
Nylon adapters sealed bearings
Compatible Sram spindle 30mm crankset
Size: Fits BB shell width 68 & 73mm
Weight: 74g



ABB-21703

Spec: Press fit bottom bracket PF30 type
Nylon adapters sealed bearings
Compatible Sram spindle 24 / 22mm crankset
Size: Fits BB shell width 68 & 73mm
Weight: 115g



ABB-21003

Spec: Full sealed bearing for BB30 bottom bracket shell
2pcs-set
Weight: 44g



BRAKES & ADAPTERS

Semi-Hydraulic Disc Brake set

- Hybrid front and rear hydraulic disc brake.
- Non-corrosive and high stability mineral oil.
- No need to bleed oil again after hide the wire into frame.
- Suitable for any brake lever and shifter system
- Dual-Piston, easy to adjust the position of rotor.
- The lightest model at the market.
- Braking performance is smoother and safer.
- Never worry about brake system to hurt carbon wheel.

ABR-21801

Spec: Semi-Hydraulic Flat Mount disc brake
Front brake and Rear brake a set
Dual piston system
CNC / forged aluminium
Semi metallic pads
Includes Front brake adapter & bolts
Includes Rear brake bolts for four size
Supplied with rotors 160mm x 2pcs
Weight: 296g / pr



ABR-21504

Spec: Semi-Hydraulic Post Mount Road disc brake
Front brake and Rear brake a set
Dual piston system
CNC / forged aluminium
Semi metallic pads
Includes adapters and bolts
Supplied with rotors 160mm x 2pcs
Weight: 284g / pr



ABR-2209

Spec: Alloy forged caliper brake with normal pads
Power reinforcement with dual-pivot device
Size: 53-73mm
Weight: 184g / wheel



ABR-21105

Spec: Alloy forged arm V-brake
Dual linear spring tension adjuster
Size: 108mm with EN 70mm brake pads
Weight: 194g / wheel



ABR-21802

Spec: Alloy Flat Mount adapter fits Post Mount disc brake
Includes bolts
Size: Fits front rotor 160mm
Weight: 70g



ABR-21501

Spec: Disc adapter for Shimano center lock system
Fits 6 bolt standard disc
Size: For 12 & 15 & 20mm thru axle
Weight: 27g / pc



ABR-21506

Spec: Disc adapter for Shimano center lock system
Fits 6 bolt standard disc
Size: For 9mm QR & 12mm thru axle
Weight: 24g / pc



ABR-21803

Spec: Alloy Flat Mount adapter fits Post Mount disc brake
Includes bolts fits Flat Mount thickness 20 & 30mm
Size: Fits rear rotor 160mm
Weight: 80g



ABR-21503

Spec: Alloy post mount disc brake adapter
PM caliper to fit PM fork/frame
Size: Adapter for 140mm to 160mm disc
Adapter for 160mm to 180mm disc
Weight: 11g



ABR-21701

Spec: AL6061 post mount disc brake adapter
PM caliper to fit PM fork/frame
Size: Adapter for 140mm to 160mm / 160mm to 180mm disc
Adapter for 160mm to 203mm disc
Weight: 8g



ABR-2210

Spec: ST anti rust angle pipe 2pcs-set
Size: 90 / 110D
Weight: 8g



ABR-901

Spec: Free angle adjustable lead pipe
For V-brake stainless steel 2pcs-set
Weight: 60g



BRAKE LEVERS

ABL-21401

Spec: Ergonomic design and Top Mount lever
Alloy cold forged with hinged style clamp lever
For Cyclocross
Size: 24.0 / 26.0 / 31.8 mm handlebar
Weight: 93g / pr



ABL-21502

Spec: Alloy melt-forged 4 finger lever for V-brake
Size: 22.2mm handlebar
Weight: 239g / pr



BRAKE PADS

ABS-2101

Spec: Composite material disc brake pads 2pcs-set
Size: HOPE, MAGURA, SHIMANO, FORMULA, HAYES etc.
Weight: 33g / pr



ATL-21203

Spec: Alloy cable hanger for Canti brake
Include cable wire and cable end
Weight: 20g / set



ABL-21403

Spec: Ergonomic alloy brake lever with Kraton
Integrated bell on left design alloy forged 4 finger lever
For Linear pull brake
Size: 22.2mm handlebar
Weight: 233g / pr



ABL-21504

Spec: Alloy adjusting barrels for brake lever 2pcs-set
Size: M10
Weight: 6g / pc



ABS-2101

Spec: Composite material disc brake pads 2pcs-set
Size: HOPE, MAGURA, SHIMANO, FORMULA, HAYES etc.
Weight: 33g / pr



BRAKE SHOES

ABS-21901

Spec: 5-IN-1 brake shoes compatible with 5 types of cartridges
SHIMANO & SRAM system standard, direct mount,
Universal types
CAMPAGNOLO system standard, direct mount types
For alloy rim 2prs-set
Size: 55mm
Weight: 10g / pr

NEW!



ABS-21902

Spec: 5-IN-1 brake shoes compatible with 5 types of cartridges
SHIMANO & SRAM system standard, direct mount,
Universal types
CAMPAGNOLO system standard, direct mount types
For carbon rim 2prs-set
Size: 55mm
Weight: 11g / pr

NEW!



ABS-208

Spec: Road brake shoes 2prs-set
Size: 50mm
Weight: 47g / pr



ABS-2804

Spec: Groove design V-brake brake shoes 2prs-set
Size: 72mm
Weight: 60g / pr



ABS-801V

Spec: V-brake shoes 2prs-set
Size: 72mm
Weight: 67g / pr



ABS-801C

Spec: Canti-brake shoes 2prs-set
Size: 72mm
Weight: 58g / pr



ABS-21507

Spec: Full CNC machined extra-light
Road brake shoes
High-friction coefficient compound 2prs-set
Size: 55mm
Weight: 31g / pr



ABS-21505

Spec: Clear rubber compound V-brake shoes
For BMX bikes 2prs-set
Size: 72mm
Weight: 62g / pr



ABS-21505C

Spec: Clear rubber compound V-brake shoes
For BMX bikes with colorful bolts set 2prs-set
Size: 72mm
Weight: 62g / pr



ABS-21503

Spec: Extra light road brake shoes 2prs-set
Size: 55mm
Weight: 35g / pr



ABS-21701

Spec: Extra light brake shoes for carbon rim
fits Shimano direct mount caliper brake 2prs-set
Size: 55mm
Weight: 9g / pr



ABS-21506

Spec: Extra light brake shoes for carbon rim
Exclusive holes superior heat dissipation 2prs-set
Size: 55mm
Weight: 10g / pr



ABS-21702

Spec: Extra light brake shoes for alloy rim
fits Shimano direct mount caliper brake 2prs-set
Size: 55mm
Weight: 11g / pr



BARENDs

ABZ-2903

Spec: AL6061-T6 Triathlon aero bar
Length and angle adjustable
Arm holder position adjustable
With comfort EVA patches
For 31.8mm plus shims for 26.0 & 25.4 handlebar
Size: L345 x 31.8mm
Weight: 590g / set



ABZ-21204

Spec: AL6061 comfortable bar end
Size: Drop 117 x 22.2mm
Weight: 126g / pr



ABZ-21203

Spec: AL6061 comfortable 3D forged & full CNC bar end
Option: A. normal end caps
B. conical end caps.
Size: L80 x 22.2mm
Weight: 56g / pr



ABZ-21601

Spec: AL6061/PP/TPR Ergonomic bar end
Size: L80 x 22.2mm
Weight: 137g / pr



CHAINS

ACA-21901

Spec: 12 SPD chain hollowed pin L: 5.25mm 1/2" x 11/128"
Speed of sprocket: 12 DHA chromium carbide pin
SLA superior lubricating aid with quick lock link
Size: 126-link
Weight: 286g

NEW!



ACA-21504

Spec: Reusable(roughly five times) quick lock link for chain
It's innovated design of chain connector
Have two safe sections to precisely locked
Compatible with SHIMANO, Campagnolo and SRAM chain
Replace a new one when you change new chain
Even this is reusable
Weight: 2g
A: For 11 SPD chain
B: For 10 SPD chain
C: For 9 SPD chain
D: For 7 or 8 SPD chain



ACA-21505

Spec: Reusable(roughly five times) quick lock link for chain
It's innovated design of chain connector
Have two safe sections to precisely locked
Compatible with SHIMANO, Campagnolo and SRAM chain
Replace a new one when you change new chain
Even this is reusable
Weight: 2g
A: For 10 SPD chain
B: For 9 SPD chain
C: For 7 or 8 SPD chain
D: For single SPD chain
E: For 11 SPD chain



ACA-21506

Spec: Irreusable quick fix connecting pin
Chromium carbide treatment
Compatible with SHIMANO, Campagnolo and SRAM chain
Weight: 2g
A: For 11 SPD chain
B: For 10 SPD chain
C: For 9 SPD chain



DISC ROTORS

ABR-21402

Spec: Flourish durable stainless steel CNC machined disc rotor
OD1.8T / 44PCD spades shape
Size: 203mm / 180mm / 160mm
Weight: 145g-203mm



ABR-21106

Spec: Multi color disc rotor bolt 12pcs-set
Size: T25, M5 x 10mm
Weight: 24g / set



CLAMPS & QUICK RELEASES

AQR-2305

Spec: AL6061 NC machined seat clamp
Size: 28.6 / 29.8 / 31.8 / 34.9mm
Weight: 26g



AQR-2705

Spec: AL6061 seat clamp with carrier bosses
M5 thread for rear carrier
Size: 28.6 / 31.8 / 34.9mm
Weight: 35g



AQR-21209

Spec: AL6061 forged seat clamp with QR lever
Size: 31.8 / 34.9mm
Weight: 48g-31.8mm



AQR-2502

Spec: AL6061 forged seat clamp with carrier bosses
M5 thread for rear carrier
Size: 31.8 / 34.9mm
Weight: 37g



AQR-21501

Spec: AL6066 CNC made seat clamp
Oval hole design good for carbon frame
Size: 31.8 / 34.9mm x H14mm
Weight: 18g-34.9mm



AQR-21504

Spec: AL6061 extrusion CNC machined QR lever seat clamp
Size: 31.8 / 34.9mm
Weight: 44g-34.9mm



AQR-501FR


Spec: Quick release set fixed with Allen key
Size: F: 110mm R: 145mm hub
Weight: 80g / pr




AQR-501

Spec: Provide 3pcs-set is available
For F & R hubs & seat tube 30mm
Weight: 90g / set


INNER CABLE (Available workshop box 100pcs)




Universal®
Mountain Brake
7 x 6 mm




Campagnolo®
Road Brake
5.5 x 11.5 mm



Shimano® / SRAM®
Road Brake
6 x 11 mm



Shimano® / SRAM®
Shift
4.4 x 4.4 mm



Campagnolo®
Shift
3.9 x 5 mm

ACB-21403

Spec: Stainless steel slick brake cable for Road
Size: 19 strand, OD: 1.5 x L2000mm, 5.5 x 11.5mm nipple
Suitable for Campagnolo system

ACB-21405

Spec: Stainless steel brake cable for MTB
Size: 19 strand, OD: 1.5 x L2000mm, 7 x 6mm nipple

ACB-21407

Spec: Stainless steel slick shift cable
Size: 19 strand, OD: 1.1 x L2000mm, 4.4 x 4.4mm nipple
Suitable for Shimano & SRAM system

ACB-21404

Spec: Stainless steel brake cable
Size: 19 strand, OD: 1.5 x L2000mm, 6 x 11mm nipple
Suitable for Shimano & SRAM system

ACB-21406

Spec: Stainless steel slick shift cable
Size: 19 strand, OD: 1.1 x L2000mm, 3.9 x 5mm nipple
Suitable for Campagnolo system

ACCESSORIES

ACB-2102

Spec: Plastic injection cable holder with 3M sticker
Sticks to the fork or frame
Size: Ø4 and Ø5mm cable housing compatible
Weight: 1g



ACB-21201

Spec: Alloy cable O-RING protector 6pcs/set
3pcs for brake & 3pcs for shift
Size: 1.2mm for shift / 1.8mm for brake
Weight: 6g / set



OUTER CASING

ACB-2402

Spec: 5mm brake outer casing silver mesh outer layer
Size: 30M / box

ACB-2412

Spec: 4.5mm shift outer casing silver mesh outer layer
Size: 30M / box



ACB-2403

Spec: 5mm outer casing for both brake & shift inner cables
Kevlar fiber layer light for superb performance
Especially for cable-actuated disc brakes
Size: 30M / box



ACB-21506

Spec: 4mm SP shift outer casing
11 SPD compatible
Size: 30M / box



ACB-21507

Spec: 4mm SP shift outer casing
Polymer lined for reduced friction
Size: 30M / box

ACB-21508

Spec: 5mm 2P brake outer casing
Polymer lined for reduced friction
Size: 30M / box



ACB-21401

Spec: Alloy C-Clip for hydraulic hose 5pcs-set
Size: Ø10.5mm
Weight: 2g / set



END PLUGS

ASG-21910

Spec: ACOR logo reflective end plugs
Size: For bar tape type
Weight: 6g / pr



ASG-21912

Spec: ACOR logo sticker & reflective end plugs
Size: For bar tape type
Weight: 7g / set



ASG-2510

Spec: ACOR carbon fiber pattern end plugs
Size: For grip type
Weight: 6g / pr



ASG-21612

Spec: Aluminum / Rubber end plugs
Cap diameter: 30.5mm
Size: Body diameter 13/15/18mm
Weight: 47g / pr-18mm



ASG-21911

Spec: ACOR logo reflective end plugs
Size: For grip type
Weight: 6g / pr



ABZ-602E

Spec: ACOR Plastic end plugs
Size: For grip type
Weight: 2g / pr



ASG-2511

Spec: ACOR carbon fiber pattern end plugs
Size: For bar tape type
Weight: 6g / pr



ASG-21613

Spec: Aluminum / Rubber end plugs
Cap diameter: 25.5mm
Size: Body diameter 13/15/18mm
Weight: 38g / pr-18mm



HANDLEBARS

AHB-21801

Spec: Alloy double-butt road bar
Width: 400 / 420 / 440mm
Reach: 80mm
Drop: 125mm
Barbore: 31.8mm
Weight: 330g-420mm



AHB-21802

Spec: Alloy double-butt road bar
Width: 400 / 420 / 440mm
Reach: 84mm
Drop: 131mm
Barbore: 31.8mm
Weight: 292g-440mm



AHB-2201

Spec: AL6061 DB low rise handlebar
Back sweep: 9°
Width: 640 / 660 / 680mm
Rise: 30mm
Barbore: 25.4mm
Weight: 340g
-ditto Back sweep: 6°
Width: 640 / 660 / 680mm
Rise: 30mm
Barbore: 31.8mm



AHB-21503

Spec: AL6061 DB rise handlebar
Width: 700 / 710 / 720 / 730 / 740 / 750mm
Barbore: 35mm
Rise: 20mm
Backsweep: 9°
Upsweep: 4°
Weight: 347g-750mm



AHB-21701

Spec: AL6061 DB top flat handlebar
Width: 690 / 700 / 710 / 720 / 730 / 740mm
Barbore: 31.8mm
Rise: 0mm
Backsweep: 9°
Weight: 256g-720mm



AHB-21702

Spec: AL6061 flared drop road bar
Width: 440 / 480mm
Barbore: 31.8mm
Drop: 110mm
Reach: 76mm
Flared: 21°
Weight: 320g-W480mm



AHB-21703

Spec: AL6061 flared drop road bar
Width: 420 / 460mm
Barbore: 31.8mm
Drop: 110mm
Reach: 80mm
Flared: 26°
Weight: 290g-W420mm



AHB-2711

Spec: Extend computer bar AL6061 CNC machined clamp
With carbon extension bar 22.2mm
Size: Fit to handlebar 31.8mm
Weight: 54g



GRIPS

ASG-2905

Spec: Kraton/GEL/Rubber grips
With ACOR logo end plugs
Size: 7/8" x 125mm
Weight: 100g / pr



ASG-2906

Spec: Ergonomic Kraton/GEL grips
Designed to absorb shock
With ACOR logo end plugs
Size: 7/8" x 125mm
Weight: 158g / pr



ASG-21103

Spec: Kraton/GEL/PP grips with classical pattern design
With ACOR logo end plugs
Size: 7/8" x 134.5mm
Weight: 150g / pr



ASG-21304

Spec: Anti-slip Rubber/GEL grips
With ACOR logo end plugs
Size: 7/8" x 128mm
Weight: 190g / pr



ASG-2806

Spec: Comfortable Kraton grips with locking system
With end caps
Size: 7/8" x 128mm
Weight: 101g / pr



ASG-21201

Spec: Skull design PP grips with locking system
With end plugs
Size: 7/8" x 128mm
Weight: 119g / pr



ASG-21601

Spec: Ergonomic Kraton/PU grips with locking system
With end plugs
Size: 7/8" x 128mm / 138mm
Weight: 182g / pr--128mm



ASG-21603

Spec: 2 color segment Kraton/Rubber grips with locking system
With end plugs
Size: 7/8" x 128mm
Weight: 125g / pr



ASG-21507

Spec: GEL/Silicon grips with locking system
With end plugs
Size: 7/8" x 129mm
Weight: 130g / pr



ASG-21607

Spec: Anti-slip silicone foam grips
Shock-absorb & abrasion-resist
With ACOR logo end plugs
Size: 7/8" x 130mm
Weight: 55g / pr



ASG-21610

Spec: Special nano foam grips
With ACOR logo end plugs
Size: 7/8" x 130mm
Weight: 11g / pr




ASG-2809

Spec: Choloprene high density foamed grips
With ACOR logo end plugs
Size: 7/8" x 125mm
Weight: 41g / pr



ASG-2104

Spec: Multibar foam grips fit on butterfly bars
Suitable for Ø 19-22mm handlebar diameters
Can be cut to length individually
Size: 500mm
Weight: 82g / pr



HANDLEBAR TAPES

ASG-21901

Spec: Bar tape EVA foamed thickness: 4mm
With ACOR carbon fiber pattern end plugs
Size: 3 x 185cm
Weight: 52g / pr

NEW!



ASG-21902

Spec: Bar tape silicone foam
With ACOR carbon fiber pattern end plugs
Size: 3 x 155cm
Weight: 193g / pr

NEW!



ASG-21903

Spec: Bar tape PU & EVA foamed diamond pattern
With ACOR logo reflective end plugs & ACOR logo sticker for tape
Size: 3 x 200cm
Weight: 46g / pr

NEW!



ASG-21203

Spec: Brush effect with EVA cork bar tape
Comfortable designed with end plugs
Size: 3 x 185cm
Weight: 55g / pr



ASG-2404

Spec: Bar tape comfort enhanced EVA foam / soft GEL
Water resistance with end plugs
Size: 3 x 185cm
Weight: 36g / pr



ASG-21504

Spec: PU/EVA foamed bar tape with oblique line surface
With ACOR carbon fiber pattern end plugs
Size: 3 x 200cm
Weight: 70g / pr



ASG-21506

Spec: PU/EVA foamed bar tape STAR pattern surface
With ACOR carbon fiber pattern end plugs
Size: 3 x 200cm
Weight: 56g / pr



ASG-21608

Spec: 3 lines pinholes PU+EVA bar tape shock-proof
With ACOR carbon fiber pattern end plugs
Size: 3 x 200cm
Weight: 55g / pr



ASG-21611

Spec: Microfiber+3M REFLECTIVE bar tape with end plugs
Size: 3 x 200cm
Weight: 0g / pr



SADDLE

ASD-21902

For MTB
Base: Nylon Fiber Injection
Top: PU Cover
Foam: Light Foam / High Density
Rail: Cr-Moly rail
Size: 280 x 135mm
Weight: 271g


NEW!



ASD-21903

For Road
Base: Nylon Fiber Injection
Top: PU Cover
Foam: Light Foam / High Density
Rail: Cr-Moly rail
Size: 280 x 135mm
Weight: 260g

NEW!



ASD-21904

For Road
Base: Nylon Fiber Injection
Top: PU Cover
Foam: Light Foam
Rail: Steel rail
Size: 280 x 130mm
Weight: 302g
***Features:** Waterproof

NEW!



ASD-21904C

For Road
Base: Nylon Fiber Injection
Top: PU Cover
Foam: Light Foam
Rail: Cr-Moly rail
Size: 280 x 130mm
Weight: 260g
***Features:** Waterproof

NEW!



ASD-21905

For Touring or E-bike
Base: Nylon Fiber Injection
Top: PU Cover
Foam: Comfortable (Vacuum)
Rail: Steel rail
Size: 270 x 170mm
Weight: 418g
***Features:** Waterproof

NEW!



ASD-21906

For Touring
Base: Black PP
Top: PU Cover
Foam: Comfortable and High Density
Rail: Steel rail
Size: 250 x 150mm
Weight: 432g

NEW!



ASD-21907

*For City or E-bike
Base: Black PP
Top: PU Cover
Foam: Comfortable (Vacuum)
Rail: Steel rail
Size: 252 x 222mm
Weight: 672g
***Features:** Waterproof, Elastomer suspension, Rear handle bar, Front Bumper

NEW!



PEDALS

APD-21901

Spec: Plastic one-piece pedal 9/16" boron axle ball bearings
With sand paper & BS reflectors
Size: 111x87mm
Weight: 348g / pr

NEW!



APD-21903

Spec: Alloy pedal CNC-machined body & 9/16" Cr-Moly axle
LSL bushing & sealed bearings
With sand paper & BS reflectors
Size: 98x78mm
Weight: 330g / pr

NEW!



APD-21905

Spec: Plastic one-piece pedal 9/16" boron axle ball bearings
With BS reflectors
Size: 110x100mm
Weight: 340g / pr

NEW!



APD-21907

Spec: Plastic one-piece pedal TPR non-slip inlay
9/16" boron axle ball bearings with BS reflectors
Size: 103x78mm
Weight: 256g / pr

NEW!



APD-21909

Spec: Alloy one-piece pedal 9/16" Cr-Moly axle
Sealed cartridge bearings with BS reflectors
Size: 101x87mm
Weight: 337g / pr

NEW!



APD-21902

Spec: Plastic one-piece pedal 9/16" boron axle polymer bearings
With sand paper & BS reflectors
Size: 109x89.5mm
Weight: 331g / pr

NEW!



APD-21904

Spec: Plastic one-piece pedal 9/16" boron axle polymer bearings
With BS reflectors
Size: 91x97mm
Weight: 250g / pr

NEW!



APD-21906

Spec: Plastic one-piece pedal 9/16" boron axle ball bearings
With BS reflectors
Size: 108x84mm
Weight: 294g / pr

NEW!



APD-21908

Spec: Plastic one-piece pedal TPR non-slip inlay
9/16" boron axle ball bearings with BS reflectors
Size: 111x90mm
Weight: 362g / pr

NEW!



APD-21910

Spec: Alloy pedal 9/16" boron axle ball bearings
With BS reflectors
Size: 101x87mm
Weight: 269g / pr

NEW!



APD-21911

Spec: Alloy with plastic & TPR inlay body pedal
9/16" Cr-Moly axle sealed cartridge bearings
With BS reflectors
Size: 111x90mm
Weight: 513g / pr

NEW!



APD-21406

Spec: Plastic body / alloy cage pedal
With BS reflectors
9/16" Cr-Moly axle ball bearings
Size: 104 x 63.2mm
Weight: 240g / pr



APD-2502

Spec: Alloy barrel polished body pedal
Serrated pattern top anchors the shoe firmly
With BS reflectors, toe clip compatible
9/16" Cr-Moly axle with ball bearings
Size: 97 x 63mm
Weight: 249g / pr



APD-21603

Spec: Alloy barrel polished body pedal
With BS reflectors
9/16" Cr-Mo axle sealed bearings
Size: 98 x 65mm
Weight: 240g / pr



APD-21601

Spec: Alloy extruded CNC-machined pedal
9/16" Cr-Mo axle sealed bearings
Replaceable anti-slip pins
Size: 87 x 98.5mm
Weight: 228g / pr



APD-21507

Spec: Alloy extruded CNC-machined pedal
9/16" Cr-Moly axle
LSL bushing & sealed bearings
Replaceable anti-slip pins
Size: 100 x 97mm
Weight: 384g / pr



APD-21006

Spec: Alloy multi-function pedal
1-side binding tension adjustable
9/16" Cr-Moly axle with sealed bearings
Size: 93 x 66mm
Weight: 354g / pr



APD-21105

Spec: Alloy one-piece pedal
With BS reflectors
9/16" Cr-Moly axle sealed bearings
Size: 98 x 63mm
Weight: 250g / pr



APD-21408

Spec: Pedal pins with tool 45pcs--bottle
Size: M4 / T20
Weight: 60g



SEATPOSTS & ACCESSORIES

ASP-2305 Option: Oversize up to 31.8mm
Spec: Alloy suspension seatpost 1-bolt head design
 Preload adjustable, travel: 40mm
Size: 25.4 to 27.2 x 350mm
Offset: 20mm
Weight: 470g



ASP-21601
Spec: AL6061 one piece forged seatpost
 Micro-Angle adjustable
Size: 27.2 / 31.6 x 350mm
Offset: 15mm
Weight: 294g-31.6mm



ASP-2001 Option: Oversize up to 31.8mm
Spec: Alloy cold-forged seatpost 1-bolt head design
Size: 25.0 to 27.2 x 400mm
Offset: 15mm
Weight: 280g



ASP-21602
Spec: AL6061 simply angle adjustment seatpost
Size: 27.2 / 31.6 x 350mm
Offset: 0mm
Weight: 257g-31.6mm



AQR-2101
Spec: Alloy seatpost shim L: 90mm
Size: ID 25.4 / 27.2mm
 OD options fit most sizes seatposts
Weight: 36g



ATL-21601
Spec: Shimano Di2 seatpost battery fixation L: 68mm
 TPR material, fits for alloy seatpost
Size: For 27.2 / 31.6mm seatpost
Weight: 14g-27.2mm



ATL-21602
Spec: Shimano Di2 seatpost battery fixation L: 68mm
 TPR material, fits for carbon seatpost
Size: For 27.2 / 31.6mm seatpost
Weight: 13g-27.2mm



SPACERS & TOP CAPS

ASM-2710 Each size 100pcs per bag available
Spec: Alloy spacer super light design 3pcs-set
Size: 28.6 x 3 / 5 / 10mm or 5 / 10 / 15mm
Weight: 1g-5mm, 3g-10mm



ASM-2711 Each size 100pcs per bag available
Spec: Carbon spacer super light design 3pcs-set
Size: 28.6 x 3 / 5 / 10mm or 5 / 10 / 15mm
Weight: 1g-5mm, 2g-10mm



ASM-21404 Each size 100pcs per bag available
Spec: Alloy CNC-machined spacer 4pcs-set
Size: 28.6 x 3 / 5 / 8 / 10mm
Weight: 2g-5mm



ASM-21203
Spec: AL6061 CNC-machined top cap with star nut & bolt
Size: 1" or 1-1/8"
Weight: 20g / pc



ASM-21501
Spec: AL6061 2-step designed top cap
 For carbon steerer tube
Size: 1-1/8" x ID 22-23mm / 23-24mm / 24-25mm
Weight: 41g-22-23mm



STEMS

ASM-2607
Spec: Alloy melt-forged angle adjustable stem
Steerer: 28.6mm x H40mm
Barbore: 25.4mm
Angle: 0° to +60°
Length: 90 / 100 / 110 / 130mm
Weight: 307g-110mm



ASM-21702
Spec: AL6061 ultra light 3D forged stem
Steerer: 28.6mm x H40mm
Barbore: 31.8mm
Angle: +/- 17°
Length: 50 / 60 / 70 / 80 / 90mm
Weight: 123g-90mm



ASM-21701
Spec: AL6061 3D forged stem
Steerer: 28.6mm x H40mm
Barbore: 35mm
Angle: +/- 7°
Length: 45 / 60 / 70 / 80 / 90mm
Weight: 123g-90mm
Also available:
 Barbore: 31.8mm
 Length: 40 / 50 / 60 / 70 / 80 / 90 / 100 / 110mm



ASM-2319
Spec: Alloy forged lock type stem adapter
 With spacers and top cap
Size: 28.6 x L117mm
Weight: 215g



ASM-2703
Spec: AL6061 ultra light 3D forged stem
Steerer: 28.6mm x H41mm
Barbore: 25.4 / 31.8mm
Angle: +/- 7°
Length: 90 / 100 / 110 / 120mm
Weight: 119g-90mm



ASM-21704
Spec: AL6061 ultra light 3D forged stem
Steerer: 28.6mm x H40mm
Barbore: 31.8mm
Angle: +/- 10°
Length: 70 / 80 / 90 / 100 / 110 / 120mm
Weight: 120g-90mm



ASM-21703
Spec: AL6061 3D forged stem
Steerer: 28.6mm x H40mm
Barbore: 35mm
Angle: 0°
Length: 45 / 60mm
Weight: 131g-45mm
Also available:
 Barbore: 31.8mm
 Length: 45 / 60mm



ASM-2810
Spec: AL6061 barbore adapter 4pcs-set
Size: OD 31.8 / ID 25.4mm
 OD 31.8 / ID 26.0mm
Weight: 21g / set



BAG

ABG-21001 Provide Neoprene material
Spec: Nylon bag for sport glasses with holding lock
Weight: 32g



ABG-2705
Spec: Saddle bag water resistance 1680D Polyester PU coated
 Safety 3M reflector and orange webbing trimmings
Size: 82 x 124 x 63mm
Weight: 123g



ABG-2704 Provide 90 x 139 x 80 / 130mm--S
Weight: 162g
Spec: Saddle bag water resistance 1680D Polyester PU coated
 Safety 3M reflector and orange webbing trimmings
 Expendable gusset designed
Size: 105 x 170 x 90 / 150mm--L
Weight: 192g



ABG-2706
Spec: Saddle bag water resistance 1680D Polyester with EVA inner
 Safety 3M reflector and orange webbing trimmings
Size: 107 x 142 x 75mm
Weight: 138g



ABG-2707 Provide 75 x 175 x 90mm--S
Weight: 112g
Spec: Saddle bag water resistance 1680D Polyester PU coated
 Safety 3M reflector and orange webbing trimmings
Size: 94 x 185 x 102mm--L
Weight: 137g



ABK-21302
Spec: PE willow & rattan weave rear basket
 Quick release design fits rear carrier
Size: 40 x 30 x 20cm
Weight: 1,320g



BASKETS

ABK-21502
Spec: PE willow & rattan weave front basket
 With quick release bracket fits handlebar
Size: 37 x 25 x 23.5 cm / 6mm PE
Weight: 1,232g



ABK-21303
Spec: Alloy mesh weave rear basket
 Quick release design fits rear carrier
Size: 40 x 30 x 17 / 13.5cm
Weight: 1,190g



ABK-21501
Spec: PE willow & rattan weave front basket
 With quick release bracket fits handlebar
Size: 34 x 27 x 18 / 20 cm
Weight: 1,334g



BIKE PROTECTOR & CASTERS

ABP-2701
Spec: ECO-Bike protector for travel convenience
 Re-use & durable design
 Max.loading : 30kg
Size: 1150mm x 810mm x 305mm x 5mm
Weight: 3,300g



ABP-21201
Provide size: 1055mm x 735mm x 230mm x 5mm
Weight: 2,300g



ABP-21101
Spec: ECO-Trolley wheels for travel convenience
 Re-use, quick release, 360° rotatable rollers
 Single wheel Max.strength: 297kg
 Nylon trouser band hook and loop fastener Max.strength: 80kg
Size: 2sets of 250cm Velcro straps with 4 trolley wheels
Weight: 935g / set



ABG-21109
Spec: 600D/PU bag for ABP-2701 bike protector
Size: 120 x 34 x 81.5 cm

ABG-21211
Spec: 600D/PU bag for ABP-21201 bike protector
Size: 106 x 23 x 74 cm



BIKE HOLDERS

AWS-2503

Spec: Hi-Ten L type bike stand with anti-scratch protector
Size: Fits 24" & 26" bikes
Weight: 2,344g



AWS-21402

Spec: Hi-Ten L type bike stand with anti-scratch protector
Size: Fits 29" & 700C bikes
Weight: 2,455g



AWS-2701

Spec: Folding maintenance bike stand
Hollowed ST tubing fixed rear hub type
Adjust the derailleur and other parts
Compatible with a range of wheel size 26~29"
Weight: 757g



ABE-21802

Spec: Mini brass bell
Brass dome with adjustable strap
Size: 22.2 to 34.9mm handlebar
Weight: 21g

NEW!



ABE-21801

Spec: Loud and clear brass bell
Brass dome with steel base & lever
Dome size: 55mm
Size: 22.2 & 25.4mm handlebar
Weight: 86g



BELLS

ABE-21901

Spec: Double sounds bell brass dome with plastic base
Size: 22.2 & 25.4mm handlebar
Weight: 42g

NEW!



ABE-21803

Spec: Grip brass bell install into handlebar neat looking
Brass top plastic base
Size: 22.2mm handlebar
Weight: 45g

NEW!



ABE-2101

Spec: Alloy dome with cartoon picture knocking bell
Size: 22.2mm handlebar
Weight: 20g



ABE-21303

Spec: Animal pattern bell dome size: 55mm
Size: 22.2mm handlebar
Weight: 50g



ABE-2802

Spec: Football style knocking bell alloy dome plastic clamp
Size: 22.2mm handlebar
Weight: 29g



ABE-2201

Spec: Ladybug style knocking bell with plastic wings
Size: 22.2mm handlebar
Weight: 32g



ABE-2401

Provide 20pcs per box
Spec: Knocking bell alloy dome plastic clamp
With ergonomic lever
Size: 22.2mm handlebar
Weight: 26g



ABE-2904

Provide mixed blue*6pcs and pink*6pcs per box
Spec: Glitter style bell 6 colorful LED dome
Size: 22.2mm handlebar
Weight: 60g



ABE-21101

Spec: Yo Yo bell special dome with adjustable strap
Size: 22.2 to 31.8mm handlebar
Weight: 25g



ABE-2807

Provide 20pcs per box
Spec: Mini knocking bell with detachable and flexible tie
Size: 22 to 31.8mm handlebar
Weight: 22g



ABE-21501

Spec: Ding Dong bell steel dome & clamp dome size: 55mm
Size: 22.2mm handlebar
Weight: 89g



BOTTLE CAGES

ABC-21901

Spec: Alloy bottle cage ultra light 1.0mm thickness
Weight: 18g

NEW!



ABC-21903

Spec: Plastic bottle cage special design is to change right or left
Weight: 38g

NEW!



ABC-21905

Spec: Plastic bottle cage concise design
Weight: 31g

NEW!



ABC-21304 Provide painting color

Spec: Plastic bottle cage TPE design for micro adjustable
Weight: 26g



ABC-21504

Spec: Plastic side open bottle cage
Weight: 42g



ABC-21902

Spec: Plastic bottle cage mosaic lines exterior
Weight: 36g

NEW!



ABC-21904

Spec: Plastic bottle cage
Adjust the lock of position on the smaller framer
Weight: 48g

NEW!



ABC-21801

Spec: PC double color injection bottle cage
Weight: 33g

NEW!



ABC-21405 Provide plastic injection color

Spec: Plastic painting color bottle cage
Weight: 30g



ABC-2901

Spec: Nylon fiber bottle cage
Weight: 37g



ABC-2001N

Spec: Alloy bottle cage 6mm tubing & plastic plugs
Weight: 63g



ABC-21502

Spec: Alloy bottle cage special design
Taking the bottles from right and left side
Weight: 43g



ABC-21906

Spec: Plastic bottle cage adapter
Adjust vertical or lateral direction
When it fits on the handlebar, stem, seatpost
Size: Fits diameter 22.2 to 31.8mm
Weight: 48g

NEW!



ABC-21207

Spec: Alloy bottle cage adapter for handlebar
Size: For 25.4 & 31.8mm handlebar
Weight: 40g



ABC-21107

Spec: Alloy bottle cage adapter assemble with saddle rail
Fits two bottle cage
Weight: 122g



ABC-21408

Spec: AL7075 bolts for bottle cage 4pcs--set
Size: M5 x 15mm
Weight: 4g / set

ABC-21501

Spec: Alloy bottle cage 1.2mm thickness
Rubber part makes cage more extension
With non-film sticker decal
Weight: 31g



ABC-21505

Spec: Alloy ultra light bottle cage
With TPE design macro adjustable
Weight: 22g



ABC-21206

Spec: Alloy bottle cage adapter for handlebar
Size: For 22.2 & 25.4mm handlebar
Weight: 39g



ABC-2801

Spec: Plastic bottle cage adapter for handlebar
Stainless steel clip
Size: S -- for tube dia. 19.0 - 22.4mm
M -- for tube dia. 22.4 - 27.0mm
L -- for tube dia. 28.6 - 31.8mm
Weight: 34g



ABC-21407

Spec: AL6061 T6 CNC-machined bolts for bottle cage
4pcs--set
Size: M5 x 15mm
Weight: 4g / set



BOTTLES

AWB-21901

Spec: PP water bottle with bigger flow nozzles cap
Size: 710cc
Weight: 66g

NEW!



AWB-21902

Spec: PP water bottle with bigger flow nozzles cap
Size: 550cc
Weight: 57g

NEW!



AWB-21903

Spec: LDPE water bottle with bigger flow nozzles cap
Size: 750cc
Weight: 70g

NEW!



AWB-21904

Spec: LDPE water bottle with bigger flow nozzles cap
Size: 600cc
Weight: 67g

NEW!



CHAIN GUIDES

ACC-21501

Spec: AL6061 T6 chain keeper with plastic upper guard
For MTB 1 x 9 or 1 x 10 drive train
Size: 34.9mm with adapter to 31.8mm
Weight: 49g / set



ACC-21502

Spec: AL6061 T6 chain keeper with CH-EX plastic upper guard
For MTB 1 x 9 or 1 x 10 drive train
Size: 34.9mm with adapter to 31.8mm
Weight: 85g / set



ACC-21001

Spec: Tension for changing chain to single speed
Size: C-C: 51 for 16 - 18T (common spec)
Weight: 122g / set (16 - 18T)
Provide C-C: 34 for 12 - 14T
Weight: 117g / set



ACC-2602

Spec: PC injection chain guard
Crank to chainring distance 6 to 16mm
Size: 42 & 44T
Weight: 82g
Provide 46 & 48T
Weight: 90g



DERAILLEUR PULLEYS

ARO-601

Spec: Alloy derailleur pulleys 2pcs-set
Industrial bearings
Size: 10T compatible with 7 or 8 speed
Weight: 27g / set



ARO-2501

Spec: Provide 11T compatible with 9-10 speed
Weight: 31g / set

FENDERS

AFD-21801

Spec: Front & rear PP injection fender set QR design
Front to fit Ø18.5~34.5mm inner head tube
Length adjustable. 3 position rear bridge to fit up 29" wheel
(30mm adjusting range, 15mm for each position)
Size: F 585 x 95mm, R 530 x 100mm
Weight: 520g / set



AFD-21202

Spec: Front & rear PP injection fender set
For assemble with fork blades and rear seat stay
Front with 3M reflector
Rear options: ECO RED LED w/1*CR2032 battery or 3M reflector
Light continuously approx. 160 hrs
Size: 20" to 700C bikes for tire 1.25"-1.75"
Weight: 108g / set



AFD-21202A

Spec: Provide QR system fits seatpost, with tool-free adjustable angle
Weight: 194g / set



AFD-21003

Spec: Front & rear PP injection fender set
Fits all regular forks and suspension forks
With brace fender hole
Tool-free adjustable angle
Size: 24" & 26" MTB bikes
Weight: 403g / set



AFD-2503

Spec: Front & rear PC injection fender set QR design
For assemble with fork blades and rear seat stays
Stainless stays and anti-rust bolts
Size: 700C
Width option: 35 / 45 / 50 / 55mm
Weight: 407g / set



AFD-2403

Spec: PP injection down tube fender for MTB bikes with rubber tie
Weight: 77g



AFD-21701

Spec: Front & rear alloy fender set stainless steel str
F: single R: V-type
Size: 700C x W50mm
Weight: 640g / set



KICKSTANDS

AKS-21901

Spec: Alloy center kickstand with alloy top plate
Suitable E-Bikes adjustable length
Size: Fits 24" to 29" bikes
Weight: 295g

NEW!



AKS-21902

Spec: Alloy center kickstand with alloy top plate
Suitable E-Bikes adjustable length
Size: Fits 24" to 29" bikes
Weight: 298g

NEW!



AKS-21802

Spec: Alloy rear kickstand fits Shimano flat mount
Adjustable length
Size: Fits 700C bikes
Weight: 155g

NEW!



AKS-21801

Spec: Alloy center kickstand with alloy top plate
Adjustable length
Size: Fits 20" to 29" bikes
Weight: 190g



AKS-21410

Spec: Alloy center kickstand with steel top plate
Adjustable length
Size: Fits 24" to 28" bikes
Weight: 252g



AKS-2001

Spec: Alloy rear wide angle type kickstand adjustable length
Size: Fits 24" to 28" bikes
Weight: 339g



AKS-2802

Spec: Alloy rear kickstand adjustable length
360° rotatory and height adjustable top bracket
Size: Fits 24" to 28" bikes
Weight: 286g



AKS-21201

Spec: Alloy rear kickstand easy fixed with 3 screws length adjustable
Fits on 45° to 65° of seat stay and chain stay
Size: Fits 24" to 28" bikes
Weight: 354g



AKS-21409

Spec: Alloy rear kickstand adjustable length
Size: Fits 24" to 29" bikes
Weight: 376g



AKS-21501

Spec: Alloy rear kickstand add install position at the dropout
Fits original QR type adjustable length
Size: Fits 26" to 29" bikes
Weight: 181g



AKS-21407

Spec: Alloy rear kickstand
Fits multi-dimension chain stay tubes
Adjustable length
Size: Fits 24" to 29" bikes
Weight: 320g



AKS-21403

Spec: Alloy center kickstand double leg with alloy top plate
Adjustable length
Size: Fits 26" to 29" bikes
Weight: 468g



LIGHTS

ALT-21901

Spec: USB rechargeable front light alloy base 3 white LED 4 modes function
Lithium-ion polymer battery included with bracket & strap
Easy to install and fit IPX4 waterproof standard
Mode memory function will recall the last lighting mode used
High-Beam(1.5hrs)/Low-Beam(5.5hrs)/Flashing 1(7hrs)/Flashing 2(20hrs)
Weight: 35g

NEW!



ALT-21702R

Spec: USB rechargeable rear light 2 red LED 4 modes function
Lithium-ion polymer battery included with bracket & strap
Easy to install and fit water resistant
Cable free charging can be clipped on waistband or bag
High-Beam(2hrs)/Low-Beam(5hrs)/Flashing(17hrs)/Pulsating(9hrs)
Weight: 14.5g

NEW!



ALT-21601F

Spec: Safety front light in aluminum case water resistant
0.5W white LED, 2 modes function
With strap & CR2032*2 batteries easy to install
Flashing(90hrs)/Constant(30hrs)
Weight: 27g



ALT-21601R

Spec: Safety rear light in aluminum case water resistant
0.12W red LED, 2 modes function
With strap & CR2032*2 batteries easy to install
Flashing(120hrs)/Constant(60hrs)
Weight: 27g



ALT-21701

Spec: USB rechargeable super bright rear light water resistant
16 chips COB red LED 5 modes function
Lithium-ion polymer battery included USB cable & strap
Can fit round and aero style seatposts, seatstays and forks
High-Beam(1.5hrs)/Low-Beam(6hrs)/Flashing 1(24hrs)/
Flashing 2(27hrs)/Pulsating(4hrs)

Weight: 31g

**ALT-21702**

Spec: USB rechargeable front light water resistant
1 white LED 4 modes function
Lithium-ion polymer battery included bracket & strap
Cable free charging, can be clipped on waistband or bag
High-Beam(2hrs)/Low-Beam(8hrs)/Flashing(48hrs)/Pulsating(10hrs)

Weight: 14.5g

**AMP-21401**

Spec: Full alloy high polish floor pump
Clever twin valve fits Presta & Schrader
2.5" gauge, Max.pressure 240psi

Weight: 1,210g

**AMP-2602**

Spec: Floor pump resin barrel & alloy body
Reversible valve fits Presta & Schrader
Mid mounted gauge

Weight: 798g

**ALT-21602**

Spec: USB rechargeable front light in aluminum case water resistant
3W Hi-Power white LED, 4 modes function
Lithium-ion polymer battery included cable free charging
With bracket & strap easy to install
Light output can reach 150 Lumens
Super Bright(2hrs)/Boost(4hrs)/Constant(9hrs)/Flashing(18hrs)

Weight: 52g

**PUMPS****AMP-21801**

Spec: Steel floor pump with stable base
Steel barrel and stamping base
Clever twin valve
Fits Presta Schrader, Dunlop
2.5" gauge, Max.pressure 160psi

Weight: 1,600g

**AMP-21501**

Spec: Alloy floor pump wooden handle
Clever twin valve fits Presta, Schrader, Dunlop & E/V
2.5" gauge, Max.pressure 240 psi

Weight: 1,330g

**AMP-21503**

Spec: Alloy mini pump CNC-machined with extractable hose
Screw-in clever valve, dust cap, fits Presta and Schrader
Max.pressure 120 psi

Weight: 130g

**AMP-21505**

Spec: 2 in 1 CO2 mini pump innovative pump head design
Which combines of dual function for one side mini pump inflating
And one side CO2 cartridge inflating with dust cap
Divided inside air-flow channel for more security
Fit 16 grams CO2 cartridge / Presta & Schrader
Alum barrel / handle / valve cap on both side valve

Weight: 143g

**AMP-21405**

Spec: CO2 16 grams threaded cartridges 2pcs-set
Weight: 44g / pc

**ACR-21401**

Spec: Multifunctional rear adapter fixed saddle rail
For CO2 cartridge x 2, inflator x 1, bottle cage x 2, inner tube x 1
With 34cm fastener strap

Weight: 178g

**AOS-21201**

Spec: PU chain stay protector with fastener ties
Size: 260 x 90 / 110mm
Weight: 24g

**AMP-21504**

Spec: Shock mini pump with gauge
Foldable hose, attached with Presta adapter
Max.pressure 300 psi, 2-3 PSI micro adjust button
Double function for inflating suspension shock and tires

Weight: 246g

**AQR-21403**

Spec: AL6061 CO2 cartridge and inflator carrier
Carry two CO2 cartridge compatible 12g / 16g / 25g threaded type
Size: Fits seatpost OD 27.2 / 30.9 / 31.8mm
Weight: 34g-31.8mm

**PROTECTORS****AOS-21002**

Spec: Neoprene chain stay protector
With slipless back & fastener ties
Size: 280 x 80 x 100mm
Weight: 19g

**AOS-21601**

Spec: PU chain stay protector thickness: 1.2mm
Carbon fiber pattern 3M adhesive strip
Size: 260 x 27 x 20mm
Weight: 5g



AOS-21602

Spec: Silicone chain stay protector thickness:1mm
3M adhesive strip
Size:260 x 27 x 20mm
Weight:5g



AOS-21401

Spec: Plastic chain stay protector
3M adhesive strip
Size:225mm
Weight:8g



AOS-21203

Spec: Alloy valve cap fits both Presta & Schrader
Weight:3.5g / pr



AOS-21205

Spec: Alloy bullet shape valve cap fits both Presta & Schrader
Weight:3.5g / pr



TOOLS

ATL-21901

Spec: Bicycle tool set 20pcs box
Chain rivet extractor, flat 5mm/philips screwdrivers, chainring nut wrench, Dust cap wrench(for Shimano Hollowtech II), tire lever of 3pcs, 8mm hex key wrench, pedal wrench, cassette freewheel turner, MF freewheels turner, bottom bracket wrench, locking remover, Hub cone spanner 13/14/15/16mm set of 2pcs, crank puller, "0" spoke wrench, cartridge B.B. tool(for Shimano Hollowtech II), Hex Key wrench 2/2.5/3/4/5/6mm, patch kit, T25 torx wrench, T30 torx wrench, 3mm screwdrivers
Weight:2,600g

NEW!



ATL-21902

Spec: 1/4" Torque wrench set 2-24NM bit socket scale window type
Size: Hex keys: 3 / 4 / 5 / 6 / 8 / 10mm, 4mm-L:75mm, hex 5mm-L:100mm
Torx keys: T20 / T25 / T30
Weight:826g

NEW!



ATL-21912

Spec: Bristles scrub brush
Weight:37g

NEW!



ATL-21903

Spec: 2-IN-1 connect & disconnect chain quick link tool
Weight:129g

NEW!



ATL-21913

Spec: Chain splitter with soft handle for up to 11 speed replaceable pin
Weight:160g

NEW!



ATL-21914

Spec: Chain splitter with wood handle for up to 11 speed replaceable pin
Weight:155g

NEW!



ATL-21904

Spec: L type torx wrench 7pcs-set with plastic holder
Size: T10 / T15 / T20 / T25 / T27 / T30 / T40
Weight:135g

NEW!



ATL-21911

Spec: Y type hex wrench
Size: 4 / 5 / 6mm
Weight:69g

NEW!



ATL-21908

Spec: Crank extractor for Octalink & ISIS drive
Weight:316g

NEW!



ATL-21905

Spec: Freewheel remover for Shimano HG cassette
Weight:263g

NEW!



ATL-21805

Spec: Disc rotor tuning wrench
Weight:226g

NEW!



ATL-21910

Spec: Chaining tool used to tighten or loosen chaining nuts
And securely holds the slotted nut to prevent spinning
Weight:28g

NEW!



ATL-21906

Spec: Bottom bracket wrench for Shimano cartridge B.B. & ISIS drive
Weight:317g

NEW!



ATL-21907

Spec: 3 in 1 fixed-gear bikes wrench
Locking tool, freewheel turner, spoke tool for 3.2/3.3/3.5 nipple
Weight:258g

NEW!



ATL-21806

Spec: Freewheel remover for Campagnolo cassette
Weight:246g

NEW!



ATL-21804

Spec: 2 in 1 15mm pedal open end wrench & 14/15mm box wrench
Weight:238g

NEW!



ATL-21909

Spec: Headset open end wrench
Size: 30 / 32 / 36 / 40mm
Weight: 265g

NEW!



ATL-2603

Spec: ABS injection 3M reflector trouser bands
Size: Minimum diameter 80mm
Weight: 18g / pr



ATL-2701

Spec: Adhesive puncture repair kit
Size: 12pcs 25mm round patches, 1pc sand paper
Weight: 6g / box



ATL-21206

Spec: Glueless puncture repair kit
Size: 2pcs nylon tire lever, 6pcs 25mm glueless patches, 1pcs 4cm marker pen, 1pc 3 x 7cm sand paper
Weight: 40g / box



ATL-2304

Spec: 19 function mini tool kit
Size: Hex keys: 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm
Box wrenches: 8 / 9 / 10 / 12mm
Spoke wrenches: 0.127 / 0.130 / 0.136"
Philips & flat screw drivers
Tire lever, chain breaker, knife
Weight: 206g



ATL-2602

Spec: Fluorescent trouser bands
Size: Minimum diameter 80mm
Weight: 20g / pr



ATL-21501

Spec: Nylon trouser bands with 3M reflector & fastener ties
Size: 20 x 350mm
Weight: 16g / pr



ATL-21205

Spec: Puncture repair kit
Size: 2pcs 24 x 35mm oval patches, 4pcs 25mm round tube patches, 2pcs 2cm valve tubing, 1pc 7cc rubber cement, 1pc round metal buffer
Weight: 26g / box



ATL-21107

Spec: Hydraulic brake bleeding kit
Includes 2 x 50ml syringes and transparent plastic hoses
Different threaded connection fittings to suit different brake system
Magura, Hayes, Avid, Hope, Formula
Size: 190 x 133 x 65mm
Weight: 383g



ATL-2901

Spec: 15 function mini tool kit
Size: Hex keys: 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm
Spoke wrenches: 14G / 15G, 0.136"
Philip & flat screw driver
Tire lever, 10mm wrench, knife
Weight: 119g



ATL-21112

Spec: 17 function mini tool kit
Size: Hex keys: 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm
Spoke wrenches: 14G / 15G, 0.136", 0.156"
Philip & flat screw driver, T25 torx
Chain tool for 9 / 10 SPD, 8 & 10mm wrenches
Weight: 168g



ATL-21604

Spec: 19 function mini tool kit
Size: Hex keys: 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm, L-type 2 / 2.5 / 3mm
NP, Philip & flat screw driver, Box wrenches 8 & 10mm
Caliper spreader with MAVIC MTB 3.22
Bottle opener with 3.2 & 3.4mm spoke wrenches
Weight: 190g



ATL-21605

Spec: POM tire lever 3pcs-set
Weight: 53g / set



ATL-2405

Spec: Magnetic spoke wrench compact 3-way
Cr-Moly spoke key
Compatible with 3.2, 3.3, 3.5mm nipples
Weight: 47g



ATL-21802

Spec: Chain hook and wear indicator tool
Integrated chain hook holds links during assembly
And chain wear indicator provides precise chain
Measurement for maintenance
Weight: 38g



ATL-21603

Spec: 11 function mini tool kit
Size: Hex keys: 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm
Torx keys: T10 / T20 / T25
Weight: 158g



ATL-21305

Spec: Steel core tire lever 3pcs-set
Weight: 97g / set



ATL-21801

Spec: Nylon fiber 2 in 1 tire lever
With bottle opener design 3pcs-set
Weight: 34g / set



ATL-21114

Spec: Alloy spoke wrench 3pcs-set
Compatible with 3.2, 3.3, 3.5mm nipples
Weight: 20g



ATL-21803

Spec: Dust cap wrench fits Shimano system
Magnetically mounted
For 8 internal splines of the crank arm dust cap
Weight: 13g



ATL-2612

Spec: Chain cleaner with plastic outer case
4-sided scrub brushes inside
Weight: 267g



ATL-2608

Spec: 3 in 1 Y type socket wrench
Size: 8 / 9 / 10mm
Weight: 82g



ATL-2510

Spec: Ergonomic T-bar 8pcs hex wrench set
With storage stand
Size: 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10mm
Weight: 1,062g / set

ATL-2510A 2mm
ATL-2510B 2.5mm
ATL-2510C 3mm
ATL-2510D 4mm
ATL-2510E 5mm
ATL-2510F 6mm
ATL-2510G 8mm
ATL-2510H 10mm



ATL-2621

Spec: L type hex wrench 9pcs-set with plastic holder
Ball head design for hard to reach bolt heads
Size: 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10mm
Weight: 323g / set



ATL-2702

Spec: Chain splitter with PVC handle & retainer for repair
Fits 6 to 10 speed chain
Weight: 89g



ATL-2711

Spec: Hardened steel core cable cutter
Suitable for cutting cables or outer casings
Closing clip for safe storage
Weight: 157g



ATL-2710

Spec: Ergonomic T-bar torx wrench
Size: T25
Weight: 32g



ATL-2621C

Spec: L type hex wrench 9pcs-set colorful with plastic holder
Ball head design for hard to reach bolt heads
Size: 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10mm
Weight: 323g / set



ATL-2604

Spec: L type hex wrench
Size: 8mm
Weight: 111g



ATL-2713

Spec: Bottom bracket tool with dust cap wrench
Fits Shimano, Truvativ, Race Face & Campagnolo bottom bracket
16 notch external cups type
Weight: 242g



ATL-21403

Spec: Hub open end wrench
Size: 13 / 14 / 15 / 16 / 17 / 18mm
Weight: 185g



TRAINING WHEELS

ATW-2401

Spec: Training wheels
UPC coated steel stays
5" plastic wheel and rim
Size: Adjustable height for 12"-20" bikes
Weight: 652g



ATL-2610

Spec: Chain whip tool
Holds the sprocket in place when removing cassette locking
Weight: 276g



ATL-21103

Spec: Bottom bracket tool
Fits Shimano, Truvativ, Race Face & Campagnolo bottom bracket
16 notch external cups type
Weight: 402g



BACK MIRRORS

ATL-21915

Spec: Back convex mirror 3" with easy fit bracket
Weight: 36g



NEW!



BOTTLE CAGES / FORKS / HANDLEBARS / STEMS / SEATPOSTS / WHEELSETS



THE STORY

Acor are committed to offer all cycling parts and accessories for more than 25 years. We are thinking what we can do and what should do for next decades. Continuing the experience and spirit, we create ACORPLUS series in 2014 to meet those riders who pursue profession and craft. You are allowed to upgrade your bike anytime and do not forget that ACORPLUS always be with you, this is our promise.

ACORPLUS PRODUCT FEATURES

The concept of ACORPLUS products stick on the topic: Affordable luxury. We use carbon fiber's unique strength to engineer from inside out and make it reliable under test. And using black and white combined elements to highlight the carbon fiber material from outside in. We expect the ACORPLUS that gives you the most comfortable experience in technology, psychology and economics.



CARBON

BOTTLE CAGES

APBG-21801

Spec: Carbon fiber bottle cage
Classic design for road bike
Easily take in & out for slope design
Weight: 26g



APBG-21802

Spec: Carbon fiber bottle cage
Fits the diameter 73 up to 77mm
With four lock hold could change the lock position easily
Even small frame
Weight: 20g



APBG-21803

Spec: Carbon fiber bottle cage
Columnar design easy take in & out
Weight: 30g



STEMS

APSM-21801

Spec: Carbon fiber stem
Ergonomic and monocoque design
Steerer: 28.6mm
Barbore: 31.8mm
Length: 80 / 90 / 100 / 110 / 120mm
Angle: +/- 6°
Weight: 105g-90mm



SEATPOSTS

APSP-21801

Spec: Full Carbon fiber seatpost
2 bolts and monocoque design
Size: 27.2 / 31.6 x 350mm
Offset: 0 mm
Weight: 175g-31.6mm



APSP-21802

Spec: Full Carbon fiber seatpost
1 bolts and monocoque design
Micro angle adjustable
Size: 27.2 / 31.6 x 350mm
Offset: 30 mm
Weight: 175g-31.6mm



HANDLEBARS

APHB-21801

Spec: Carbon fiber racing bar
Ergonomic design for multi-direction
Internal routing of brake & derailleurs cables
Width: 380 / 400 / 420mm (C-C)
Barbore: 31.8mm
Reach: 78mm
Drop: 125mm
Weight: 250g-380mm



APHB-21802

Spec: Carbon fiber flat handlebar
Ergonomic and monocoque design
Width: 680 / 700 / 720mm
Barbore: 31.8mm
Backsweep: 6°
Upsweep: 0°
Weight: 185g-720mm



APHB-21803

Spec: Carbon fiber rise handlebar
Ergonomic and monocoque design
Width: 700 / 720mm
Rise: 15mm
Barbore: 31.8mm
Backsweep: 9°
Upsweep: 4°
Weight: 175g-720mm



APHB-21804

Spec: Carbon fiber rise handlebar
Ergonomic and monocoque design
Width: 700 / 720 / 740 / 760 / 780 / 800mm
Rise: 16mm
Barbore: 31.8mm
Backsweep: 9°
Upsweep: 4°
Weight: 220g-800mm



FORKS

APFK-21801

Spec: Carbon fiber monocoque 700C racing fork
1-1/8"-1-1/2" tapered steerer

Steerer length: 300mm
Offset: 45mm
Crown height: 370mm
Weight: 400g



APFK-21601

Spec: Carbon fiber monocoque 700C gravel fork
1-1/8"-1-1/2" tapered steerer
15mm thru axle dropout
Shimano Flat Mount disc brake system
Internal cable routing, with fender eyelets
12 or 15mm Thru axle included

Steerer length: 300mm
Offset: 45mm
Crown height: 398mm
Weight: 475g



APFK-21602

Spec: Carbon fiber monocoque 27.5" plus MTB fork
1-1/8"-1-1/2" tapered steerer
15mm thru axle dropout
Internal cable routing
15mm Thru axle included

Steerer length: 300mm
Offset: 51mm
OLD: 110mm
Crown height: 495mm
Weight: 700g




WHEELSETS

APRM-21801

Spec: Carbon fiber wheelset
Included brake pads / extension valve / quick release

Rim type: 700C tubeless ready clincher
Rim height: 50mm
Spoke: F20 / R24
Hub: F 9mm QR OLD:100mm
R 10mm QR Shimano 11SPD body OLD:130mm
Weight: 660g(F) + 850g(R)





The ACORPLUS all roads wheelset select highest carbon fiber rims with EU test, all the components carefully selected and assemble by trained builders in Taiwan. No matter you are seeking speed through aerodynamic advantage, routine climbing training or lighten your bicycle. The all roads collection offers you the widest assortment of quality carbon wheels to complete your quest for the ultimate ride.

APRM-21802

Spec: Carbon fiber wheelset
Included brake pads / extension valve / Quick release

Rim type: 700C Tubular
Rim height: 60mm
Spoke: F20 / R24 aero shape
Hub: F 9mm QR OLD:100mm
R 10mm QR Shimano 11SPD body OLD:130mm
Weight: 635g(F) + 810g(R)





AGENT LIST



AUSTRIA

BBF BIKE GmbH

TEL: +49 3342 354360
E-Mail: info@bbf-bike.de
<http://www.bbf-bike.de>



COLOMBIA

LIBAR S.A.S

TEL: +57 1 4851 211
E-Mail: alievanoventas@libarbicicletas.com



CROATIA

Marko-Projekt

TEL: +385 1 4618 777
E-Mail: zdravko.bukarica@zg.htnet.hr
<http://www.markoprojekt.com>



CZECH REPUBLIC

Velo CZ s.r.o

TEL: +420 495 271 379
E-Mail: info@wheeler.cz
<http://www.wheeler.cz>



GERMANY

BBF BIKE GmbH

TEL: +49 3342 354360
E-Mail: info@bbf-bike.de
<http://www.bbf-bike.de>



HUNGARY

J.P Mali Ltd

TEL: +36 1 420 5032
E-Mail: mali@mali.hu
<http://www.mali.hu>



ITALY

BBF BIKE GmbH

TEL: +49 3342 354360
E-Mail: info@bbf-bike.de
<http://www.bbf-bike.de>



JAPAN

Action Sports

TEL: +81 48 2587811
E-Mail: acor@actionsports.co.jp
<http://www.actionsports.co.jp>



ROMANIA

J.P. Mali Ltd.

TEL: +36 1 420 5032
E-Mail: mali@mali.hu
<http://www.mali.hu>



POLAND

BBF BIKE GmbH

TEL: +49 3342 354360
E-Mail: info@bbf-bike.de
<http://www.bbf-bike.de>



UNITED KINGDOM

Greyville Enterprises Ltd.

TEL: +44 1 543 251328
E-Mail: sales@greyville.com
<http://www.greyville.com>