

ACORPLUS

CycleCraft

18 8th Rd., Taichung Ind. Park,
Taichung City, 407 Taiwan.

Tel: +886-4-2359-1201

Fax: +886-4-2359-1562

Email: acor@acorsports.com.tw

Website: www.acorsports.com



2016 / 2017

ALL CYCLING

ACOR, the brand which comes from "Acorn" is a symbol of patience and the achievement of hard labor. An English proverb states that Great oaks from little acorns grow, urging the listener to wait for maturation of a project or idea. At ACOR, we are doing and following this spirit.

The core principle upon which ACOR was founded lies within our commitment to develop innovative technologies that will redefine the cycling experience. At ACOR, our primary focus has been and will continue to be fulfilling our dedication to reinvent the bicycle components and accessories through our expertise and know-how in the fields of bicycle manufacturing and material technologies.

ACOR is flexible and able to respond quickly to changing market expectations and demand. Through strong research and development supported by manufacturing technologies and processes, ACOR provides a broad range of bicycle components and accessories of the highest quality to meet market trends. Combining CNC processing with high grade materials, such as titanium and aluminum, we produce products of exceptional quality and extraordinary versatility, all of which meet EN standards.

OFF/ON ROAD

Nowadays ACOR brand is distributed worldwide in more than 20 countries. We are a company where expertise matters. Our focus in achieving the highest standards in everything we do is a clear reflection of the outstanding products we make.

- All about you
- Create my own style
- Our promise to you
- Reach your dreams



TITANIUM

- 7 BAR ENDS
- 7 BOTTLE CAGES
- 7 BELLS
- 8 FORKS
- 9 FRAMES
- 13 HANDLEBARS
- 14 QUICK RELEASES
- 14 SEAT CLAMPS
- 15 SEAT POSTS
- 16 SPACERS
- 16 STEMS

ACOR

- 18 BAGS
- 20 BAR TAPES
- 20 BARENDS
- 22 BASEKETS
- 24 BELLS
- 27 BIKE HOLDERS
- 28 BIKE PROTECTOR CASTER
- 28 BOTTLE CAGES
- 32 BOTTLES
- 33 BOTTOM BRACKETS
- 35 BRAKE LEVERS
- 37 BRAKE SHOES
- 40 BRAKES
- 43 CABLES
- 45 CARRIERS
- 47 CHAIN GUIDES
- 48 CHAINRINGS
- 48 CHAINS
- 51 CHILD SEAT
- 52 DISC ROTORS
- 53 FENDERS
- 54 FREEWHEELS
- 54 GRIP TAPES
- 56 GRIPS
- 62 HANDLEBARS
- 64 HEADSETS
- 66 HUBS
- 67 INNER TUBE & ACCESSORIES
- 67 KICKSTANDS
- 69 LIGHTS
- 72 LOCKS

- 73 PEDALS
- 75 PLUGS
- 76 PROTECTORS
- 78 PUMPS
- 81 QUICK RELEASES
- 82 RD ACCESSORIES
- 83 SADDLE COVERS
- 84 SADDLES
- 87 SEATPOSTS
- 89 SEATTUBE CLAMPS & QUICK REALEASES
- 92 SHIMS
- 92 SPACERS
- 92 SPORTS GLASSES
- 93 SPORTS SHOES
- 93 STEM TOP CAPS
- 94 STEMS
- 96 TOE CLIP & CLEATS
- 97 TOOLS
- 102 TRAINING WHEELS
- 102 WATER BOTTLES





BAR ENDS

T-BRZ02

Spec: Ti 3AL2.5V Bar End round straight type M5 stainless bolts
Length: 90mm (C-E)
Weight: 108g / pr



T-BRZ05

Spec: Ti 3AL2.5V Bar End conic straight type M5 stainless bolts
Length: 80mm (C-E)
Weight: 84g / pr



T-BRZ06

Spec: Ti 3AL2.5V Bar End round straight type with ergonomic design M5 Stainless bolts
Size: 80mm,90mm,100mm (C-E)
Weight: 108g / pr - 90mm



BOTTLE CAGES

T-BTG01

Spec: Ti 3AL2.5V Bottle Cage plate X-shape design
Size: Flexible for bottle diameter 72 - 76mm
Weight: 21g



BELLS

T-BE03

Spec: Ti 3AL2.5V Bell
Size: 32mm for 22.2mm handle bar



T-BTG03

Spec: Ti 3AL2.5V Bottle Cage plate slim design with top holder
 Securely hold bottle when riding off-road
Size: Flexible for bottle diameter 72 - 76mm
Weight: 30g



T-BTG06

Spec: Ti 3AL2.5V Bottle Cage plate shape design with top holder
Size: Flexible for bottle diameter 72 - 76mm
Weight: 84g / pr



T-BTG07

Spec: Ti 3AL2.5V Bottle Cage plate shape design with top holder
Size: Flexible for bottle diameter 72 - 76mm
Weight: 84g / pr



FORKS

T-FM05

Spec: Ti 3AL2.5V 700C Fixed Gear Fork
1-1/8" treadless steerer tube length:
270mm crown race 50mm

Option length: customization

Weight: 544g / 367mm



T-FM06

Spec: Ti 3AL2.5V 700C Cyclocross Fork
1-1/8" to 1.5" treadless tapered steerer
tube length: 300mm
Crown race 56mm PM disc mount

Option length: customization

Weight: 700g / 387.5mm



T-FM07

Spec: Ti 3AL2.5V 700C Cyclocross Fork
1-1/8" to 1.5" treadless tapered steerer
tube length: 300mm
Crown race 56mm Canti brake system

Option length: customization

Weight: 680g / 387.5mm



FRAMES

T-CC01

Spec: Ti 3AL2.5V Cyclocross Frame
DB double oval top tube & PG double oval
down tube
Ti 6AL4V integrated head tube OD 46 /
56mm ID 42 / 52mm for 1-1/8" to 1.5"
tapered fork
Ti 6AL4V dropout alloy replaceable hanger
cable run internally
Ti 6AL4V CNC PM disc mount bottom
bracket suitable SHIMANO BB86 system

Seatpost: 27.2mm

Option size: Customization

Weight: 1620g / 53cm

T-CC02 with Canti brake system



T-F001

Spec: Ti 3AL2.5V Fixed Gear Frame
Deformed tube pentagon shaped top tube
& down tube
1-1/8" internal head tube OD 50mm / ID
44mm

Seatpost: 27.2mm

Option size: Customization

Weight: 1378g / 54cm



T-M008

Spec: Ti 3AL2.5V 29ER Mountain Frame
Deformed tube drip / plum blossom shaped
top tube
PG curve / two-sided oval down tube
Ti 6AL4V integrated head tube OD 46 /
56mm / ID 42 / 52mm for 1-1/8" to 1.5"
tapered fork
Ti 6AL4V CNC SHIMANO E-thru system
dropout OLD 142mm / 12mm axle
Ti 6AL4V CNC PM disc mount not replace-
able hanger
Bottom bracket suitable SHIMANO BB92
system

Seatpost: 31.6mm

Option size: Customization

Weight: 1756g / 17"



FRAMES / FORKS / BAR ENDS / BELLS / BOTTLE CAGES / HANDLEBARS / QUICK RELEASES / SEAT CLAMPS / SEAT POSTS / SPACERS / STEMS

T-M011

Spec: Ti 3AL2.5V 27.5" Mountain Frame
PG curve / two-sided oval top tube & down tube PG tapered to square seat stay
Ti 6AL4V integrated head tube OD 46 / 56mm / ID 42 / 52mm for 1-1/8" to 1.5" tapered fork
Ti 6AL4V CNC SHIMANO E-thru system dropout OLD 142mm / 12mm axle
Ti 6AL4V CNC PM disc mount not replaceable hanger
Bottom bracket suitable SHIMANO BB92 system cable run internally

Seatpost: 31.6mm
Option size: Customization
Weight: 1756g / 17"

T-M012 for 29ER



T-M017

Spec: Ti 3AL2.5V 29ER Mechanical & SHIMANO Di2 system Mountain Frame
Deformed tube drip / plum blossom shaped top tube PG two-sided curve / oval down tube PG tapered to square chain / seat stay
Ti 6AL4V integrated head tube OD 46 / 56mm / ID 42 / 52mm for 1-1/8" to 1.5" tapered fork
Ti 6AL4V CNC SHIMANO E-thru system thread empty dropout OLD 142mm / 12mm axle
Ti 6AL4V CNC PM disc mount not replaceable direct mount hanger
Bottom bracket suitable SHIMANO BB92 system cable run internally

Seatpost: 31.6mm
Option size: Customization
Weight: 1800g / 16.5"

27.5" is available



T-M018

Spec: Ti 3AL2.5V 27.5" Mountain Frame
Hydroforming top tube / hydroforming two-sided curve / oval down tube & chain stay
Ti 3AL2.5V internal head tube OD 61mm / ID 55mm for 1-1/8" to 1.5" tapered fork
Ti 3AL2.5V CNC SHIMANO E-thru I type system dropout OLD 142mm / 12mm axle
Ti 3AL2.5V CNC PM disc mount replaceable direct mount hanger
Bottom bracket suitable SHIMANO BB92 system cable run internally

Seatpost: 31.6mm
Option size: Customization
Weight: 1900g / 17"

29ER is available



T-R003

Spec: Ti 3AL2.5V Road Frame
DB oval top tube & DB double oval down tube 1-1/8" semi-integrated head tube OD 45mm / ID 42mm
CNC dropout not replaceable hanger

Seatpost: 27.2mm
Option size: Customization
Weight: 1245g / 52cm



T-R005

Spec: Ti 3AL2.5V Road Frame
Deformed tube pentagon shaped top tube & down tube
1-1/8" conventional head tube OD 38mm / ID 34mm

Seatpost: 27.2mm
Option size: Customization
Weight: 1418g / 49cm



T-R008

Spec: Ti 3AL2.5V 700C Disc Road Frame
DB oval top tube & PG two-sided oval down tube
Ti 6AL4V integrated head tube OD 46 / 56mm / ID 42 / 52mm for 1-1/8" to 1.5" tapered fork
Ti 6AL4V dropout OLD 135mm alloy replaceable hanger cable run internally to head tube
Ti 6AL4V CNC PM disc mount bottom bracket suitable SHIMANO BB86 system

Seatpost: 27.2mm
Option size: Customization
Weight: 1700g / 54cm



T-R009

Spec: Ti 3AL2.5V 700C Disc Road Frame
Deformed tube diamond shaped top tube & down tube
Ti 6AL4V integrated head tube OD 46 / 56mm / ID 42 / 52mm for 1-1/8" to 1.5" tapered fork
Ti 6AL4V dropout OLD 135mm alloy replaceable special shaped head tube
Ti 6AL4V CNC PM disc mount bottom bracket suitable SHIMANO BB86 system

Seatpost: 27.2mm
Option size: Customization
Weight: 1674g / 54cm



FRAMES / FORKS / BAR ENDS / BELLS / BOTTLE CAGES / HANDLEBARS / QUICK RELEASES / SEAT CLAMPS / SEAT POSTS / SPACERS / STEMS

T-R011

Spec: Ti 3AL2.5V 700C Mechanical & SHIMANO Di2 system Disc Road Frame
DB oval top tube & PG two-sided oval down tube
Ti 6AL4V integrated head tube OD 46 / 56mm / ID 42 / 52mm for 1-1/8" to 1.5" tapered fork
Ti 6AL4V CNC SHIMANO E-thru system thread empty dropout OLD 142mm / 12mm axle
Ti 6AL4V CNC SHIMANO Flat Mount disc system not replaceable hanger
Bottom bracket suitable SHIMANO BB86 system cable run internally

Seatpost: 27.2mm
Option size: Customization
Weight: 1700g / 54cm



T-R012

Spec: Ti 3AL2.5V 700C Road Frame
PG two-sided oval top tube & DB two-sided oval down tube
Ti 3AL2.5V internal head tube OD 49.57 / 57mm / ID 49.57 / 55mm for 1-1/8" to 1.5" tapered fork
Ti 6AL4V investment casting dropout OLD 130mm not replaceable hanger cable run internally
Bottom bracket suitable SHIMANO BB86 system

Seatpost: 27.2mm
Option size: Customization
Weight: 1600g / 51cm



T-S001

Spec: Ti 3AL2.5V 26" Fat / Snow Bike Frame
PG curve / two-sided oval top tube & PG two-sided curve / oval down tube
Ti 6AL4V internal head tube OD 50 / 57mm / ID 44 / 49.57mm for 1-1/8" to 1.5" tapered fork
Ti 6AL4V CNC SHIMANO E-thru system dropout OLD 197mm / 12mm axle bottom shell 100mm
Ti 6AL4V CNC PM disc mount not replaceable hanger cable run internally

Seatpost: 31.6mm
Option size: Customization
Weight: 2164g / 17"



HANDLEBARS

T-HB01

Spec: Ti 3AL2.5V Handle Bar
Width: 580 / 600 / 620mm
Barbore: 25.4mm
Weight: 1700g / 54cm
Rise: 0mm
Backsweep: 5°
Weight: 126g



T-HB02

Spec: Ti 3AL2.5V Handle Bar
Width: 580 / 600 / 620mm
Barbore: 31.8mm
Rise: 0mm
Backsweep: 5°
Weight: 153g



T-HB05

Spec: Ti 3AL2.5V Cycling computer extension bar
Size: Compatible to 31.8mm handle bar
Length: 90mm
Weight: 50g



T-HB06

Spec: Ti 3AL2.5V Cycling computer extension bar
Size: Compatible to 31.8mm handle bar
Length: 60mm
Weight: 40g



QUICK RELEASES

T-QR01

Spec: Ti 6AL4V axle & lever AL7075 end nuts
Hub Quick Release
Option length: F109, 112, 117mm / R143, 148, 155mm
Weight: 68g / pr



SEAT CLAMPS

T-CLP01

Spec: Ti 6AL4V investment casting Seat Clamp
straight cut & slotted design
M5 stainless bolts



T-CLP02

Spec: Ti 6AL4V investment casting Seat Clamp
aslope cut & slotted design
M6 stainless bolts
Size: 31.8 / 34.9 x H12mm
Weight: 22g / 31.8mm



T-CLP05

Spec: Ti 6AL4V Seat Clamp & QR lever
Size: 31.8 / 34.9 x H12mm
Weight: 44g / 31.8mm



SEAT POSTS

T-SEP01

Spec: Ti 3AL2.5V Seat Post hinge type top clamp
2-bolts type AL6061 rail holder M5 stainless
bolts
Size: 27.2 / 31.6 x 300 / 350mm
Offset: 0 or 20mm
Weight: 232g / 31.6 x 300mm



T-SEP03

Spec: Ti 3AL2.5V Seat Post hinge type top clamp
2-bolts type AL6061 rail holder M5 stainless
bolts
Size: 27.2 / 31.6 x 300 / 350mm
Offset: 0 or 20mm
Weight: 232g / 31.6 x 300mm



T-SEP04

Spec: Ti 3AL2.5V Seat Post AL6061 rail
holder M5 stainless bolts
Size: 27.2 / 31.6 x 350mm
Offset: 0mm
Rail holder option: Anod.Black, Anod.Silver, Anod.Red,
Anod.Blue
Weight: 231g / 27.2 x 350mm



T-SEP05

Spec: Ti 3AL2.5V Seat Post rail holder Ti 6AL4V top
cap AL7075 low cap
Size: 27.2 / 31.6 x 350mm
Offset: 0mm
Weight: 264g / 27.2 x 350mm



T-SEP06

Spec: Ti 3AL2.5V Seat Post AL6061 rail
holder simply and easily angle adjust-
ment design
Size: 27.2 / 30.9 x 350mm
Offset: 15 / 25mm
Rail holder option: Matt Black, Matt Silver, Anod.Red,
Anod.Blue, Anod.Gold, Anod.Green,
Anod.Pink



T-SEP06

Spec: Ti 3AL2.5V Seat Post simply and eas-
ily angle adjustment design AL6061
rail holder
Size: 31.6 x 350mm
Offset: 15mm
Rail holder option: Matt Black, Matt Silver, Anod.Red,
Anod.Blue, Anod.Gold, Anod.Green,
Anod.Pink



SPACERS

T-SPAC05

Spec: Ti 3AL2.5V Spacer
Size: 28.6 x 5mm
Weight: 2g

T-SPAC10

Spec: Ti 3AL2.5V Spacer
Size: 28.6 x 10mm
Weight: 6g

T-SPAC15

Spec: Ti 3AL2.5V Spacer
Size: 28.6 x 15mm
Weight: 8g

T-SPAC20

Spec: Ti 3AL2.5V Spacer
Size: 28.6 x 20mm
Weight: 12g



STEMS

T-STM01

Spec: Titanium Stem
 Ti 3AL2.5V body with Ti 6AL4V investment casting faceplate M5 stainless bolts
Angle: $\pm 7^\circ$
Size: 28.6 x 70, 80, 90, 100, 110, 120 x 25.4mm H:43mm
Weight: 142g / 100mm



T-STM02

Spec: Titanium Stem
 Ti 3AL2.5V body with Ti 6AL4V investment casting faceplate M5 stainless bolts
Angle: $\pm 7^\circ$
Size: 28.6 x 70, 80, 90, 100, 110, 120 x 31.8mm H:43mm
Weight: 132g / 100mm



T-STM05

Spec: Titanium Stem
 Ti 3AL2.5V body with Ti 6AL4V NC faceplate M5 stainless bolts
Angle: $\pm 5^\circ / \pm 8^\circ$
Size: 28.6 x 80, 90, 100, 110, 120, 130 x 25.4 / 31.8mm H:48mm
Weight: 186g / 110mm



T-STM07

Spec: Titanium Stem
 Ti 3AL2.5V body with Ti 6AL4V investment casting faceplate M5 stainless bolts
Angle: $\pm 7^\circ$
Size: 28.6 x 70, 80, 90, 100, 110, 120 x 31.8mm H:43mm



T-STM08

Spec: Titanium Stem
 Ti 3AL2.5V body with Ti 6AL4V investment casting faceplate M5 stainless bolts
Angle: $\pm 7^\circ$
Size: 28.6 x 70, 80, 90, 100, 110, 120 x 31.8mm H:43mm



BAGS

ABG-21001

Spec: Nylon bag for sun glasses with hold lock
Weight: 32g



ABG-21002

Spec: Saddle bag 1680D Nylon fabric with PU saddle bag water resistance safety 3M reflector trimming
Size: 170 x 85 x 90mm
Weight: 90g



ABG-2705

Spec: Saddle bag water resistance 1680D Polyester PU coated Safety 3M reflector and green webbing trimming
Size: 82 x 124 x 63mm
Weight: 123g



ABG-2706

Spec: Saddle bag water resistance 1680D Polyester with EVA inner Safety 3M reflector trimming and green webbing trimming
Size: 107 x 142 x 75mm
Weight: 138g



ABG-21108

Spec: Wheel bag 1200D Tetolon within waterproof Two wheels in one bag with protector
Size: 33" x 3-3/4" x 27-1/2"
Weight: 1100g



ABG-21202

Spec: Post bag Sleek lightweight and durable 1000D waterproof Tarpaulin Leather cover oversized With detachable inner pocket and cellphone bag
Size: 500 x 300 x 200mm
Weight: 1146g



ABG-2707

Spec: Saddle bag water resistance 1680D Polyester PU coated Safety 3M reflector trimming and green webbing trimming
Size: 94 x 185 x 102mm -- L / **Weight:** 137g
Size: 75 x 175 x 90mm -- S / **Weight:** 112g



ABG-2804

Spec: Touring bag water resistance 600D Polyester recyclable PU backing Nylon injection bracket for rear carrier 3M reflector
Size: 31 x 15 x 30cm
Weight: 1712g / set



ABG-21203

Spec: Handlebar bag 1000D waterproof Tarpaulin Leather cover Handy pockets within Velcro With detachable & adjustable across body strap
Size: 250 x 100 x 80mm
Weight: 289g



ABG-2704

Spec: Saddle bag water resistance 1680D Polyester PU coated Safety 3M reflector and green webbing trimming Expendable gusset designed
Size: 105 x 170 x 90 / 150mm -- L
Weight: 192g



ABG-2901

Spec: Multi-function bike bag 1800D Nylon PU backing With bracket QRB for handlebar shoulder strap for easy carry Base velcro strap for rear carrier
Size: 32 x 20 x 22cm
Weight: 1490g



BAGS

BAGS

ACOR

ACOR

BAR TAPES

ASG-21605

Spec: Full silicone bar tape with ACOR carbon looking end caps
Size: 3x200cm
Weight: 196g / pr



ASG-21608

Spec: 3 lines pinholes PU+EVA bar tape shock-proof with ACOR carbon looking end caps
Size: 3x200cm
Weight: 55g / pr



ASG-21609

Spec: EVA bristles bar tape with ACOR carbon looking end caps
Size: 3x200cm
Weight: 50g / pr



ASG-21611

Spec: Microfiber+3M REFLECTIVE bar tape with end caps
Size: 3x200cm
Weight: 80g / pr



BARENDS

ABZ-2003

Spec: Alloy mini oval 1-pc with thumb shape ends
Size: 80 or 110mm
Weight: 144g -- 110mm



ABZ-21102

Spec: AL6061 Comfortable 3D forged bar end
Size: L100 x 22.2mm
Weight: 130g / pr -- 100mm



ABZ-21102

Spec: AL6061 Comfortable 3D forged bar end
Size: L120 x 22.2mm
Weight: 135g / pr -- 120mm



ABZ-21203

Spec: AL6061 Comfortable 3D forged & full CNC bar-end
Option: A. normal end caps B. conical end caps.
Size : L80 x 22.2mm
Weight : 56g / pr



ABZ-21203

Spec: white
Weight: 66g / pr



ABZ-21204

Spec: AL6061 ultra comfortable bar end
Size: Drop 117 x 22.2mm
Weight: 126g / pr



ABZ-21205

Spec: AL6061 ultra bar end
Size: L80 x 22.2mm
Weight: 134g / pr



ABZ-21601

Spec: AL6061/PP/TPR Ergonomic barend
Size: L80x22.2mm
Weight: 137g



ABZ-21602

Spec: AL6061 water drop tube 3D forged barend
Size: L100x22.2mm
Weight: 152g



ABZ-21603

Spec: AL6061 3D forged barend
Size: L82x22.2mm
Weight: 152g



ABZ-2702

Spec: AL6061 complete CNC machined bar end
Size: L85 x 22.2mm
Weight: 58g



ABZ-2902

Spec: Kraton mini design palm rest designed clamp
Size: M5 anti-rust bolts
Weight: L75 x 22.2mm
Weight: 136g / pr



ABZ-2903

Spec: AL6061-T6 Cyclecross / Triathlon aero bar
Length and angle adjustable
Arm holder position adjustable with comfort
EVA patches
For 31.8mm plus shims for 26.0 & 25.4 handle-
bar
Size: L345 x 31.8mm
Weight: 590g / set



ABZ-2913

Spec: AL6061-T6 top cap and end nut hardened elasticity steel
stopper
M5 Cr-Mo bolt
Size: 17.0-20.2mm
Weight: 36g / pr



ABZ-602E

Spec: ACOR Plastic end caps for bar ends
Weight : 2g / pr



BASEKETS

ABK-21101

Spec: Steel front basket with handlebar bracket & sopping bag
Size: W345 x D255 x H250mm
Weight: 1005g (w/o bracket)



ABK-21301

Spec: Alloy rear basket with foam bar quick release desig
Size: W410 x D300 x H200mm
Weight: 1470g



ABK-21302

Spec: PE willow & rattan weave rear basket with quick release
design
Size: W400 x D300 x H200mm
Weight: 1320g



ABK-21303

Spec: Alloy rear basket with quick release design
Size : W400 x D300 x H170 / 135mm
Weight : 1190g



ABK-21304

Spec: Plastic front basket with
handlebar bracket
Size: W350 x D260 x H250 /
220mm
Weight: 1120g (with bracket)



ABK-21502

Spec: PE willow & rattan weave front basket
With QR and handle with grip
Size: 37 x 25 x 23.5 cm / 6mm PE
Weight: 1232g



ABK-21501

Spec: PE. willow & rattan weave front basket
With QR and handle with grip
Size: 34 x 27 x18 / 20 cm
Weight: 1334g



ABK-21503

Spec: PE. cover wire weave front basket
Fit to 16" bike
Size: 24 x 20 x 15 / 12cm
Weight: 620g



ABK-21503

Fit to 20" bike
Size: 26 x 23 x 18 / 15 cm
Weight: 700g



ABK-21503

Fit to 24" bike
Size: 30 x 25 x 22 / 18cm
Weight: 736g



ABK-21504

Front basket handle bar QR for ABK-21501 & ABK-21502



ABK-2701

Spec: Willow weave front basket clear coated with handlebar
bracket
Capacity 15kgs
Size: W380 x D280 x H265mm
Weight: 1250g (with bracket)



BELLS

ABE-2101

Spec: Alloy cap with cartoon picture knocking bell
Size: For 22mm handle bar
Weight: 20g



ABE-21101

Spec: Yo Yo bell special cap plastic bracket easy adjustable strap
Size: For 22.2 - 31.8mm handlebar
Weight: 25g



ABE-21201

Spec: Transparent color bell plastic cap & clamp
 Sound both turn left and right
Size: For 22.2mm handlebar
Weight: 37g



ABE-21304

Spec: Mini bell brass cap with plastic bracket easy adjustable strap
Size: 23mm for 19.2 - 31.8mm handlebar
Weight: 19g



ABE-21401

Spec: Macaron tone alloy cap plastic clamp twist bell
Size: For 22.2mm handlebar
Weight: 32g



ABE-21402

Spec: Mini brass bell with plastic clamp
Size: 23mm for 19.2 - 31.8mm handlebar
Weight: 28g



ABE-21202

Spec: Capsule style bell
Size: For 22.2mm handlebar
Weight: 33g



ABE-21205

Spec: Dices style bell
Size: For 22.2mm handlebar
Weight: 42g



ABE-21207

Spec: Basketball style knocking bell alloy cap plastic clamp
Size: For 22.2mm handlebar
Weight: 36g



ABE-21404

Spec: Mini bell brass cap with alloy CNC clip
Size: For brake lever
Weight: 19g



ABE-21405

Spec: Copper bell with alloy bracket
Size: For 22.2mm handle bar



ABE-21501A

Spec: Ding Dong bell steel top cap & clamp
Size: 55mm for 22.2mm handle bar
Weight: 89g



ABE-21301

Spec: Ding Dong bell for cruiser or city bikes
Size: 83mm For 22.2mm handlebar
Weight: 279g



ABE-21302

Spec: Spacer bell brass cap alloy clamp
Size: For 28.6mm spacer
Weight: 41g



ABE-21501B

White wallpaper style



ABE-21501C

Rose style



ABE-21501D

Cartoons flower style



ABE-21303

Spec: Animal style bell
Size: 55mm for 22.2mm handlebar
Weight: 50g



ABE-21501E

Peony style



ABE-21501F

Black wallpaper style



BELLS

BELLS

ABE-21502A

Spec: Ding Dong bell steel top cap & clamp bell with paint & non-film sticker decal
Size: 83mm for 22.2mm handle bar
Weight: 279g



ABE-21502B

Spec: Ding Dong bell steel top cap & clamp bell with paint & non-film sticker decal
Size: 83mm for 22.2mm handle bar
Weight: 279g



ABE-2201

Spec: Ladybug style knocking bell with plastic wings
Size: For 22mm handlebar
Weight: 32g



ABE-2401

Spec: Knocking bell alloy cap plastic clamp with ergonomic lever
Size: For 22mm handlebar
Weight: 26g



ABE-2802

Spec: Football style knocking bell alloy cap plastic clamp
Size: For 22.2mm handlebar
Weight: 29g



ABE-2803

Spec: Coffee cup style knocking bell alloy cap plastic clamp
Size: For 22.2mm handlebar
Weight: 29g



ABE-2807

Spec: Mini knocking bell with detachable and flexible tie
Size: For 22 to 31.8mm handlebar
Weight: 22g



ABE-2904

Spec: Glitter bell 6 colorful LED cap
Size: 43mm for 22.2mm handlebar
Weight: 60g



ABE-2904

Mixed blue*6 and pink*6 per box



BIKE HOLDERS

AWS-21401

Spec: Alloy L type bike stand with anti-scratch protector
 Folding & light way for easy carry design
Size: Fitted for 20" - 28" bikes
Weight: 828g



AWS-21402

Spec: Hi-Ten L type bike stand with anti-scratch protectors
Size: Fitted for 29" & 700C
Weight: 2455g



AWS-2501

Spec: Hi-Ten bike holder wall type with anti-rust screws
Weight: 608g



AWS-2502

Spec: Hi-Ten bike stand fixed rear hub type adjust the derailleur and other parts
Weight: 815g



AWS-2503

Spec: Hi-Ten L type bike stand with anti-scratch protector
Size: Fitted for 24" & 26" bikes
Weight: 2344g



AWS-2701

Spec: Maintenance bike stand hollowed ST tubing fixed rear hub type
 Adjust the derailleur and other parts
Weight: 757g



AWS-2801

Spec: AL6061 T6 plate 3-PC folding type bike stand
 Anti-rust fitting kits anti-scrub rubber protector
 Neoprene carry bag
 Folded size: L245 x W64 x H25mm
 Unfold size: L245 x W64 x H270mm
Size: Fitted for 26", 28", 700C bikes
Weight: 450g



AWS-2901

Spec: ECO-Trolley wheels for travel convenience instant Mobility system
 Re-use, quick release, 360° rotatable rollers & light weight design
 Single wheel Max.strength: 297kg
 Velcro Max.strength: 80kg
Size: With storage bag as protective glove for wheel release
Weight: 935g / set



BELLS

BIKE HOLDERS

ACOR

ACOR

BIKE PROTECTOR CASTER

ABP-21101

Spec: ECO-Trolley wheels for travel convenience instant Mobility system
Re-use, quick release, 360° rotatable rollers & light weight design
Single wheel Max.strength: 297kg Velcro Max.strength: 80kg

Size: 2sets of 250cm Velcro straps with 4 trolley wheels
With storage bag as protective glove for wheel release

Weight: 935g / set



ABP-2701

Spec: ECO-Bike protector for travel convenience Re-use & durable design
Max.loading : 30kg

Size: 1150mm x 810mm x 305mm x 5mm

Weight: 3,300g

ABP-21201, smaller size with 1055mm x 735mm x 230mm x 5mm



BOTTLE CAGES

ABC-2001N

Spec: Alloy bottle cage with 6mm tubing & plastic plugs

Size: Max.bottle dia. 76mm

Weight: 63g



ABC-2101

Spec: Alloy bottle cage with 6mm tubing side-off design

Size: Max.bottle dia. 76mm

Weight: 63g



ABC-21107

Spec: Alloy bottle cage adapter assem- ble with saddle rail

Weight: 122g



ABC-21202

Spec: Alloy bottle cage Up-right side direction design

Size: Suitable for narrow bike frame

Weight: 32g



ABC-21204

Spec: Pastic bottle cage with non-film sticker decal

Size: Max.bottle dia. 76mm

Weight: 28g

Size: 2sets of 250cm Velcro straps with 4 trolley wheels

Weight: With storage bag as protective glove for wheel release 935g / set



ABC-21205

Spec: Alloy bottle cage 1.2mm thickness ultra light design With rubber part to more extension with non-film sticker decal

Size: Max.bottle dia. 76mm

Weight: 6g



ABC-21207

Spec: Alloy bottle cage adapter for handlebar for existing bottle cage to use

Size: For 25.4 - 31.8mm handlebar

Weight: 40g



ABC-21302

Spec: 3K carbon fiber bottle cage with non- film sticker decal

Size: Max.bottle dia. 76mm

Weight: 27g



ABC-21303

Spec: Pastic bottle cage special shape for release pressure With non-film sticker decal

Size: Max.bottle dia. 76mm

Weight: 35g



ABC-21306

Spec: Alloy bottle cage One-piece Up-right side direction design With 4.3mm tubing

Size: Max.bottle dia. 76mm

Weight: 32g



ABC-21206

Spec: Alloy bottle cage adapter for handlebar for existing bottle cage to use

Size: For 22.2 - 25.4mm handlebar

Weight: 39g



ABC-21301

Spec: Alloy bottle cage One-piece Up side direction design with 4.3mm tubing

Size: Max.bottle dia. 76mm

Weight: 29g



ABC-21304

Spec: Pastic bottle cage TPE design for micro adjustable

Size: Max.bottle dia. 76mm

Weight: 26g



ABC-21307

Spec: Alloy bottle cage adapter for handlebar for existing bottle cage to use
Sizes: For 25.4 - 31.8mm handlebar
Weight: 63g



ABC-21405

Spec: Plastic bottle cage
Size: Max.bottle dia. 76mm
Weight: 30g
ABP-21201, smaller size with
 1060mm x 740mm x 230mm x 5mm



ABC-21407

Spec: AL6061 T6 CNC bolts for bottle cage
Size: M5 x 15mm -- 4pcs / set
Weight: 4g / set



ABC-21501

Spec: Alloy ultra light water bottle cage 1.2mm thickness
 With rubber part makes cage more extension
 With non-film sticker decal
Weight: 31g



ABC-21401

Spec: Macaroon tone pastic bottle cage
Size: Max.bottle dia. 76mm
Weight: 30g



ABC-21406

Spec: Alloy bottle cage with TPE design for micro adjustable
 With non-film sticker decal
Size: Max.bottle dia. 76mm
Weight: 32g



ABC-21408

Spec: AL7075 bolts for bottle cage
Size: M5 x 15mm -- 4pc/set
Weight: 4g / set



ABC-21502

Spec: Alloy water bottle cage without welding construction for narrow & MTB frames
 Special design taking the bottles from right and left side direction
Weight: 43g



ABC-21503

Spec: Alloy water bottle cage without welded on connection 5mm solid bar
 With black plastic bottom
Weight: 53g



ABC-21505

Spec: Alloy bottle cage with TPE macro adjustable
Weight: 22g



ABC-2801

Spec: Resin bottle cage bracket rotatable for handlebar stainless steel clip
Sizes: S -- for tube dia. 19.0 - 22.4mm
 M -- for tube dia. 22.4 - 27mm
 L -- for tube dia. 28.6 - 31.8mm
Weight: 34g



ABC-2904

Spec: Alloy bottle cage suitable for right hand and left hand users
 Suitable for narrow bike frame
Size: Max.bottle dia. 76mm
Weight: 43g



ABC-21504

Spec: Plastic side open bottle cage
Weight: 42g



ABC-2302

Spec: Alloy bottle cage with 5mm tubing finger hold design with plastic plugs
Size: Max.bottle dia. 76mm
Weight: 50g



ABC-2901

Spec: Nylon fiber bottle cage
Size: Durable for bottle with wide diameter
Weight: 37g



BOTTLES

AWB-21001

Spec: Water bottle food grade LDPE injection groove for easier hold design
With dustproof cover

Size: L -- 800cc / M -- 550cc

Weight: 61g -- M
935g / set



AWB-21201

Spec: Thermos water bottle food grade LDPE injection
Groove for easier hold design with dustproof cover
Thermal function
available for 2hrs

Size: 500cc

Weight: 136g



AWB-21202

Spec: Double density water bottle food grade LDPE injection
Non-slip for easier hold design natural rubber to anti-allergy
With dustproof cover

Size: 750cc

Weight: 102g



AWB-21301

Spec: Water bottle bullet shape design food grade LDPE injection
With dustproof cover

Size: L -- 800cc / M -- 600cc

Weight: 75g -- L



AWB-21401

Spec: Candy color water bottle food grade LDPE injection
With spray nozzle design without dustproof cover

Size: L -- 1000cc / M -- 750cc

Weight: 119g -- L



AWB-21402

Spec: Child water bottle food grade LDPE injection

Size: 350cc

Weight: 54g



AWB-2901

Spec: Water bottle food grade LDPE injection with dust-proof cover

Size: 700cc

Weight: 72g



BOTTOM BRACKETS

ABB-21003

Spec: Full Ball bearing for BB 30 2pcs-set



ABB-2101

Spec: Threaded BB 1.37" x 24T alloy cups
Cr-Mo square axle with sealed bearing

Size: 68 x 107 / 110 / 113 / 115 / 118 / 122.5 / 124 / 127.5mm
73 x 110 / 113 / 118 / 122.5 / 124 / 127.5mm

Weight: 276g



ABB-21401

Spec: Press Fit BB set for Spindle 30 alloy cap with sealed bearing

Size: Available for BB shell ID 46mm width 68-86.5mm
compatible with Truvativ & FSA system

Weight: 144g



ABB-21402

Spec: Press Fit BB set for Spindle 24 alloy cap with sealed bearing

Size: Available for BB shell ID 46mm width 86.5mm
Switch PF30 to Regular R 24mm compatible with Shimano system

Weight: 166g

ABB-21403

Spec: Reducer for Press Fit BB set alloy cap with sealed bearing
Cover spindle 24

Size: Available for BB shell ID 46mm width 68mm
Switch PF30 to Regular R 24mm compatible with Shimano system

Weight: 88g



ABB-21404

Spec: Press Fit external BB set 2 sealed bearing
Size: Shimano 86.5mm Road Shimano 89.5mm / 92mm MTB
 Truvativ 86.5mm Road Truvativ 89.5mm / 92mm MTB
Weight: 91g



ABB-2201

Spec: Threadless design BB Cr-Moly square axle cartridge
 Double sealed bearing
Size: 68 / 73 x 110 / 113 / 116 / 118 / 122.5 / 124 / 127.5mm
Weight: 344g



ABB-2503

Spec: Cr-Moly BB bolts alloy caps with washer
Size: M15 x L13mm



ABB-21501

Spec: External BB set 2 sealed bearings compatible Shimano system
Size: For shell 68mm & 73mm
Weight: 103g



ABB-2502

Spec: Cr-Moly BB bolts with resin caps for rigid square BB 5prs-set
Size: M8 x L20mm
Weight: 27g / pr



ABB-2504

Spec: Cr-Moly BB bolts resin caps with washer
Size: M15 x L13mm
Weight: 30g / pr



BRAKE LEVERS

ABL-21003

Spec: Alloy cold forged with carbon lever for Triathlon / TT
 Expandable plug clamp design
Size: 19.8 or 20.8mm
Weight: 158g / pr



ABL-21402

Spec: Alloy forged drop bar brake lever
 Quick release mechanism design
 For use with linear pull brake design
Size: brake cable type 1.5-1.6mm
Weight : 308g / pr



ABL-21404

Spec: Alloy brake lever 2F design for Linear pull brake
Size: 22.2mm handlebar
Weight : 174g / pair
To replace ABL-21201



ABL-21401

Spec: Ergonomic design and Top Mount lever
 Alloy cold forged with hinged style clamp lever for Cyclo-cross
Size: OD 24.0 / 26.0 / 31.8 mm
Weight : 93g / pr
Option: Silver bracket



ABL-21403

Spec: Ergonomic alloy brake lever with KRATON
 Integrated bell on left design alloy forged 4F lever
 For Linear pull brake
Size: 22.2mm handlebar
Weight : 233g / pr



ABL-21501

Spec: Alloy melt-forged 3 finger lever for V-brake
Weight : 214g / pr



ABL-21502

Spec: Alloy melt-forged 4 finger lever for V-brake
Weight: 239g / pr



ABL-21504

Spec: Alloy adjusting barrels for brake lever
Size: M10 2pcs / set
Weight: 6g / pc



ABL-2801

Spec: Alloy cold forged auxiliary lever for Cyclocross
 With hinge designed bracket
Size: 23.8mm
Weight: 116g / pr



ABL-2905

Spec: AL die Canti bracket cold forged 2.5F lever with pin-pivot
 Optional for twist shift or grip shift systems
Size: 22.2mm handlebar
Weight: 208g / pr



ABL-21503

Spec: Super nylon composite alloy forged aero-lever
 Return spring with quick release for ROAD
Size: Diameter: 22.2-23.8mm
Weight: 275g / pr



ABL-2402

Spec: Alloy forged 4F lever CNC cut and comfort cast bracket
 For linear pull brake and bracket for thumb or grip shift systems
Size: 22.2mm handlebar
Weight: 194g / pr



ABL-2905

Spec: AL die Canti bracket cold forged 2.5F lever with pin-pivot
 Optional for twist shift or grip shift systems
Size: 22.2mm handlebar
Weight: 208g / pr



BRAKE SHOES

ABS-208

Spec: Rubber multi-condition for ultragra alloy rim 2prs-set
Size: 50mm
Weight: 94g / pr



ABS-21002

Spec: Alloy cartridge pads grooved for water designed
 Shimano compatible, 2prs-set
Size: 50mm
Weight: 46g / pr



ABS-21003

Spec: High friction coefficient rubber compound
 Fit to usual Magura hydraulic brake 2pcs-pr
Size: 50mm
Weight: 21g / pr



ABS-21004

Spec: Alloy cartridge pads with tire pads avoid pitching over designed
 Shimano compatible, 2prs-set
Size: 55mm
Weight: 36g/pr



ABS-21005

Replacement 55mm pads for ABS-21004
2prs-set
Weight: 12g / pr



ABS-2101

Spec: Metal composite disc brake pads
 2pcs-set
Size: HOPE,MAGURA,SHIMANO,FORMULA,HAYES etc.
Weight: 33g / pr



ABS-21202

Spec: HOLLOWED alloy cartridge brake shoes extra-light holder 2prs-set
Size: 55mm
Weight: 34g / pr



ABS-21202P

Replace cartridge for ABS-21202 1pr-set
Weight: 22g / pr



ABS-21203

Replace 55mm pads for ABS-21202 2prs-set
Weight:



ABS-21204

Spec: Alloy CNC designed pads for V-brake silence design
 Shimano compatible 2prs-set
Size: 72mm
Weight: 44g / pr



ABS-21204P

Replace cartridge, six colors for option, 1pr-set
Weight: 34g / pr



ABS-21205

Replacement 72mm pads for ABS-21204 2prs-set



ABS-21501

Spec: Brake shoes fit Magura Hydraulic rim brake
Ultra high friction for Trail / BMX bikes
2pcs / prs
Weight: 24g / prs



ABS-21502

Spec: One-piece ABS-function V-brake shoes 2prs / set
Size: Length 72mm
Weight: 136g / set



ABS-21503

Spec: Extra light road brake shoes 2prs / set
Size: Length 55mm
Weight: 69g / set



ABS-2506

Spec: Triple-color cartridge pads alloy cage with tire guide bumpers Shimano compatible 2prs-set
Size: 55mm
Weight: 37g / pr
Option 3-tone color 2prs-set



ABS-2507

Replacement 55mm pads for ABS-2506 2prs-set
Weight: 11g / pr
Option 3-tone color 2prs-set



ABS-21504

Replacement 55mm pads for ABS-21503 2prs / set
Weight: 23g / set



ABS-21505

Spec: Clear rubber compound V-brake shoes for BMX bikes 2prs / set
Size: Length 72mm
Weight: 123g / set



ABS-21505C

Spec: Clear rubber compound V-brake shoes for BMX bikes With colorful bolts set
Size: Length 72mm
Weight: 123g / set

ABS-2602

Spec: Rubber compound for TRIAL V-brake system 2prs-set
Size: 60mm
Weight: 60g / pr



ABS-2602C

Spec: Clear rubber compound for Trial bikes V-type brake shoes With colorful bolts set
Size: Length 60mm
Weight: 120g / set



ABS-21506

Spec: Extra light brake pads for Alloy and Carbon rim 2prs / set Exclusive holes superior heat dissipation
Size: Length 55mm
Weight: 20g / set



ABS-21507

Spec: Full CNC machined extra-light brake shoes 2 prs / set High-friction coefficient compound
Size: Length 55mm
Weight: 62g / set



ABS-21508

Replacement 55mm pads for ABS-21507 2prs / set
Weight: 13g / set



ABS-2701

Spec: Special rubber compound 3-zone designed V-brake compatible 2prs-set
Size: 72mm
Weight: 64g / pr



ABS-2803

Spec: Patent printed cartridge V-brake pads rubber compound Shimano compatible 2prs-set
Size: 72mm
Weight: 56g / pr



ABS-2804

Spec: Groove design V-brake compatible 2prs-set
Size: 72mm
Weight: 60g / pr



ABS-2301

Spec: Alloy cartridge 3-zone designed V-brake compatible 2prs-set
Size: 72mm
Weight: 55g / pr
Option 3-tone



ABS-2302

Replacement pads for ABS-2301 2prs-set
Weight: 13g / pr
Option 3-tone



ABS-801C

Canti-brake
Weight: 58g / pr



ABS-801V

Spec: V-brake shoes 2prs-set
Size: 72mm
Weight: 67g / pr



BRAKES

ABR-21103

Spec: AL6061 forged dual pivot caliper brake
Light weight with QR design
With adjustable angle cartridge pads

Size: Dim 39-51mm

Weight: 164g / wheel

Option white painting color



ABR-21105

Spec: Alloy forged arm V-brake dual linear spring tension adjuster

Size: 108mm with EN 70mm brake pads

Weight: 194g / wheel



ABR-21405

Spec: Alloy melt-forged mechanical disc brake ball bearing system
With Front & rear brake, 160mm disc rotor, 12pcs disc bolt

Weight: 500g / pr



ABR-21501

Spec: Disc adapter for Shimano center lock system to fit 6 bolt standard discs

Size: For 15 & 20mm E-thru axle

Weight: 27g / pc



ABR-21201

Spec: Dual pivot caliper within long arm brake
Cold-forged aluminum arms EN 55mm brake pads

Size: Dim 47-60mm

Weight: 150g / wheel



ABR-21401

Spec: Mini V-brake QR design for cable pipe notch & holder
3D forged aluminum 90mm arms EN 55mm brake pads
For Cyclocross

Size: Dim 20.5-36.5mm

Weight: 145g / wheel



ABR-21502A

Spec: Transforms post mounting caliper into IS mounting fork/frame

Size: Front 160mm or Rear 140mm

ABR-21502C

Spec: Transforms post mounting caliper into IS mounting fork/frame

Size: Front 180mm

ABR-21502E

Spec: Transforms post mounting caliper into IS mounting fork/frame

Size: Front 203mm

ABR-21502B

Spec: Transforms post mounting caliper into IS mounting fork/frame

Size: Rear 160mm

ABR-21502D

Spec: Transforms post mounting caliper into IS mounting fork/frame

Size: Rear 180mm

ABR-21502F

Spec: Transforms post mounting caliper into IS mounting fork/frame

Size: Rear 203mm

ABR-21404F

Spec: Melt-forged Alloy front V-brake
110 linear with 70mm brake pads

Size: Dim22-39mm

Weight: 181g/pc

To replace ABR-2402



ABR-21404R

Spec: Melt-forged Alloy rear V-brake
110 linear with 70mm brake pads

Size: Dim22-39mm

Weight: 181g/pc

To replace ABR-2402



ABR-21503

Spec: AL6061-T6 post mount disc brake adapter PM caliper to fit PM fork/frame
Size: Adapter for 140mm to 160mm disc
 Adapter for 160mm to 180mm disc
Weight: 11g W/O bolt



ABR-21506

Spec: Disc adapter for Shimano center lock system to fit 6 bolt standard discs
Size: For 9mm QR
Weight: 24g / pc



ABR-21504

Spec: Alloy forged & CNC process F+R hydraulic disc brake
 Non-corrosive and high stability mineral oil
 No need to bleed oil again after hide the wire into frame
 Suitable for any brake lever and shifter system
 Dual-Piston, easy to adjust the position of rotor
 The weight only 142g/pc, the lightest model at the market
 Braking performance is smoother and safer
 Never worry about brake system to hurt carbon wheel
 It's patent product with 160mm rotor & bolt
Weight: 285g / pr



ABR-2602

Spec: AL6061 melt forged caliper brake
 With dual pivot and QR design
Size: Dim 47-57mm or 39-49mm
Weight: 180g / wheel



CABLES


ACB-2102

Spec: Plastic injection cable holder with 3M sticker
 Sticks to the fork or frame
Size: R4 and R5mm cable housing compatible
Weight: 1g



ACB-21303

Option: 4pcs (one color) in one bag



ACB-21403

Spec: Stainless steel 19 strands slick brake inner wire for Road
 With 5.5x10mm nipple suitable for Campagnolo system
Size: OD:1.5xL2000mm



ACB-21503

Spec: Stainless steel 31 strands slick superior shine brake inner wire for MTB
 With 7x6mm nipple suitable for Shimano system
 More strong, more soft, anti-stretch
Size: OD:1.5xL2000mm



ACB-21201

Spec: Alloy cable O-RING protector
 6pcs/set
 3pcs for brake & 3pcs for shifting
Size: 1.2mm for shifting / 1.8mm for brake
Weight: 6g/set



ACB-21401

Spec: Alloy C-Clip for hydraulic hose
Size: R10.5mm x 5pcs-set
Weight: 2g/set



ACB-21501

Spec: Stainless steel 31 strands slick superior shine brake inner wire for Road
 With 5.5x11.5mm nipple suitable for Campagnolo system
 More strong, more soft, anti-stretch
Size: OD:1.5xL2000mm



ACB-21504

Spec: Stainless steel 31 strands slick superior shine shift inner wire
 With 3.9x5mm nipple suitable for Campagnolo system
 More strong, more soft, anti-stretch
Size: OD:1.1xL2000mm



ACB-21303

Spec: Colorful cable protector 10 colors for option
Size: 100pcs (five colors) / box
Weight: 1g / pc



ACB-21402

Spec: AL cable adjusters
Size: 2pcs/set
Weight: 6g/set



ACB-21502

Spec: Stainless steel 31 strands slick superior shine brake inner wire for Road
 With 6x11mm nipple suitable for Shimano system
 More strong, more soft, anti-stretch
Size: OD:1.5xL2000mm



ACB-21505

Spec: Stainless steel 31 strands slick superior shine shift inner wire
 With 4.4x4.4mm nipple suitable for Shimano system
 More strong, more soft, anti-stretch
Size: OD:1.1xL2000mm



ACB-21506

Spec: 4MM SP shift cable housing for 11 SPD designed
Size: 30M/file box



ACB-2404

Spec: Slick stainless brake cable
Size: 1 x 19 OD:1.6 x L1700mm with 6 x 7 nipple 100pcs / box



ACB-2412

Size: OD:4.5mm for shift

ACB-2414

Size: 1 x 19 OD:1.2 x L2000mm with 4.5 x 4.5 nipple for shift

ACB-2415

Size: 1 x 19 OD:1.2 x L2000mm with 4.5 x 4.5 nipple for shift

ACB-2402

Spec: M5 brake cable housing silver mesh outer layer
Size: 30M / file box



ACB-2403

Spec: M5 cable housing for both brake & shift wires
 Kevlar fiber layer ligh for superb performance
 Especially for cable-actuated disc brakes
Size: 30M / file box



ACB-2405

Spec: Teflon coated friction free all weather performance
Size: 1 x 19 OD:1.6 x L1700mm with 6 x 7 nipple 100pcs / box



ACB-802B

Spec: Galvanized steel brake cable
Size: Standard 1 x 12 OD:1.6 x L1700mm with 6 x 7 nipple 100pcs / box



ACB-812B

Size: 1 x 19 OD:1.2 x L2000mm with 4.5 x 4.5 nipple for shift



CARRIERS

ACR-2101

Spec: Alloy low rider pannier rack carrier with bracket fit onto front fork blades
Weight: 567g



ACR-21202

Spec: Alloy rear carrier with die casting 1-PC frame two stays design
 With spring clamp and reflector plate
Size: For 24" - 28" bikes
Weight: 822g



ACR-21302

Spec: Alloy front carrier with wood plate
Weight: 1220g



ACR-21201

Spec: Alloy tig welded rear carrier with invisible screw design
 Triangle tubing for better strength effect
 With spring clamp and reflector plate
Size: For 26" - 28" bikes
Weight: 734g



ACR-21204

Spec: Alloy rear carrier with tie welded triangle tubing design
 With spring clamp and reflector plate
Size: For 26" - 28" bikes
Weight: 650g



ACR-21303

Spec: Cr-Moly rear carrier with ST spring clamp and reflector plate
 Max. loading: 40kg
Size: For 26" - 28" bikes
Weight: 980g



ACR-21401

Spec: Multifunctional rear adapter fixed saddle rail For CO2 cartridge x 2 + inflator x 1 + water bottle x 2 + inner tube x 1 With 34cm Velcro strap
Weight: 178g



ACR-21402

Spec: Alloy die casting rear carrier with steel spring clip, reflector plate
Size: For 26" - 29" bikes
Weight: 806g



ACR-21501

Spec: Alloy rear carrier in folding type with steel spring clip
 Max. loading 25kgs
Fittings: Steel brackets, reflector plate, hardware
Size: Adjustable for 26"-28" bike
Weight: 900g



ACR-21501

Spec: Alloy rear carrier in folding type with steel spring clip
 Max. loading 25kgs
Fittings: Steel brackets, reflector plate, hardware
Size: Adjustable for 26"-28" bike
Weight: 900g



ACR-2401

Spec: Rear carrier angle adjustable alloy clamp plastic top plate
 With reflector and spring strape Max. loading: 10kg
Size: For seatpost dia. 25.4 - 32.0mm
Weight: 600g



ACR-2506

Spec: Alloy rear carrier with 9.6mm hollowed tubing with spring clamp and reflector plate
Size: For 26" - 28" bikes
Weight: 725g



CHAIN GUIDES

ACC-21501

Spec: AL6061 -T6 chain keeper with plastic upper guard
 For MTB 1 x 9 or 1 x 10 drive train
Size: 34.9mm with adapter to 31.8mm
Weight: 49g / set



ACC-21502

Spec: AL6061 -T6 chain keeper with CH-EX plastic upper guard
 For MTB 1 x 9 or 1 x 10 drive train
Size: 34.9mm with adapter to 31.8mm
Weight: 85g / set



ACC-21503A

Spec: Chain drop protector for Racing bike near chainring
Size: Fix 36T-46T
Weight: 10g

ACC-21503B

Spec: Chain drop protector for Racing bike near chainring
Size: Fix 34T-50T & 39T-53T
Weight: 11g

ACC-21503C

Spec: Chain drop protector for Racing bike near chainring
Size: Triple
Weight: 9.2g



ACC-21001

Spec: Tension for changing chain to single speed
Size: C-C: 51 for 16 - 18T (common spec)
Weight: 122g / set --16 - 18T
Option C-C: 34 for 12 - 14T
Weight: 117g / set



ACC-2602

Spec: PC injection chain guard crank to chainring distance 6 to 16mm
Size: 42 & 44T / Weight: 82g
Size: 46 & 48T / Weight: 90g



ACC-2701

Spec: Chain guide for Trial or Dual-Slalom bikes
 AL6061 CNC machined with single roller
Size: Compatible to double chainring 32 / 34T
Weight: 130g



ACC-2901

Spec: Hi-Ten & AL6061 CNC machined arm For Dual-Slalom bikes
 One-Sealed-Bearing roller
Size: For 2-PC chainring 22 / 32T
Weight: 297g



CHAINRINGS

ACC-21601

Spec: AL7075 CNC DROP-STOP single chainring
6mm thickness thread
BCD: 104mm for MTB
Size: 30T / Weight : 43g

Spec: AL7075 CNC DROP-STOP single chainring
4mm thickness threadless
BCD: 104mm for MTB
Size: 32T / Weight : 57g
Size: 34T / Weight : 65g
Size: 36T / Weight : 75g



ACC-21602

Spec: AL7075 CNC SEMI-OVAL chainring BC-D:130mm for Road
Size: 53-39T / Weight : 171g

Spec: AL7075 CNC SEMI-OVAL chainring BC-D:110mm for Road
Size: 50-34T / Weight : 164g

Spec: AL7075 CNC SEMI-OVAL single chainring
BCD:144mm for Road
Size: 50T / Weight : 112g



CHAINS

ACA-2006

Spec: Alloy chain adjuster STAR looking
2pcs-set
Size: For M10 dropout
Weight: 62g



ACA-2007

Spec: Alloy chain adjuster ARROW looking
2pcs-set
Size: For M14 dropout
Weight: 68g



ACA-21001

Spec: Titanium coating 9 SPD chain pin
L: 6.4mm 1/2" x 11/128"
DHA chromizing treatment pin
enhanced durability
Shimano&Campi 9 speed drive
train system compatible
New self-lubrication AUTO
Size : 116-link



ACA-21002

Spec: Titanium coating 11 SPD chain pin L:
5.88mm 1/2" x 11/128"
DHA chromizing treatment pin
enhanced durability
New self-lubrication AUTO
Size: 116-link
Weight: 210g



ACA-21004

Spec: Titanium coating 10 SPD super
light multiple speed chain hollow
pin
Pin length: 5.9mm 1/2"x11/128"
speed of sprocket: 10
SLA superior lubricating aid, DHA
chromium carbide pin & roller
Size: 116-link
Weight: 290g



ACA-21101

Spec: 7 & 8 SPD chain deep inner waist
chamfer 1/2" x 3/32"
Size: 116-link
Weight: 334g



ACA-21401

Spec: 10 SPD chain pin Length: 5.9mm 1/2" x 11/128" speed of
sprocket: 10
DHA chromium carbide pin & roller tensile strength: 1000kgf
for E-BIKE (propose)
Extremely strong and durable chain designed for mid-motor
E-BIKE,
BOSCH E-BIKE and other E-BIKE system
Size: 136-link
Weight: 290g



ACA-21402

Spec: 9 SPD chain pin Length: 6.4mm 1/2" x 11/128" speed of
sprocket: 9
DHA chromium carbide pin tensile strength: 1000kgf for
E-BIKE (propose)
Extremely strong and durable chain designed for mid-motor
E-BIKE,
BOSCH E-BIKE and other E-BIKE system
Size: 136-link
Weight: 338g

ACA-21501

Spec: 11 SPD chain pin Length: 5.5mm
1/2" x 11/128" speed of sprocket:
11
DHA chromium carbide pin & roller
SLA superior lubricating aid
Size: 116-link
Weight: 273g

ACA-21502

Spec: 10 SPD chain pin Length: 5.9mm
1/2" x 11/128" speed of sprocket:
10
DHA chromium carbide pin & roller
SLA superior lubricating aid
Size: 116-link
Weight: 323g



ACA-21503

Spec: Super light single SPD chain 1/2"
x 1/8" speed of sprocket: single
speed
SLA superior lubricating aid
Size: 110-link
Weight: 400g



ACA-21504A

Spec: Reusable(propose five times) quick
lock link for chain
It's innovated design of chain con-
nector
Have two safe sections to precisely
locked
Compatible with SHIMANO, Cam-
pagnolo and SRAM chain
We recommend replace a new one
when you change new chain
Even this is reusable
Size: For 11 SPD chain
Weight: 2g

ACA-21504B

**For 10 SPD chain
Weight:** 2g

ACA-21504C

**For 9 SPD chain
Weight:** 2g

ACA-21504D

**For 8 or 7 SPD chain
Weight:** 2g



ACA-21506A

Spec: Irreusable quick fix connecting pin chromium carbide treatment
Compatible with SHIMANO, Campagnolo and SRAM chain
Size: For 11 SPD chain
Weight: 2g

ACA-21506B

For 10SPD chain
Weight: 2g

ACA-21506D

Spec: Irreusable quick fix connecting pin chromium carbide treatment
Compatible with ACA-2601 1/2" x 1/8" or 1/2" x 3/32"
Weight: 2g

ACA-21506C

For 9 SPD chain
Weight: 2g



ACA-21506E

Spec: Irreusable quick fix connecting pin chromium carbide treatment
Compatible with ACA-2601A 1/2" x 1/8"
Weight: 2g

ACA-2501

Spec: 9 SPD chain hollowed pin L: 6.35mm 1/2" x 11/128"
Size: 116-link
Weight: 261g



ACA-2501A

Spec: 9 SPD chain pin Length: 6.4mm 1/2" x 11/128" speed of sprocket: 9
DHA chromium carbide pin
Size: 116-link
Weight: 320g

ACA-2502

Spec: 10 SPD chain hollowed pin L: 6.1mm 1/2" x 11/128"
Size: 116-link
Weight: 253g



ACA-2502A

Spec: 10 SPD chain pin Length: 5.9mm 1/2" x 11/128" speed of sprocket: 10
DHA chromium carbide pin & roller
Size: 116-link
Weight: 291g



ACA-2503

Spec: 7 or 8 SPD chain hollowed pin L: 7.1mm 1/2" x 3/32"
Size: 116-link
Weight: 300g

ACA-2503A

Spec: 7 & 8 SPD chain pin Length: 7.3mm 1/2" x 3/32" speed of sprocket: 7 & 8
DHA chromium carbide pin
Size: 116-link
Weight: 348g

ACA-2801

Spec: 9 SPD Anti-Rust chain pin L: 6.6mm 1/2" x 11/128"
Salt spray testing over 500hrs tensile strength: 1050kgf
Special master pin and assembly instruction attached
Size: 116-link
Weight: 286g



ACA-2601

Spec: MASK designed for single SPD chain pin L: 9.4mm power: 180kgs
Tensile strength reach 1300kg
Size: 1/2" x 1/8" or 1/2" x 3/32" 96-link
Weight: 406g



ACA-2601A

Spec: Single SPD chain with special half link design tensile strength 1400kgf
1/2" x 1/8" speed of sprocket: single speed extreme heavy duty
DHA chromium carbide chain pin
Size: 96-link
Weight: 430g



ACA-2802

Spec: 10 SPD Anti-rust chain pin Length: 5.9mm 1/2" x 11/128" speed of sprocket: 10
DHA chromium carbide pin & roller
Anit rust ability: salt spray testing over 500 hours
Size: 116-link
Weight: 307g



ACA-2803

Spec: 7 & 8 SPD Anti-rust chain pin Length: 7.3mm 1/2" x 3/32" speed of sprocket: 7 & 8
Anit rust ability: salt spray testing over 500 hours
Size: 116-link
Weight: 337g

CHILD SEAT

ACS-21401

Spec: Easy installation child seat
Manufactured according to TUV safety regulations
Suitable for 2 years above or 9kgs to max. 22kgs child
Max. load 22kgs
Size: D600 x W490 x H700 mm
Weight: 2992g / set



DISC ROTORS

ABR-21001

Spec: Disc rotor - flaming stainless steel CNC machined
Size: 203mm / Weight: 136g
Size: 180mm / Weight: 109g
Size: 160mm / Weight: 85g
Size: 140mm




ABR-21106

Spec: Disc brake bolt colors
Size: T25 M5 x 10mm --12pcs / bag
Weight: 24g / bag



ABR-21505

Spec: High strength and light disc with floating performance
 Outer disc SUS410 stainless steel inner disc AL7075-T6
 Superior heat dissipation excellent disc wear
 With 6pcs disc bolt
Size: 160mm / Weight: 117g w/o bolt
Size: 180mm / Weight: 147g w/o bolt



ABR-2910

Spec: Disc rotor - flaming stainless steel CNC machined
Size: 203mm / Weight: 152g
Size: 180mm / Weight: 116g
Size: 160mm / Weight: 95g



ABR-21101

Spec: Disc rotor - flaming stainless steel CNC machined
Size: 203mm / Weight: 150g
Size: 180mm / Weight: 120g
Size: 160mm / Weight: 112g



ABR-21402

Spec: Disc rotor - flourish durable stainless steel CNC machined
 OD1.8T / 44PCD spades shape
Size: 203mm / Weight: 145g
Size: 180mm / Weight: 119g
Size: 160mm Weight: 95g



ABR-2210

Spec: ST anti rust angle pipe
Size: 90 / 110D 2pc-set
Weight: 8g



ABR-901

Spec: Free angle adjustable lead pipe
 For v-brake stainless steel 2pc-set
Weight: 6g



FENDERS

AFD-21002

Spec: Mudguard F + R PP injection with 2 size bracket R32-36 & R28-32
 Length adjustable +33mm
Size: For 24" - 28" & 700C bikes
Weight : 172g



AFD-21202A

Spec: Mudguard F + R PP injection rear adjust angle without tool
 For quick release clamp for seatpost front with 3M reflector
 Rear with ECO red LED W/CR2032 x 1 battery
 Only 1 LED input and get the Max.light power like 8 LED
 Through the light guard Light continuously on: approx. 160 hrs
Size: 20" to 700C bikes for 1.25"-1.75" tire
Weight: 194g / F + R



AFD-2501F

Spec: Front mudguard PP injection suitable with 1" or 1-1/8" steerer tube
Size: For 24" - 26" bikes
Weight: 136g



AFD-2503

Spec: Mudguard F + R PC injection stainless stays anti-rust bolts
 For assemble with fork blades and rear seat stays
Size: 700 x 25C tire
Weight: 407g



AFD-21003

Spec: Mudguard F + R PP injection rear with easy angle adjustable bracket
 For seatpost
Size : 24" or 26" bikes
Weight : F -- 157g / R -- 246g



AFD-2403

Spec: PP injection easy assembly with rubber tie for MTB down tube using
Weight: 77g
 We recommend replace a new one when you change new chain
 Even this is reusable
Size: For 11 SPD chain
Weight: 2g



AFD-2501R

Spec: Rear mudguard PP injection with easy angle adjustable bracket
 For seatpost
Size: For 24" - 26" bikes
Weight: 172g -- Rear



AFD-2504

Spec: Mudguard F + R PC extrusion stainless steel V-stays anti-rust bolts
Size: W35mm for 700 x 25 - 32C tire
Weight: 413g



AFD-21101F

Spec: Mudguard PP / TPR injection with Carbon sticker decal & rubber tie
 For MTB down tube using
Weight : 58g

AFD-21101R

Spec: Rear mudguard PP / TPR injection with Carbon sticker decal
 With easy angle adjustable bracket for seatpost
Size : For 24" - 26" bikes
Weight : 248g



AFD-2502R

Spec: Rear mudguard PP injection for Road bikes
 With easy angle adjustable bracket for seatpost
Size: For 700 x 23C tire
Weight: 135g



AFD-2506

Spec: Mudguard F + R PC extrusion stainless steel stays anti-rust bolts
Size: W45mm for 700 x 32 - 40C tire
Weight: 500g





FREEWHEELS

AFW-21601


Spec: AL7075 CNC freewheel suitable SHIMANO MTB 10SPD freewheel To experience SHIMANO 11SPD system
Size: 40T / 42T / Weight: 118g / 40T

AFW-2901

Spec: Cr-Moly heat treated freewheel for single speed bikes
Size: 3/32" 12 / 13 / 14 / 15 / 16 / 17 / 18T
Weight: 28g / 16T

AFW-2902

Spec: Cr-Moly heat treated freewheel for single speed cassette-type hub
Size: 3/32" 12 / 13 / 14 / 15 / 16 / 17 / 18T / 19T / 20T H: 7mm
Weight: 32g / 16T



GRIP TAPES

ASG-21504

Spec: PU/EVA foamed bar tape with oblique line on the surface With ACOR CARBON LOOKING end caps
Size: 3 x 200 cm
Weight: 70g / pr W/O end caps



ASG-21506

Spec: PU/EVA foamed bar tape STAR LOOKING on the surface With ACOR CARBON LOOKING end caps
Size: 3 x 200cm
Weight: 56g / pr W/O end caps



ASG-21505

Spec: PU/EVA foamed bar tape with diamond line on the surface With ACOR CARBON LOOKING end caps
Size: 3 x 200 cm
Weight: 64g / pr W/O end caps



ASG-21005

Spec: Leather looking bar tape with soft Microfiber with end caps
Size: 3 x 190cm
Weight: 58g / pr



ASG-21105

Spec: Anti slippery bar tape with GEL sticker resistance o stretching,heat,water,and aging with end caps
Size: 3 x 190cm
Weight: 112g / pr



ASG-21204

Spec: Anti slippery PU bar tape Golf designed with end caps
Size: 3 x 200cm
Weight: 75g / pr



ASG-2501

Spec: Carbon looking bar tape with GEL foam with end caps
Size: 3 x 190cm
Weight: 56g / pr



ASG-2511

Spec: ACOR CARBON looking end caps For Road bar type
Weight: 6g / pr



ASG-21203

Spec: Brush effect with EVA cork bar tape Comfortable designed with end caps
Size: 3 x 185cm
Weight: 55g / pr



ASG-2404

Spec: Bar tape comfort enhanced EVA foam / soft GEL Water resistance with end caps
Size: 3 x 185cm
Weight: 36g / pr



ASG-2510

Spec: ACOR CARBON looking end caps For handlebar type
Weight: 6g / pr



ASG-2801

Spec: DOT PU skin with GEL foam flexible and comfortable With end caps
Size: 3 x 190mm
Weight: 45g / pr



FREEWHEELS

GRIP TAPES

GRIP TAPES

ACOR

GRIPS

ASG-21001

Spec: Super light Wood looking grip with High density foam
With ACOR logo end caps
Size: 7/8" x 130mm
Weight: 14g / pr



ASG-21003

Spec: Two Hand-Position designed Kraton/GEL/Memory foam grip
1-side lock designed with M2.5 allen key close end
Size: 7/8" x 148mm
Weight: 265g / pr



ASG-21205

Spec: Streak Anti-slip grip PU/Nylon cover and Rubber foam
With ACOR logo end caps
Size: 7/8" x 128mm
Weight: 38g / pr



ASG-21301

Spec: Twin layer freestyle grip close end
Size: 7/8" x 140mm
Weight: 108g / pr



ASG-2104

Spec: Long type comfort foam for butterfly-bar grip
Size: 7/8" x 500mm
Weight: 82g / pr



ASG-21103

Spec: Kraton/GEL/PP grip with classical appearance design
With ACOR logo end caps
Size: 7/8" x 134.5mm
Weight: 150g / pr



ASG-21302

Spec: Twin layer grip with GEL close end
Size: 7/8" x 130mm
Weight: 161g / pr



ASG-21303

Spec: Anti-slip Rubber grip with flag close end
Size: 7/8" x 115mm
Weight: 67g / pr



ASG-21106

Spec: Anti-slippery PP/Rubber grip groove and hole design
With ACOR logo end caps
Size: M 7/8" x 90mm
L 7/8" x 125mm
Weight: 142g / pr -- M
170g / pr -- L



ASG-21108

Spec: Water resistant foam grip with ACOR logo end caps
Size: 7/8" x 125mm
Weight: 34g / pr



ASG-21304

Spec: Anti-slip Rubber/GEL grip with ACOR logo end caps
Size: 7/8" x 128mm
Weight: 190g / pr



ASG-21305

Spec: Rubber/Kraton grip with nylon/fiber bar end &
ACOR logo end caps
Size: 7/8" x 128mm



ASG-21109

Spec: Smooth and comfortable GEL grip
2-side lock designed with end caps
Size: 7/8" x 135mm
Weight: 84g / pr



ASG-21201

Spec: Skull PP grip 2-side lock designed with end caps
Size: 7/8" x 128mm
Weight: 119g / pr



ASG-21306

Spec: Anti-slip Rubber/GEL grip with flag close end
Size: 7/8" x 130mm
Weight: 105 / pr



ASG-21401

Spec: Two line design anti-slip foam grip
2-side lock designed with end caps
Size: 7/8" x 130mm
Weight: 92g / pr



ASG-21402

Spec: Ergonomics hard-foam grip 2-side lock designed With end caps
Size: 7/8" x 130mm
Weight: 86g / pr



ASG-21403

Spec: Anti-slip Rubber grip with ACOR logo end caps
Size: 7/8" x 125mm
Weight: 200g / pr



ASG-21604

Spec: Kraton+Rubber grip 2-side lock system with end caps
Size: 7/8" x 128mm
Weight: 113g / pr



ASG-21606

Spec: Full silicone grip with ACOR logo end caps
Size: 127mm
Weight: 102g / pr



ASG-21404

Spec: Scent GEL/Kraton grip with ACOR logo end caps
Size: 7/8" x 125mm
Weight: 91g / pr



ASG-21404R

With flag design size: 7/8" x 140mm



ASG-21607

Spec: Anti-slip silicone foam grip shock-absorb & abrasion-resist With ACOR logo end caps
Size: 130mm
Weight: 55g / pr



ASG-21610

Spec: NANO foam grip EVA+Silicone with ACOR logo end caps
Size: 130mm
Weight: 11g / pr



ASG-21405

Spec: Anti-slip silicone grip 2-side lock designed with end caps
Size: 7/8" x 130mm
Weight: 113 / pr



ASG-21601

Spec: Ergonomic soft Kraton+PU grip 2-side lock system with end caps
Size: 7/8" x 128mm or 138mm
Weight: 182g / pr--128mm



ASG-2303

Spec: ATB solid Kraton grip with ACOR logo end caps
Size: 130mm
Weight: 92g / pr



ASG-2503

Spec: LEVIN Kraton/Rubber 2-tone designed With ACOR logo end caps
Size: 7/8" x 125mm
Weight: 90g / pr



ASG-21602

Spec: 3 color segment Kraton+ Rubber grip 2-side lock system with end caps
Size: 7/8" x 128mm
Weight: 108g / pr



ASG-21603

Spec: 2 color segment Kraton+Rubber grip 2-side lock system with end caps
Size: 7/8" x 128mm
Weight: 125g / pr



ASG-2506

Spec: Ergonomic design super light grip Water resistance foam grip with ACOR logo end caps
Size: 7/8" x 130mm
Weight: 28g / pr



ASG-2607

Spec: Comfort Kraton/GEL grip ergonomic palm shape close end
Size: 7/8" x 130mm
Weight: 158g / pr



ASG-2608

Spec: Comfort solid Kraton grip ergonomic palm shape close end
Size: 7/8" x 130mm
Weight: 164g / pr



ASG-2806

Spec: Comfortable Kraton grip 2-side lock designed With end caps
Size: 7/8" x 128mm
Weight: 101g / pr



ASG-2911

Spec: Anatomically designed Kraton/GEL/PP grip 2-side lock designed with M2.5 allen key With end caps
Size: 7/8" x 140mm
Weight: 198g / pr



ASG-2912

Without lock system
Size : 30 x 130mm -- Man
 27 x 130mm -- Woman
Weight: 182g / pr -- Man



ASG-2809

Spec: Water resistant Neoprene grip with ACOR logo end caps
Size: 7/8" x 128mm
Weight: 41g / pr



ASG-2901

Spec: Ergonomic groove EVA grip 2-side lock designed with end caps
Size: 7/8" x 129mm
Weight: 82g / pr



ASG-21501

Spec: Silicon foam grip anti-slip shock-absorb abrasion-resist
Size: 130mm
Weight: 82g / pr



ASG-21502

Spec: EVA foam grip
Size: 130mm
Weight: 31g / pr



ASG-2905

Spec: Kraton/GEL grip with ACOR logo end caps
Size: 7/8" x 125mm
Weight: 100g / pr



ASG-2906

Spec: Kraton/GEL grip ergonomic palm rest designed close end
Size: 7/8" x 125mm
Weight: 158g / pr



ASG-21503

Spec: Rubber/GEL grip
Size: 130mm
Weight: 102g / pr



ASG-21507

Spec: GEL/Silicon grip 2-side lock system with end caps
Size: 7/8" x 129mm
Weight: 130g / pr



ASG-2907

Spec: Kraton with GEL top grip ergonomic palm rest designed 2-side lock designed with M2.5 allen key With ACOR logo end caps
Size: 7/8" x 128mm
Weight: 153g / pr



ASG-2907B

Spec: Kraton with GEL top grip ergonomic palm rest designed 2-side lock designed with M2.5 allen key With ACOR logo end caps & bar end
Size: 7/8" x 128mm



HANDLEBARS

AHB-21201

Spec: AL6061-T6 D/B road bar
Reach: 95mm
Drop: 150mm
Size: W400/420/440mm (C-C)
Barbore: 26.0mm
Weight: 225g -- 440mm



AHB-21304

Spec: AL6061-T6 D/B road bar with non-film sticker decal
Reach: 80mm
Drop: 125mm
Size: W400/420/440/460mm (O-O)
Barbore: 25.4mm or 31.8mm
Weight: 296g -- 460mm(o-o)



AHB-21502A

Spec: AL6061-T6 D/B rise handle bar
Width: 750/760/770/780/790/800/810mm
Barbore: 31.8mm
Rise: 0.5"/1"/1.5"/2"/3"
Backsweep: 9°
Upsweep: 5°
Weight: 358g / 760mm



AHB-21503

Spec: AL6061 D/B rise handle bar
Width: 700/710/720/730/740/750mm
Barbore: 35mm
Rise: 20mm
Backsweep: 9°
Upsweep: 4°
Weight: 347g / 750mm



AHB-21305

Spec: AL6061-T6 D/B road bar flat design with non-film sticker decal
Reach: 80mm
Drop: 130mm
Size: W400/420/440/460mm (O-O)
Barbore: 25.4mm or 31.8mm
Weight: 336g -- 460mm(o-o)



AHB-21401

Spec: AL6061-T6 D/B Bull bar
Size: W360/380/400/420/440mm (C-C)
Barbore: 25.4 or 26.0mm
Weight: 210g -- 26.0mm



AHB-21503

Spec: AL6061 D/B rise bar
Width: 700/710/720/730/740/750mm
Barbore: 35mm
Rise: 20mm
Backsweep: 9°
Upsweep: 4°
Weight: 347g / 750mm



AHB-2201

Spec: Alloy ATB low rise
 Bend 9°
Size: W640/660/680mm x R30 x T3.0 / 1.8
Barbore: 25.4mm
Weight: 340g



AHB-21407

Spec: AL6061-T6 DB flat bar for 650B or 29ER bikes
Size: W700/710/720/730/740mm (C-C) x T2.8 / 1.7
Rise: 0°
Backsweep: 9°
Barbore: 31.8mm
Weight: 322g



AHB-21408

Spec: Butterfly handle bar
Size: W585x25.4mm Grip area: 148mm
Weight: 479g



AHB-2201

Spec: Alloy ATB low rise
 Bend 6°
Size: W640/660/680mm x R30 x T2.4 / 1.8
Barbore: 31.8mm



AHB-2307

Spec: AL6061 3D forged extend bar angle adjustable
Size: Compatible to handlebar 25.4mm extension 50mm
Weight: 198g



AHB-21501

Spec: Alloy Extend bar with Hydraulic shock absorber suitable for cell phone, GPS
Size: Fit to 28.6 / 31.8mm handlebar
 300g for original spring limit loading
 450g for attached spring limit loading
Weight: 118g / set



AHB-21502

Spec: AL6061-T6 D/B rise handle bar
Width: 700/710/720/730/740mm
Barbore: 31.8mm
Rise: 0.5"/1"/1.5"/2"
Backsweep: 9°
Upsweep: 5°
Weight: 315g / 720mm



AHB-2401

Spec: AL6061-T6 flat bar
Size: W600mm x T1.65 / 1.2
Barbore: 31.8mm
Backsweep: 5°



AHB-2501

Spec: AL6061 classical designed comfort city bar
Size: W600mm x R26 x T2.6
Barbore: 25.4mm
Weight: 372g



AHB-2711

Spec: Extend computer bar AL6061 CNC machined clamp
With carbon extension bar 22.2mm
Size: Fit to handlebar 31.8mm
Weight: 54g



AHB-702

Spec: AL6061-T6 cross bar with quick release designed clamps
Size: W190mm
Weight: 124g



AHB-802

Spec: AL6061-T6 flat bar
Size: W600mm x T2.4 / 1.2
Barbore: 25.4mm
Backsweep: 5°



AHS-21501A

Spec: ACB sealed bearings low cap
Weight: 106g



AHS-21502

Spec: Alloy tapered internal threadless headset
Size: 1-1/8"-1.5" 28.6 x 44 x 49.6 x 39.8 x H29.9 mm
Weight : 168g



AHS-21503

Spec: Alloy semi-integrated threadless headset
Size: 1-1/8" 28.6 x 44 x 30 x H13mm
Weight : 125g



AHS-21503A

Spec: Semi-integrated threadless headset
Steel cartridge bearing cups
Size: 1-1/8" 28.6 x 44 x 30 x H13 mm
Weight : 149g



AHS-21504

Spec: Alloy tapered internal threadless headset
ACB sealed bearings
Size: 1-1/8" -1.5" 28.6 x 44 x 56 x 39.8 x H12.5mm
Weight : 131g



AHS-2503

Spec: Alloy semi-integrated threadless headset semi-cartridge bearings
Size: 1-1/8" 28.6 x 44 x 30mm stack height: 8.5mm
Weight: 100g



HEADSETS

AHS-21003

Spec: 6pcs/set threaded cartridge bearings alloy cap
Size : 1" 25.4 x 22.2 x 30 x 27mm stack height: 37.5mm
Weight : 109g



AHS-21201

Spec: Alloy integrated threadless headset--Economy type
Alloy top cover with Steel crown race cartridge bearings
Size: 1-1/8" 28.6 x 41.8 x 30mm stack height: 10mm
Weight : 104g



AHS-21201A

Spec: AL integrated threadless headset--Economy type
Alloy top cover with alloy crown race cartridge bearings
Size: 1-1/8" to 1-1/4" 28.6 x 41.8 x 46.9 x 33mm stack height: 10mm
Weight : 102g
Option: 1-1/8" to 1-1/2" 28.6 x 41.8 x 51.8 x 39.8mm stack height: 16.8mm
Weight : 104g



AHS-2504

Spec: Alloy semi-integrated threadless headset sealed bearings
Size: 1-1/8" 28.6 x 44 x 30mm stack height: 9.3mm
Weight: 77g



AHS-2901

Spec: Conventional threadless headset steel upper and lower cups
Caged bearings
Size: 1-1/8" 28.6 x 34 x 30mm stack height: 22.4mm
Weight: 108g



AHS-701

Spec: Alloy threadless headset
Ball retainer and AL top cap
Size: 1" 25.4 x 30 x 27mm stack height: 32.05mm
1" 25.4 x 30.2 x 26.4mm stack height: 32.05mm
Weight: 106g
Option: 1-1/8" 28.6 x 34 x 30mm stack height: 27.5mm
Weight: 145g



AHS-21202

Spec: Alloy conventional threadless headset
Alloy top cover with alloy crown race sealed bearings
Size: 1-1/8" 28.6 x 34 x 30mm stack height: 29mm
Weight : 104g



AHS-21501

Spec: Alloy tapered integrated threadless headset
ACB sealed bearings high cap
Size: OD 46mm / 56mm head tube
1-1/8"-1.5" 28.6 x 41.8 x 51.8 x 39.8 x H16.4mm
Weight : 116g



HUBS

AHU-21001F

Spec: AL6 shell MTB XC Disc brake system with CNC cut flange and end caps AL6061 axle with alloy QR M9 x 100mm 2 Enduro(America)bearings
Size: 28 / 32 / 36H
Weight : 180g / 32H



AHU-21001R

Spec: AL6 shell MTB XC Disc brake system with CNC cut flange and end caps Cr-Mo Shimano 9SPD cassette body AL6061 axle with alloy QR M10 x 135mm 4 Enduro(America)bearings
Size: 28 / 32 / 36H
Weight: 288g / 32H



AHU-21004F

Spec: Carbon Shell with CNC cut flange and end caps AL7075 axle with alloy QR M9 x 100mm 2 sealed bearings
Size : 24 / 28 / 32 / 36H
Weight : 146g / 36H
Weight: 336g -- 460mm(o-o)



AHU-21004R

Spec: Carbon Shell with CNC cut flange and end caps AL7075 axle with alloy QR M10 x 135mm 4 sealed bearings
Size : 24 / 28 / 32 / 36H
Weight : 289g / 36H



AHU-21005F

Spec: AL Shell with cut flange AL7075 axle sealed bearings 3/8 x 100mm 16T and 18T fixed cog and lock ring available
Size: 32H or 36H
Weight : 264g / 32H



AHU-21005R

Spec: AL Shell with cut flange AL7075 axle sealed bearings 3/8 x 130 or 120mm 16T and 18T fixed cog and lock ring available
Size: 32H or 36H
Weight : 315g / 32H



AHU-21201F

Spec: AL6 shell with cut flange front hub AL6061 axle M9 x 100mm 2 Japanese sealed bearings
Size: 28 / 32 / 36H
Weight : 244g / 32H



AHU-21201R

Spec: AL6 shell with cut flange front hub AL6061 axle M10 x 120mm 2 Japanese sealed bearings
Size: 28 / 32 / 36H
Weight : 296g / 32H
Weight: 315g / 720mm



INNER TUBE & ACCESSORIES

ARB-2801

Spec: Nylon tire tape micro elasticity perfectly fit with rims Afford high pressure upto 180psi
Size: MTB -- 26" x 18 or 22mm (L85mm)
 Road -- 700C x 16 or 22mm (L95mm)
Weight: 112g / pr



ATI-2701

Spec: Inner tube with removable F/V 38mm / F/V 48mm
Size: 650 x 18 - 23C / 650 x 23 - 25C / 650 x 28 -32C



ATI-2901

Spec: Inner tube with removable F/V 38mm / F/V 48mm
Size: 26"x1.25" / 26"x1.5-1/75" / 26"x1.9-2.125"



ATI-2902

Spec: Inner tube with removable F/V 38mm / F/V 48mm
Size: 700 x 18 - 23C / 700 x 23 - 25C / 700 x 28 - 32C

KICKSTANDS

AKS-21410

Spec: Alloy adjustable center kickstand fitted on chain stay neck With steel bolt & steel top plate
Size: For 24"-28" bikes
Weight: 252g
 To replace AKS-2403



AKS-2001

Spec: Alloy rear wide angle type kickstand length adjustable
Size: For 24" - 28" bikes
Weight: 339g



AKS-21301

Spec: Alloy center kickstand more stable larger angle length adjustable Fitted on chain stay neck with top plate
Size: For 24" - 28" bikes
Weight: 400g



AKS-21201

Spec: Alloy rear kickstand easy fixed with 3 screws length adjustable Fits on 45° to 65° of different dia. of seat stay and chain stay
Size: For 24" - 28" bikes
Weight: 354g



HUBS

INNER TUBE & ACCESSORIES

KICKSTANDS




AKS-21304

Spec: Alloy rear kickstand adjust the length without tools
Size: 26" - 29" bikes
Weight: 274g



AKS-21402

Spec: Alloy rear kickstand length adjustable Patented design for various dimension tubes
Size: For 24" - 29" bikes
Weight: 355g



AKS-21403

Spec: Alloy double leg center kickstand adjustable fitted on chain stay neck with top plate Adjust the length without tools quick release design
Size: For 26" - 29" bikes
Weight: 468g



AKS-21405

Spec: Alloy center kickstand fitted on chain stay neck with top plate Adjust the length without tools quick release design
Size: For 26" - 29" bikes
Weight: 300g



AKS-21406

Spec: Alloy center kickstand length adjustable Fitted on chain stay neck with top plate
Size: For 26" - 29" bikes
Weight: 375g



AKS-21407

Spec: Alloy rear kickstand fit to various dimension tubes Adjust the length without tools quick release design
Size: For 24" - 29" bikes
Weight: 320g




AKS-21408

Spec: Alloy center kickstand fitted on chain stay neck with top plate Adjust the length without tools quick release design
Size: For 24" - 29" bikes
Weight: 264g



AKS-21409

Spec: Alloy rear kickstand adjust the length without tools quick release design
Size: For 24" - 29" bikes
Weight: 376g



AKS-21501

Spec: Alloy adjustable rear kickstand to add install position at the dropout With original QR
Size: For 26" - 29" bikes
Weight: 181g



AKS-2502

Spec: Alloy double leg center kickstand
Size: For 26" - 28" bikes
Weight: 546g



AKS-2801

Spec: Alloy die casting head part center kickstand Nut type adjustable lower blade fitted on chain stay neck with top plate
Size: For 24" - 28" bikes
Weight: 246g



AKS-2902

Spec: Alloy double leg center kickstand the angle can be turned to 35° Length lower blade by M4 Allen key
Size: For 26" - 28" bikes
Weight: 256g



LIGHTS

ALT-21001

Spec: Handlebar capacity organizer bracket only Can set headlight / speedmeter / accessories
Weight : 32g



ALT-21104

Spec: Rear light 5 red LED with bracket & 2 x AAA batteries included 4 mode function and water resistant (steady / flashing / random / chasing) Wide lens design provides a better visibility
Weight : 66g (with batteries)



ALT-21110

Spec: Classic 1 x 1W Hi-Power aluminium front light 2 mode function 3 x AAA batteries included
Size: 100mm
Weight: 80g (withour batteries)



ALT-21302

Spec: Safety light 2 LED with silicone strap tie 2 mode function water resistance CR2032 battery included more than 100hrs for run time
Option: Front -- white LED / Rear -- red LED
Size: 38 x 28 x 18mm
Weight: 14g (with battery)



ALT-21303

Spec: 2 x 0.5W LED 3 mode function with bracket
Option: Front -- white LED / Rear -- red LED
Size: 72 x 32.5 x 36mm
Weight: 35g (without batteries)



ALT-21304

Spec: Hi-power front light with 1W white LED 3 mode function with bracket
Weight : 61g (with bracket)



ALT-21308

Spec: Economic F + R light set
 Front: 3 LED 2 mode function with 3 x AAA batteries
 Rear: 3 LED 4 mode function with 2 x AAA batteries
Weight: Front :91 g (with batteries), Rear: 67g (with batteries)



ALT-21309

Spec: Hi-power white LED front light Wide-angle illumination and USB charging design 3 mode function and rainproof, Illuminaion distance : 30M With tool free nylon bracket, 4 x AA batteries included High power mode: approx. 5hrs City ECO mode: approx. 12 hrs Flashing mode: approx. 35 hrs
Weight : 174g (without batteries)



ALT-21309A

Option: 4 MITSUBISHI NI-MH batteries 1.2V / 2500mAh Inclusive, USB cable, USB charger jack



ALT-21403

Spec: Safety light 1 LED with silicone strap tie 2 mode function water resistance

CR2032 battery included more than 85hrs for run time

Option: Front -- white LED / Rear -- red LED

Size: 125 x 26.5 x 22.5mm

Weight: 10g (without battery)



ALT-21407R

Spec: USB Rechargeable Rear Light, 3 LED Bulbs 4 Mode W/ QR Bracket, Cable Tie, USB Cable and Velcro Attachment

Functions as a helmet clip light
Low battery indicator and battery protector water resistant
Run Time: 2 hrs (Super Bright) / 5 hrs (Constant) to 25 hrs (Chasing)

Size: 41.5 x 28 x 21 mm

Weight: 15.2 g



ALT-21409

Spec: All Sight Rear Safety Light with Light Guide Optical Design, 0.5W Red LED, 2 Mode W/Bracket 2*AAA Batteries Included, Water Resistant

Run Time: 18 hrs (Constant) to 36 hrs (Flashing)

Size: 70 x 32 x 36.5 mm

Weight: 33.5 g (without battery)



ALT-21402

Spec: Economic F + R light set

Front: 1W LED 2 mode function with 3 x AAA batteries

Rear: 3 LED 4 mode function 2 x AAA batteries

Weight: Front : 50g (with batteries) / Rear: 67g (with batteries)

ALT-21407F

Spec: Cable Tie, USB Cable and Velcro Attachment

Functions as a helmet clip light

Low battery indicator and battery protector water resistant

Run Time: 1.5 hrs (Super Bright) to 12 hrs (Flashing)

Size: 48 x 28 x 21 mm

Weight: 15.7 g



ALT-21408

Spec: Compact Commuter 3 White LED Headlight, 3 Mode W/ tool free bracket, 2*AA Batteries, Water Resistant, 300 Candela of powerful brightness provides

exceptional light when riding after dark.

Run Time: 30 hrs (High Beam) to 120 hrs (Flashing)

Size: 89.4 x 37.9 x 23.9 mm

Weight: 26.6 g (without battery)



ALT-21501

Spec: Alloy CNC cycle light connector 2pcs/ set for fork pivot

Available for DISC brake /V-brake system

Weight: 133g / set



ALT-21601F

Spec: Safety front light 1W white LED aluminum case 2 modes water resistant

W/strap & CR2032*2 batteries

Weight : 32g / with batteries

ALT-21601R

Spec: Safety rear light 1W red LED aluminum case 2 modes water resistant

W/strap & CR2032*2 batteries

Weight : 32g / with batteries



ALT-21603

Spec: Hi-Power front light 1W white LED aluminum head 3 modes Water resistant w/bracket & 4 AAA carbon zinc battery included

Weight : 109g / without batteries

ALT-21603A

Spec: USB rechargeable Hi-Power front light 1W white LED aluminum head 3 modes water resistant w/4 AAA Ni-MH rechargeable batteries included

& USB cable & bracket

Weight : 109g / without batteries



ALT-2505

Spec: Plastic injection bracket for front light fit to front fork bridge

Weight: 30g



ALT-21602

Spec: USB rechargeable front light 3W white LED aluminum case 4 modes

Water resistant w/strap & Lithium-ion polymer battery

Weight : 70g



ALT-21604

Spec: Front light 0.5W*2 white LED 3 modes water resistant W/bracket & 2 AA batteries included

Weight : 47g / without batteries

ALT-21604A

Spec: USB rechargeable front light 0.5W*2 white LED 3 modes water resistant W/bracket & 2 AA Ni-MH rechargeable batteries included & USB cable

Weight : 47g / without batteries



LIGHTS

LIGHTS

ALT-2910F

Spec: Safety light Moose shape 3 LED with elastic strap tie
Option: Front -- white LED (2 x CR2032 button batteries required)
Size: 30 x 50 x 15 mm
Weight: 10g (without batteries)



ALT-2910R

Option: Rear -- red LED (2 x CR2032 button batteries required)



LOCKS

ACL-21202

Spec: 3-digit wire lock
Size: 3 x 1500mm
Weight: 89g



ACL-21204

Spec: Wire lock with bracket & keys
Size: 10 x 1500mm
Weight: 386g
Weight: 288g / 32H



ACL-2504

Spec: 4-digit wire lock with bracket
Size: 10 x 1800mm
Weight: 668g



ACL-2907

Spec: 4-digit wire lock
Size: 8 x 1500mm
Weight: 320g



PEDALS

APD-21005

Spec: Alloy body racing pedal clipless compatible to LOOK "KEO" cleat
Size: 9/16" Cr-Moly axle with ball bearings
Weight: 78 x 90.8 x 33.1 mm
Weight: 285g / pr



APD-21006

Spec: Multi-function alloy body and cage pedal
Size: 1-side binding tension adjustable
Weight: 9/16" Cr-Moly axle with sealed bearings
Weight: 93 x 66 x 30.1 mm
Weight: 354g / pr



APD-21007

Spec: 1-pc Plastic body pedal with over-molded Kraton non-slip
Size: 9/16" Cr-Moly axle ball bearings with BS reflectors
Weight: 101.5 x 72 x 21.6 mm
Weight: 245g / pr



APD-21009

Spec: Alloy die cast body pedal clipless compatible to SHIMANO "SPD" cleat
Size: 9/16" Cr-Moly axle DU/Sealed bearings
Weight: 80.9 x 65.3 mm
Weight: 324g / pr



APD-21103

Spec: 1-pc Plastic body pedal slipless TPR tread with BS reflectors
Size: 9/16" Cr-Moly axle with ball bearings
Weight: 111 x 98.7 x 26.5 mm
Weight: 288g / pr



APD-21105

Spec: 1-pc alloy body and cage pedal with BS reflectors
Size: 9/16" Cr-Moly axle sealed bearings
Weight: 98 x 63 x 23 mm
Weight: 250g / pr



APD-21105

Option: Painting white



APD-21202

Spec: 1-PC PP body pedal 9/16" Boron steel axle ball bearings
Weight: With BS reflectors
Weight: 90 x 75 x 20 mm
Weight: 236g / pr



APD-21207

Spec: Alloy body Plastic cage pedal with overmolded Kraton non-slip
Size: 9/16" Cr-Moly axle ball bearings with BS reflectors
Weight: 90 x 75mm
Weight: 285g / pr



APD-21303

Spec: 1-pc Nylon pedal 9/16" Boron steel axle ball bearings
Weight: With BS reflectors
Weight: 115 x 106 x 21mm
Weight: 345g / pr



APD-21304

Spec: Barrel polished alloy body PP cage and TPE tread pedal
Weight: 9/16" taper head Cr-Moly axle ball bearings with BS reflectors
Weight: 110 x 80 mm
Weight: 335g / pr



APD-21305

Spec: Plastic body alloy cage pedal
Weight: 9/16" Boron steel axle
Weight: Ball bearings with BS reflectors
Weight: 110 x 80 x 25 mm
Weight: 267g / pr



APD-21306

Spec: Alloy die casting body pedal with BS reflectors
 9/16" Cr-Moly axle with ball bearings
Weight: 331g / pr



APD-21310

Spec: Pedal axle adapter 2pcs/prs
 9/16" to 1/2" or 1/2" to 9/16" axle
Weight: 28g / pc



APD-21406

Spec: Plastic body alloy cage with BS reflectors
 9/16" Cr-Moly axle ball bearings
Size: 104 x 63.2 x 24 mm
Weight: 240g / pr



APD-21509

Spec: AL6061 CNC-machined body
 CNC-machined 9/16" Cr-Mo axle
 LSL bushing & sealed bearings
 pedal dual-sided Cr-Mo
 Tension adjustable binding with cleat
Size: 85x77mm
Weight: 351g / pr



APD-21601

Spec: Alloy extruded CNC pedal 9/16" Cr-Mo axle sealed bearings W/O BS
 Replaceable pin
Size: 87x98.5x22.5mm
Weight : 228g / pr



APD-21408

Spec: Pedal pin 45pcs-bottle with tool
Size: M4 / T20
Weight: 69g with bottle



APD-21501

Spec: Nylon with fiber body 9/16" Cr-Mo axle ball bearing pedal
 Molded pins with BS reflectors
Size: 100x105x16mm
Weight: 380g / pr



APD-21502

Spec: Alloy one-piece extrusion CNC finished
 9/16" Cr-Mo axle ball bearing
 pedal molded pins
Size: 86x71x24mm
Weight: 341g / pr



APD-21602

Spec: Nylon with fiber pedal 9/16" Cr-Mo axle ball bearings W/BS
Size: 100x110x21mm
Weight : 310g / pr



APD-21603

Spec: Alloy body & cage 9/16" Cr-Mo axle sealed bearings W/BS
Size: 98x65x21mm
Weight : 240g / pr



APD-2502

Spec: Alloy body and cage pedal toe clip attachable
 9/16" Cr-Moly axle with ball bearings snap-on BS reflectors
Weight: 249g / pr



APD-21503

Spec: Alloy forged body CNC-machined 9/16" Cr-Mo axle
 LSL bushing & sealed bearings pedal with BS reflectors
Size: 103x73mm
Weight: 395g / pr



APD-21504

Spec: Road pedal alloy high-polished die-cast body
 CNC-machined 9/16" Cr-Mo axle
 LSL bushing & sealed bearings
 Single-sided Cr-Mo tension adjustable binding with cleat
Size: 84x78mm
Weight: 352g / pr



APD-21505

Spec: Alloy die-cast body CNC-machined 9/16" Cr-Mo axle
 Ball bearings pedal replaceable pins with BS reflectors
Size: 102x110mm
Weight: 463g / pr



APD-2604

Spec: Alloy body steel double cage 9/16" Boron steel axle ball bearings
Size: 96 x 97 mm
Weight: 532g / pr



APD-2902

Spec: Alloy body and cage pedal toe clip attachable
 9/16" Cr-Moly axle ball bearings
Size: 90 x 64.5 X 27.5 mm
Weight: 238g / pr



APD-703

Spec: Plastic body alloy cage pedal toe clip attachable
 9/16" Cr-Moly axle ball bearings with BS reflectors
Weight: 320g / pr



APD-21506

Spec: Road pedal alloy die-cast body CNC-machined 9/16" Cr-Mo axle
 LSL bushing & sealed bearings
 fiber-glass reinforced thermoplastic
 Tension adjustable binding with cleat suitable Look Keo system
Size: 86x86mm
Weight: 416g / pr



APD-21507

Spec: AL6061 CNC-machined body CNC-machined 9/16" Cr-Mo axle
 LSL bushing & sealed bearings
 pedal replaceable pin
Size: 100x97mm
Weight: 384g / pr



APD-21508

Spec: Steel or Alloy pedal pin 40pcs / bag per color

APD-21508P

Pedal pin tool for APD-21508C & APD-21508F



PLUGS

ASG-21612

Spec: Aluminum+Rubber end plugs cap diameter:30.5mm
Size: Body diameter 13/15/18mm
Weight: 47g / pr--18mm



ASG-21613

Spec: Aluminum+Rubber end plugs cap diameter:25.5mm
Size: Body diameter 13/15/18mm
Weight: 38g / pr--18mm



PROTECTORS

AOS-21002

Spec: Chain stay protector with slipless back & Velcro tie
Size: 260 x 80 / 95mm
Weight: 19g / pc



AOS-21201

Spec: PU chain stay protector with Velcro tie
Size: 260 x 90 / 110mm
Weight: 24g / pc



AOS-21202

Spec: PU with Neoprene filament design chain stay protector with Velcro tie
Size: 260 x 90 / 110mm
Weight: 28g / pc



AOS-21204

Spec: Silicone slipless back and anti-revolve chain stay protector With Velcro tie
Size: 260 x 90 / 110mm
Weight: 22g / pc



AOS-21301

Spec: Alloy Schrader valve cap
Size: Smile, cylinder, wine bottle, spades
Weight: 5g - 10g / pr



AOS-21203

Spec: Alloy valve cap for both Presta & Schrader
Weight: 3.5g / pr



AOS-21205

Spec: Alloy bullet shape valve cap for both Presta & Schrader
Weight: 3.5g / pr



AOS-21302

Spec: Alloy adapter for valve cap
Size: For Schrader to Presta
Weight: 5g / pr



AOS-21401

Spec: TPR chain stay protector
Size: 220mm
Weight: 8g / pc



AOS-2602

Spec: Replace zip tie for good looking on disc brake bikes
 Floating design top holder for suspension movement
 Fix lower holder keep position on blade weather resistant
 EPDM O-ring
 4mm hex key and wrench included



AOS-2801F

Spec: Schrader resin valve cap
Weight: 5g / pr



AOS-2902

Spec: Kevlar fabric
Weight: 5g



AOS-21601

Spec: PU chain stay protector thickness:1.2mm matt carbon looking microfiber sheet
 With 3M sticker backing
Size: 260*27*20mm
Weight: 5g / pc



AOS-2601

Spec: Neoprene chain embossed chain stay protector
 With slipless back & Velcro tie
Size: 250 x 90 / 105mm
Weight: 20g / pc



AOS-2703

Spec: Nylon double lock zip tie
 10pcs / set
Size: 225mm
Weight: 1.5g / pc



AOS-2901

Spec: Chain stay protector semi-carbon fabric 3M sticker backing
Size: 260mm
Weight: 3g / pc



AOS-2904

Spec: Schrader football or baseball style valve cap
Weight: 8g / pr



AOS-21602

Spec: Silicone chain stay protector thickness:1mm with 3M sticker backing
Size: 260*27*20mm



PUMPS

AMP-21001

Spec: Mini floor pump alloy barrel with gauge 2-tone soft T-handle
Foldable hose With clever valve fits Presta & Schrader
Max. pressure 140psi
Size: 280mm
Weight: 178g



AMP-2103

Spec: Mini pump telescope design with gauge ergonomic T-handle
Twin head valve fits Presta & Schrader
Size: 245mm
Weight: 178g



AMP-21401

Spec: Alloy high polish floor pump with 2.5" gauge alloy handle and barrel
Twin head valve fits Presta & Schrader Max. pressure 240psi
Size: 640mm
Weight: 1210g



AMP-21402

Spec: Alloy floor pump with 2" gauge wood handle and alloy barrel
Big triangle Nylon base with alloy plates Max. pressure 160psi
Fits Presta & Schrader valve
Size: 700mm
Weight: 1600g

AMP-21101

Spec: High pressure floor pump Wood handle alloy barrel & base
Including 2-non-slip bracket with dual head fits Presta & Schrader valve
Max. pressure 180psi
Size: 635mm
Weight: 1146g



AMP-21102

Spec: Mini floor pump 2-tone comfort T-handle extra-longer hose storage tube
Reversible for Presta and Schrader valve Max. pressure 120psi
Size: 295mm
Weight: 182g



AMP-21403

Spec: Alloy high polish floor pump with 3" gauge alloy handle and barrel
Auto switching twin head fits Presta & Schrader valve
Max. pressure 240psi
Size: 640mm
Weight: 1380g



AMP-21404

Spec: CO2 inflator fit for 16 grams with thread cartridge
Fit both Presta and Schrader with dust-cap
Attached one 16 grams CO2
Weight: 49g w/o CO2 cartridge



AMP-21201

Spec: High pressure floor pump fluency and strong base steel barrel
2" gauge easy to reading Max. pressure 160psi
Rotating gauge cover and reversible Presta & Schrader valve
Size: 620mm
Weight: 1462g



AMP-21202

Spec: Mini pump alloy barrel 2-tone comfort T-handle with gauge
Reversible for Presta and Schrader valve
Size: 225mm
Weight: 160g



AMP-21405

Spec: 16 grams thread cartridge CO2 2pcs/set
Weight: 44g / pc"



AMP-21501

Spec: High pressure floor pump w/ clever twin-valve alum barrel & Die-casting alum base
wooden handle fit for Schrader, Presta, Dunlop and E/V Max. pressure 240 psi
Size: 2.5" gauge, 26" in total height
Weight: 1330g



AMP-21203

Spec: Mini pump Frame-Fit 2-tone T-handle with alloy barrel
Reversible valve fits Presta & Schrader
Size: 16" / 18" / 20" / 22"
Weight: 226g -- 18"



AMP-21301

Spec: Mini CNC floor pump with 1" gauge high pressure / big volume switch
Safety Pinch-Free locked T-handle twin head fits Presta & Schrader valve
Size: 300mm
Weight: 217g



AMP-21502

Spec: Two-tone handle pocket mini pump
Reinforced plastic barrel Max. pressure 120 psi
Reversible Presta and Schrader
7" Micro size for easy storage in jersey pocket
Size: Length: 7"
Replace AMP-601
Weight: 105g



AMP-21503

Spec: CNC mini pump with Aluminum handle and barrel
With extractable hose, screw-in clever valve, dust cap
Fit for Presta and Schrader
Max. pressure 120 psi
Weight: 130g



PUMPS

PUMPS

AMP-21504

Spec: Shock mini pump with gauge
Foldable hose, attached with Presta adaptor
Max. pressure 300 psi 2-3 PSI micro adjust button
Double function for inflating suspension shock and tyre

Weight: 246g



AMP-21506

Spec: Micro CO2 Inflator with dust cap attached one CO2 cartridge
Innovation body design for dual function of cartridge storage
And punch the air fit for 16 grams w/thread cartridge
Fit for Presta and Schrader

Weight: 20g w/o CO2 cartridge



AMP-2406

Spec: Clever valve for floor pump

Weight: 64g



AMP-2603

Spec: Mini pump alloy barrel comfort D2 handle with gauge
Clever valve fits Presta & Schrader

Size: 245mm

Weight: 184g



AMP-21505

Spec: 2 in 1 CO2 mini pump innovative pump head design
Which combines of dual function for one side mini pump inflating
And one size CO2 cartridge inflating with dust cap
Divided inside air-flow channel for more security
Fit for 16 grams with thread cartridge & both Presta & Schrader
Alum barrel, handle, valve cap both side valve

Weight: 143g



AMP-2401

Spec: High pressure floor pump alloy barrel plastic base with clever valve
Fits Presta & Schrader valve
Max. pressure 160psi

Size: 600mm

Weight: 854g



AMP-2602

Spec: Floor pump resin barrel Alloy air-flow tube comfort rubber handle
With mid mounted gauge clever valve fits Presta & Schrader valve

Size: 605mm

Weight: 798g



AMP-2703

Spec: Shock pump 2-tone comfort handle & foldable hose with gauge
2-3psi micro adjust button Max. pressure 300psi

Size: 230mm

Weight: 208g



AMP-2704

Spec: Pump clip for E/V (English Valve) tube Nylon fiber with chainring

Weight: 17g



AMP-2706

Spec: Mini pump Nylon fiber 2-tone comfort handle Max. pressure 80psi
Twin head valve fits Presta & Schrader

Size: 240mm

Weight: 112g



AMP-601

Spec: Mini pump reversible for Presta & Schrader valve

Size: 258mm

Weight: 118g



QUICK RELEASES

AQR-21102

Spec: AL6061 hub quick release lever and end nut
Cr-Moly hollow axle

Size: ROAD -- F114 x R143mm
MTB -- F114 x R148mm



AQR-21301

Spec: AL6061 hub quick release lever and end nut
Cr-Moly hollow axle

Size: ROAD -- F114 x R143mm
MTB -- F114 x R148mm

Weight: 58g / pr



AQR-21307

Spec: AL6061 hub quick release lever and end nut
Cr-Moly flat axle

Size: ROAD -- F114 x R143mm
MTB -- F114 x R148mm

Weight: 78g/pr



AQR-2503

Spec: AL6 quick release lever for frame seat tube

Size: 60mm

Weight: 22g



AQR-2801

Spec: Alloy quick release lever and end nut hollow Cr-Moly axle
Size: ROAD -- F109 x R143mm
 MTB -- F112 x R148mm
Weight: 90g / pr



AQR-2904

Spec: AL6061 forged quick release lever for frame seat tube
 Long finger specially for comfort bikes
Size: 72mm
Weight: 38g



AQR-2905

Spec: AL6061 quick release lever Cr-Moly axle with position fixer
 Specially for Carbon and Hi-End frames
 With resin disc brake clips & chain holder
Size: F 100mm / R 130 & 135mm
Weight: 178g / set



AQR-501

Spec: Quick release set
Size: 110 / 145mm 2pcs-set -- for F & R hubs
Option: 30 / 110 / 145mm 3pcs-set --for F & R hubs & seat tube
Weight: 80g / 3pcs-set



ARO-21201

Spec: AL7075 super light RD pulley CNC flange 2pcs - set
 2-PC bushing with industrial Japanese bearings
Size: 10T or 11T
Weight: 12g / set

ARO-2901

Spec: Super ceramic bearing constructed pulley 2pcs - set
 Fittings: A- Shimano 8, 9 & 10SPD
 B- Shimano 7 & Campagnolo 8 SPD
 C- Campagnolo 9 & 10 SPD
 D- Sram 9.0(97'/98'), 9.0SL(98'), 7.0 (97'/98'/99')
Size: 11T
Weight: 22g / set



ARO-2501

Option: 11T 2pcs/set
Weight: 31g / set



ARO-601

Spec: Alloy RD pulley with industrial bearings 2pcs - set
Size: 10T
Weight: 27g / set



RD ACCESSORIES

ARD-2601

Spec: Alloy CNC RD protector protects original RD hanger
Weight: 70g



ARO-21101

Spec: AL7075 RD pulley 2-PC bushing with industrial Japanese bearings
 2pcs - set
Size: 11T
Weight: 16g / set



SADDLE COVERS

ASD-21107

Spec: GEL tech saddle cover with tie strap
Size: 254 / 269 x 254 / 203mm
Weight: 186g



ASD-2405

Spec: Ultra light MTB GEL tech ergonomic saddle cover
Size: 254/280x178/203mm
Weight: 318g



ASD-2601

Spec: Super light BODY-FIT foam saddle cover flexible for saddle
Size: L -- 254 / 280 x 178 / 203mm / S -- 249 / 274 x 140 / 165mm
Weight: 149g -- L / Weight: 123g -- S



SADDLES

ASD-21003

Spec: Full carbon saddle racing ergonomic shape carbon rail
V-cut with love channel
Size: 265 x 140mm
Weight: 110g



ASD-21102

Spec: PU Vinyl with light foam saddle ergonomic shape
Traditional style Cr-Moly rail resin F&R bumper
Size: 274 x 153mm
Weight: 290g



ASD-21104

Spec: Recreation double density base saddle
Comfortable with flat sit-zone and depressed area
Cr-Moly rail resin F&R bumper
Size: 240 x 160mm -- Lady
260 x 158mm -- Man
Weight: 314g -- Lady / 308g -- Man



ASD-21201

Spec: Pro riding saddle V-cut design PU Vinyl top with light foam
Cr-Moly rail resin F&R bumper
Size: 275 x 130mm
Weight: 254g



ASD-21101

Spec: PRO riding & ergonomic shape design saddle
Double density base microfiber top with flower pattern
Cr-Moly rail resin F&R bumper
Size: 296 x 137mm
Weight: 324g



ASD-21103

Spec: Recreation double density base saddle with GEL padding
PU cover with traditional pattern
Cr-Moly rail resin F&R bumper
Size: 262 x 198mm -- Lady
280 x 178mm -- Man
Weight: 448g -- Lady / 402g -- Man



ASD-21105

Spec: Junior style with high density Vinyl cover saddle
With safety rear light ST rail resin F&R bumper
Size: 244 x 155mm -- Black & Red (Girl), Army (Boy)
Weight: 368g



ASD-21202

Spec: Recreation double density base saddle fashion style
Comfortable with flat sit-zone and depressed area
Cr-Moly rail resin F&R bumper
Size: 265 x 200mm
Weight: 406g



ASD-21204

Spec: Pro riding design saddle recreation base with PU foam
Cr-Moly rail resin F&R bumper
Size: 272 x 142mm
Weight: 265g



ASD-21206

Spec: Recreation base with PU foam saddle comfortable with flat
base
Cr-Moly rail resin F&R bumper
Size: 265 x 140mm
Weight: 305g



ASD-21207G

Spec: Junior style with PU foam saddle ST rail resin F&R bumper
Size: 245 x 150mm -- Butterfly, Flower (Girl)
Weight: 312g



ASD-21303

Spec: Pro riding design saddle 1-pc design without bolts
Cr-Moly rail resin F&R bumper
Size: 272 x 130mm
Weight: 216g



ASD-21205

Spec: Recreation base with PU foam saddle city free style
Comfortable with flat sit-zone and depressed area
Cr-Moly rail resin F&R bumper
Size: 276 x 155mm -- Man
260 x 155mm -- Lady
Weight: 320g--Man / 315g--Lady



ASD-21207B

Spec: Junior style with PU foam saddle ST rail resin F&R bumper
Size: 245 x 150mm -- School style (Boy)
Weight: 312g



ASD-21301

Spec: Pro riding design saddle with EVA foam saddle ST rail
Size: 280 x 135mm
Weight: 289g



ASD-21304

Spec: Pro riding saddle flat design Cr-Moly rail resin F&R bumper
Size: 270 x 140mm
Weight: 366g



ASD-21305

Spec: Comfortable riding saddle hard-wearing PU top
ST rail resin F&R bumper
Size: 250 x 150mm
Weight: 389g



ASD-21306

Spec: Comfortable riding saddle
hard-wearing PU top
With elastomer ST rail resin F&R
bumper
Size: 260 x 175mm
Weight: 586g



ASD-2711

Spec: Double density O-cut base saddle PU Vinyl top with Mem-
bory foam
Steel rail with elastomer resin F&R bumpers
Size: 265 x 210mm -- Man
240 x 210mm -- Lady
Weight: 717g -- Man / 810g -- Lady
Weight: 1146g"



ASD-2712

Spec: Double density base saddle PU Vinyl top with high density
foam
Steel rail with mini elastomer resin F&R bumpers
Size: 279 x 170mm -- Man
264 x 190mm -- Lady
Weight: 434g -- Man / 382g -- Lady



ASD-2901

Spec: Ergonomic Hollowed design saddle
Glass fiber base with F&R bumpers PU skin with GEL
Shock absorbing CrN/Ti rail system
Size: 287 x 130mm
Weight: 246g



ASD-2902B

Spec: Kids/Junior designed saddle PP base with F&R bumpers
ST rail and PU skin top safety rear light equipped
Size: 248 x 130mm (Boy)
Weight: 309g



ASD-2902G

-- ditto for Girl
Size: 226 x 135mm
Weight: 308g



ASD-2904

Spec: Double density hollowed base saddle
PU Vinyl top and GEL padding
Cr-Moly rail resin F&R bumper
Size: 246 x 169mm
Weight : 360g



SEATPOSTS

ASP-2001

Spec: AL6 cold-forged head 1-bolt design
seat post
Size: 25.0 to 27.2 x 400mm
Weight: 280g
Option: Oversize up to 31.8mm



ASP-21203

Spec: AL6061 2-bolt design seat post offset:25mm
Side by side dual bolt design
Size: 27.2 or 31.6 x 350mm
Weight: 358g



ASP-21301

Spec: AL6061 2D forged head seat post offset:0mm
Wider angle adjustable
Size: 27.2 or 31.6 x 350mm
Weight: 310g



ASP-21302

Spec: AL6061 2D forged head seat post offset:15mm
Size: 27.2 or 31.6 x 350mm
Weight: 300g



ASP-21306

Spec: AL2014 T6 3D forged seat post offset:20mm
One bolt to quick and easy angle adjustment design
Size: 27.2 / 30.9 / 31.6 x 350mm
Weight: 252g -- 27.2mm



ASP-21601

Spec: AL6061 one piece forged Micro-Angle adjustable seat post
Size: 27.2 or 31.6x350mm
Offset: 15mm
Weight : 294g / 31.6mm



ASP-21602

Spec: AL6061 simply angle adjustment seat post
Size: 27.2/30.9/31.6x350mm
Offset: 0mm
Weight : 257g / 31.6mm



ASP-2305

Spec: Alloy suspension seat post 1-bolt head preload adjustable travel: 40mm
Size: 25.4 to 27.2 x 350mm
Weight: 470g
Option: oversize up to 31.8mm



ASP-2504

Spec: AL6 tubing MDU suspension w/o rubber boot seat post
Size: 26.8 to 27.2 x 350mm
Weight: 433g
Option: oversize up to 31.8mm with shim



ASP-2902

Spec: AL6061 tubing and 1-bolt design seat post with pump function
 Hidden hose with A/V valve
Size: 27.2 x 350mm
Weight: 391g

ASP-2902A

Option: with F/V valve to replaceable



ASP-2903

Spec: AL6061 tubing Non-loose 2-bolt head suspension seat post
 Travel: 40mm preload adjustable
Size: 27.2 x 350mm
Weight: 480g



SEATTUBE CLAMPS & QUICK RELEASES

AQR-2004

Spec: AL6061 FD clamp
Size: 28.6 / 31.8 / 34.9mm
Weight: 29g



AQR-21001

Spec: AL6061 forged FD clamp
Size: 31.8 or 34.9mm
Weight: 27g / 34.9 mm



AQR-21003

Spec: AL6061 FD clamp 9°+ 20mm offset
Size: 31.8 or 34.9mm
Weight: 25g/ 34.9mm



AQR-2101

Spec: Alloy shim L:90mm
Size: ID25.4 or 27.2mm OD to order to fit most sizes seat posts
Weight: 36g



AQR-21101

Spec: AL6061 T6 CNC seat tube clamp with quick release lever
Size: 31.8 or 34.9mm x H40mm
Weight: 42g--31.8mm



AQR-21104

Spec: Alloy cable stopper clamp for cable wire
Size: 28.6 / 31.8 / 34.9mm
Weight: 17g



AQR-21209

Spec: AL6061 seat tube clamp with quick release lever
Size: 31.8 or 34.9mm
Weight: 48g / 31.8mm



AQR-21210

Spec: AL 6061 CNC seat tube clamp
Size: 31.8 or 34.9mm
Weight: 16g / 31.8mm



AQR-21211

Spec: AL6061 CNC seat tube clamp with quick release lever
Size: 31.8 or 34.9mm
Weight: 27.5 g / 31.8mm



AQR-21303

Spec: AL7075 T6 ultra light CNC seat tube clamp
Size: 31.8 or 34.9 x H25mm
Weight: 18g / 31.8mm



AQR-21304

Spec: AL7075 T6 ultra light CNC seat tube clamp
Size: 31.8 or 34.9mm
Weight: 9g / 31.8mm



AQR-21305

Spec: AL6066 ultra light seat tube clamp with quick release lever
Size: 31.8 or 34.9mm
Weight: 21g / 31.8mm



AQR-21401

Spec: Quick release set
 Hub QR x 1pr, seat clamp x 1pc, spacer 28.6 x 5mm x 2pcs
 AL7075 water bottle bolt x 4pcs, cable tip x 6pcs
Size: ROAD -- F114 x R143mm
 MTB -- F114 x R148mm
 Seat clamp -- 31.8 or 34.9mm



AQR-21402

Spec: Quick release set
 Hub QR flat axle x 1pr, seat clamp x 1pc, spacer 28.6x5mm x 2pcs
 AL7075 water bottle bol tx 4pcs, cable tip x 6pcs
 valve x 2pcs, CNC top cap 1-1/8" w/o star nut
Size: ROAD -- F114 x R143mm
 MTB -- F114 x R148mm
 Seat clamp -- 31.8 or 34.9mm



AQR-21403

Spec: AL6061 CO2 cartridge and inflator carrier
 Carrier two CO2 cartridge compatible 12g / 16g / 25g
Size: For seat post OD27.2 / 30.9 / 31.8mm
Weight: 34g / 31.8mm



AQR-21404

Spec: AL6061 extrusion CNC machined seat tube clamp
Size: 31.8 or 34.9mm



AQR-2305

Spec: AL6061 NC machined seat tube clamp
Size: 28.6 / 29.8 / 31.8 / 34.9mm
Weight: 26g



AQR-2501

Spec: AL6 cold forged NC machined seat tube clamp
 With shim for carbon seat tube
Size: 31.8 or 34.9mm
Weight: 19g



AQR-2502

Spec: AL6061 forged seat tube clamp with M5 thread for rear carrier
Size: 31.8 or 34.9mm
Weight: 37g



AQR-2601

Spec: AL6061 super light FD clamp
Size: 31.8 or 34.9mm
Weight: 18g



AQR-2603

Spec: AL6 forged seat tube clamp with quick release lever
Size: 31.8 or 34.9mm
Weight: 39g



AQR-2603

Spec: AL6 forged seat tube clamp with quick release lever
Size: 31.8 or 34.9mm
Weight: 39g



AQR-2705

Spec: AL6061 seat tube clamp with M5 thread for rear carrier
Size: 28.6 / 31.8 / 34.9mm
Weight: 35g



AQR-21501

Spec: AL6066 CNC made seat clamp with oval hole for carbon
Size: 31.8 / 34.9mm x H14mm
Weight: 34.9mm--18g



AQR-21502

Spec: AL6061 CNC made seat clamp Special chamfer for carbon frame
Size: 31.8 / 34.9mm x H15mm
Weight: 34.9mm--24g



AQR-21502A

Option: Two-tone color

AQR-21503

Spec: AL6061 extrusion CNC machined seat clamp
Size: 31.8 / 34.9mm
Weight: 34.9mm / 21g



AQR-21504

Spec: AL6061 extrusion CNC machined seat clamp with QR
Size: 31.8 / 34.9mm
Weight: 34.9mm--44g




AQR-21505

Spec: Alloy & Fibre Reinforced Polymer (FRP) Composites chain hanger
Weight: 45g



AQR-21506

Spec: Alloy & Fibre Reinforced Polymer (FRP) Composites chain washer With 135/130mm adapter
Weight: 153g



SPACERS

ASM-21404

Spec: Alloy CNC design spacer 4pcs-set
Size: 28.6 x 3 / 5 / 8 / 10mm
Weight: 2g / 5mm



ASM-2710

Spec: Alloy spacer super light design 3pcs-set
Size: 28.6 x 3 / 5 / 10mm
Weight: 1g / 5mm, 3g / 10mm
Option: 5 / 10 / 15mm 3pcs-set
Option: 28.6 each 3 or 5mm 100pcs-bag
Option: 28.6 each 10mm 100pcs-bag
Option: 28.6 each 15mm 100pcs-bag



SHIMS

AQR-21601

Spec: AL6061 adjustable shim L: 60mm for seat post
Size: A: OD 26.4~28.0 / ID 25.4mm
B: OD 28.0~30.0 / ID 26.4mm
C: OD 30.0~31.8 / ID 27.2mm
Weight : 15g / A



ASM-2711

Spec: Carbon spacer super light design 3pcs-set
Size: 28.6 x 3 / 5 / 10mm
Weight: 1g / 5mm, 2g / 10mm
Option: 5 / 10 / 15mm 3pcs-set each 3mm 100pcs-bag
Option: each 5mm 100pcs-bag
Option: each 10mm 100pcs-bag
Option: each 15mm 100pcs-bag



ASM-2810

Spec: AL6061 T6 barbone adapter 4pcs-set
Size: OD 31.8 / ID 25.4mm
OD 31.8 / ID 26.0mm
Weight: 21g / set



SPORTS GLASSES

AGS-21001

Spec: PC / Nylon frame 400% UV protection replaceable lens
Option lens: Orange / smoke
Weight : 28g



AGS-21301

Spec: PC / Nylon frame with 1-PC design 400% UV protection Frame within non-slip design replaceable lens
Option lens: Orange / smoke
Weight : 30g
Option: Multi-Coated lens



AGS-21303

Spec: PC / Nylon frame with 1-PC design 400% UV protection Frame within non-slip design replaceable lens
Option lens: Orange / smoke
Weight : 29g
Option: Multi-Coated lens



AGS-21304

Spec: PC / Nylon frame with 1-PC design 400% UV protection Frame within non-slip design lens fixed
Option lens: Orange / smoke
Weight : 23g
Option: Multi-Coated lens



SPORTS SHOES

ASE-21301

Spec: MTB sporty shoes for entry-level
Size: 38 - 46
Weight: 656g / pr



ASE-21302

Spec: ROAD Sporty shoes for entry-level
Size: 38 - 47
Weight: 628g / pr



ASE-21401

Spec: MTB Sporty shoes
Size: 38 - 46
Weight: 670g / pr



ASE-21402

Spec: ROAD Sporty shoes
Size: 38 - 47
Weight: 654g / pr



STEM TOP CAPS

ASM-2002

Spec: Alloy top cap with star nut & bolt
Size: 1" or 1-1/8"
Weight: 27g / pc



ASM-21101

Spec: Alloy top cap special laser drawing design with star nut & bolt
Size: 1" or 1-1/8"
Weight: 26g / pc



ASM-21203

Spec: AL6061 T6 CNC top cap with star nut & bolt
Size: 1" or 1-1/8"
Weight: 20g / pc



ASM-21204

Spec: AL6061 T6 CNC top cap with expander for carbon steerer tube
Size: 1" or 1-1/8"
Weight: 30g / pc



ASM-21501

Spec: Alloy 2-step designed top cap For carbon steerer tube
Size: 1-1/8" x 22-23mm, 23-24mm, 24-25mm
Weight: 41g (22-23mm)



ASM-21504

Spec: AL6061-T6 CNC-machined top cap with star washer
Size: 28.6mm
Weight: 24g



ASM-2406

Spec: Alloy top cap cover carbon fabric with star nut & bolt
Size: 1" or 1-1/8"
Weight: 26g / pc



ASM-2609

Spec: Alloy CNC top cap with expander for carbon steerer tube
Size: 1" x ID19-23mm 1-1/8" x ID22-26mm
Weight: 39g



STEMS

ASM-21102

Spec: AL6061 T6 ultra light 3D forged stem hollowed faceplate
Angle: +/- 7°
Size: 31.8 x 80 / 90 / 100 / 110 / 120 / 130 x 28.6mm H: 35mm
Weight: 106g / 80mm



ASM-21104

Spec: AL6016 T6 forged CNC machined stem
Angle: 15°
Size: 31.8 x 40 x 28.6mm H: 40mm
Weight: 200g / 40mm



ASM-21201

Spec: AL6061 T6 3D forged higher range adjustable stem Hollowed faceplate
Angle: -48° to +60°
Size: 25.4 x 90 / 105 x 28.6mm H: 35mm or 31.8 x 90 / 110 x 28.6mm H: 35mm
Weight: 255g / 31.8 x 90mm



ASM-21202

Spec: AL6061 T6 CNC forged stem
Angle: +/-10°
Size: 25.4 / 26.0 / 31.8 x 90 / 100 / 110 / 120 x 28.6mm
Weight: 152g / 25.4 x 90mm



ASM-21301

Spec: AL6061 T6 3D forged adjustable stem hollowed faceplate W / 2 bushings provide Multi-positions for professional riding
Angle: Regular +/- 12°
 Eccentric +/- 8° & +/- 16°
Size: 31.8 x 70 / 80 / 90 / 100 / 110 / 120 x 28.6mm H: 44mm
Weight: 166g / 110mm
Option: Silver color
Option: White color



ASM-21303

Spec: AL6061 T6 2D forged quill stem
Angle: -20°
Size: 26.0 x 60 / 80 / 100 x 130 x 25.4mm
Weight: 242g / 60mm



ASM-21303

Spec: AL6061 T6 ultra light 3D forged stem hollowed faceplate With non-film sticker decal
Angle: +/- 6°
Size: 31.8 x 80 / 90 / 100 / 110 / 120 x 28.6mm H: 40mm
Weight: 110g / 110mm



ASM-21402

Spec: AL6061 3D forged 2-PC adjustable stem
Angle: -20° to + 50°
Size: 25.4 or 31.8 mm x 90 / 110 x 28.6mm H: 41mm
Weight: 251g / 100 x 31.8mm



ASM-21502

Spec: AL6061 3D forged stem with stainless bolt
Angle: +/- 7°
Size: 28.6 x EXT.: 60/70/80/90/100/110/120 x 31.8mm x H40mm
Weight: EXT.100--141g



ASM-21503

Spec: AL6061 3D forged stem with stainless bolt
Angle: +/- 7°
Size: 28.6 x EXT.: 60/70/80 x 35mm x H45mm
Weight: 177g / 80mm



ASM-2319

Spec: Alloy forged lock type ahead stem adapter with spacers and top cap
Size: 28.6 x L117mm
Weight: 215g



ASM-2404

Spec: AL6061 3D forged stem hollowed faceplate
Angle: +/- 6°
Size: 31.8 x 50 / 60 / 70 / 80 / 90 / 100 / 110 / 120 x 28.6mm H: 40mm
Weight: 148g / 100mm



ASM-2404

Option: angle: 35° H: 45mm



ASM-2606

Spec: AL6061 melt-forged angle adjustable quill stem
Angle: 0° to +60°
Size: 22.2 or 25.4 x 100 / 120 x 180 x 25.4mm
Weight: 485g / 100mm



ASM-2607

Spec: Alloy melt-forged angle adjustable stem
Angle: 0° to +60°
Size: 25.4 x 90 / 100 / 110 / 130 x 28.6mm H: 40mm
Weight: 307g / 110mm



ASM-2617

Spec: Alloy forged angle adjustable stem hollowed faceplate
Angle: 0° to +60°
Size: 31.8 x 95 / 110 / 125 x 28.6mm H: 35mm
Weight: 252g / 95mm



ASM-2703

Spec: AL6061 ultra light 3D forged stem hollowed faceplate
Angle: +/- 7°
Size: 25.4 or 31.8 x 90 / 100 / 110 / 120 x 28.6mm H: 41mm
weight: 119g / 90mm



ASM-706

Spec: Alloy post used with ahead stem
Size: Quill 22.2 / 25.4mm head 25.4 / 28.6mm
Weight: 180g



STEMS

STEMS

TOE CLIP & CLEATS

APC-21201

Spec: Stainless steel with EDC colors toe clip
Weight: 74g / pr



APC-21203

Spec: Stainless steel with EDC colors toe clip
Weight: 56g / pr



APC-2910

Spec: Stainless steel toe clip
Weight: 46g / pr



APD-2207

Spec: Shimano "SPD" system cleats
Weight: 72g / pr



APD-ARC1

Spec: LOOK "Delta" system cleats floating type
Size: 9°
Weight: 50g / pr
Weight: 166g / 110mm



APD-ARC6

Spec: Interchangeable rear floating type LOOK "Keo" system cleats
Size: 7°
Weight: 50g / pr



APD-BLK1

Spec: LOOK "Delta" system cleats fix type
Size: 0°
Weight: 50g / pr



APD-BLK6

Option: Black color



APD-KRC1

Spec: LOOK "Keo" system cleats floating type
Size: 9°
Weight: 50g / pr



APD-KRC2

Option: Size: 6°



APD-KRC3

Option: Black color



APS-401

Spec: Webbing strap for toe clip with fix buckle 2pcs / pr
Weight: 52g / pr



TOOLS

ATL-2001

Spec: Tool box 19-item-set
Size : Adjustable BB cup tool
 15/16 & 15/17 pedal wrench
 Cartridge BB tool
 6"adjustable forged steel wrench
 3 steel & 3 nylon tire levers
 BB& headset lockring tool
 Chain rivet extractor& assembler
 M8 hex wrench for crank arm removal & 1/2" adapter
 Inner tube repair kit
 + / - screw driver
 Freewheel remover
 8X10mm open wrench
 Sprocket wrench
 30/32/36/40mm 4-in-1 headset wrench
 13/14/15/16mm hub-cone wrenches
 Cotterless crankarm extractor
 7-groove spoke adjuster
 2/2.3/3/4/5/6mm hex wrench set
Weight: 2800g



ATL-21101

Spec: Multi-purpose tool kit
Size: Nylon fiber tire lever 2pcs
 Folding tool kit with 2 / 2.5 / 3 / 4 / 5 / 6mm allen key
 Tire patch set, chain remover, O spoke adjuster, 8 / 10mm spanner
Weight : 558g



ATL-21103

Spec: Bottom bracket wrench tool
Size: 240mm
Weight: 402g



ATL-21107

Spec: Bleeding kit Suitable for all hydraulic disc systems Magura, Hayes, Avid, Hope, Formula
Size: Injection, transparent tube and components
Weight: 190 x 133 x 65mm
 383g



ATL-21108

Spec: Rust proof penetrating oil
 Protect metal parts from rust and corrosion
 Displaces moisture from any surface
Size: 600ml



ATL-21109

Spec: Brake & Parts cleaner
 Removes brake fluid, oil and brake dust instantly
 Fast-drying and w/o CFC
 Using directly on pad, linings, and other friction parts design
Size: 600ml



ATL-21110

Spec: OMC2 racing chain lube
 Not easily attract grit and grime
 Prevent rust, wear and resist water wash-off
 Heat resistance, low friction leads to long protection
Size: 300ml



ATL-21111

Spec: Express Chain Degreaser
 Quick and Effective dissolve stubborn grease, dirt, residue
 Safe to clean parts, O-rings, seals and painted surfaces
Size: 600ml



ATL-21112

Spec: 17-Function tool kit
 Spoke wench 14G / 15G, 0.136", 0.156"
 Allen key 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm
 #2 +/- screw driver, T25 torx
 Chain tool for 9 & 10SPD, 8 / 10mm wrench
Weight: 168g



ATL-21114

Spec: Alloy spoke wrench 3pcs - set
 0.127", 0.130", 0.136"
Weight: 20g



ATL-21202

Spec: Alloy adjuster bolt for frame derailleur and brake cable 2pcs - set
Size: M5 x 18mm
Weight: 6g / set



ATL-21203

Spec: Alloy cable hanger for canti brake with cable wire and cable end
Weight: 20g / set



ATL-21204

Spec: Crank bolt 4pcs - set
Size: M8 x P0.75 x 8.5mm
Weight: 6g / pc
Option: 5pcs - set



ATL-21502

Spec: CR-MO heat treated hub bolt for fixed gear axle
Size: M9 or M10 x 1.0, Length:14.6mm
 2pc/set
Weight: M9--17g



ATL-21503

Spec: Canvas & ribbon toe clip design with Velcro
Weight: 162g / pr



ATL-21504

Spec: Cow hide & ribbon toe clip design with Velcro
Weight: 176g / pr



ATL-21205

Spec: 10pcs tire patch kit
Size: 2pcs 24 X 35mm oval rubber patch, 4pcs 25mm round tube patch, 2pcs 2cm valve tubing, 1pc 7cc rubber cement, 1pc round metal buffer
Weight: 26g within 10 x 12cm box



ATL-21206

Spec: 10pcs tire patch kit
Size: 2pcs nylon tire lever, 6pcs 25mm glueless patch, 1pc 4cm marking pen, 1pc 3 x 7cm sand paper
Weight: 40g within 10 x 15cm box



ATL-21303

Spec: 10-Function tool set
Size: Allen key 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm
 T25 torx, philips wrench, flat screwdriver
Weight: 161g



ATL-21601

Spec: SHIMANO Di2 seat post battery fixation TPR L: 68mm for alloy seat post
Size: For 27.2 or 31.6mm seat post
Weight : 14g / for 27.2mm seat post



ATL-21602

Spec: SHIMANO Di2 seat post battery fixation TPR L: 68mm for carbon seat post
Size: For 27.2 or 31.6mm seat post
Weight : 13g / for 27.2mm seat post



ATL-21603

Spec: 11 IN 1 Hex wrench w/two tone plastic arm
Size: 1.5/2/2.5/3/4/5/6/8mm allen keys
Weight : 158g



ATL-21305

Spec: Steel core tire lever 3pcs - set
Weight: 97g



ATL-21306

Spec: Tool can with hanger
Size: M -- 135mm / L -- 190mm
Weight: 60g -- L



ATL-21307

Spec: 9-Function tool set long arm design
Size: Allen key 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm
 T25 torx, flat screwdriver
Weight: 126g



ATL-21604

Spec: 19 IN 1 Folding tool set w/alloy arm
Size: 2/2.5/3/4/5/6/8mm L-type
 2/2.5/3mm allen keys, NP, Phillips 2 & flat hex, Caliper spreader with MAVIC MTB 3.22, box wrench 8 & 10mm, Bottle opener with 3.2 & 3.4mm spoke wrench
Weight : 190g



ATL-21605

Spec: POM tire lever 3pcs/set
Weight : 53g / set



ATL-21606

Spec: PA6/AL6061 universal shock-proof suspension cell phone holder
Size: Min:122x57x7mm to Max:170x82x12mm
Weight: 116g / set



ATL-21402

Spec: 7-Function semi-forged CNC tool set
Size: Allen key 2.5 / 3 / 4 / 5 / 6mm, T25 torx, philips wrench
Weight: 65g

ATL-21404

Spec: Tool inner wire pliers
Weight: 240g



ATL-21501

Spec: Nylon trouser band with Velcro and 3M reflector
Size: 20 x 350mm
Weight: 16g / pr



ATL-2304

Spec: 19-Function tool kit
Size: 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm allen key
 8 / 9 / 10 / 12mm box wrench, knife 0.127 / 0.130 / 0.136" spoke wrench +/- screw driver, tire lever, chain rivet extractor
Weight: 206g



ATL-2405

Spec: "+" spoke adjuster with magnet
Weight: 47g



ATL-2505

Spec: Nylon fiber tire lever 3pcs - set
Weight: 39g



TOOLS

TOOLS

ATL-2510

Spec: Ergonomic T-bar
8pcs Hex wrench set
with display stand
Size: 2 / 2.5 / 3 / 4 / 5 / 6
/ 8 / 10mm
Weight: 1062g

ATL-2510A

Spec: Ergonomic T-bar Hex
wrench straight type
Size: 2mm

ATL-2510B

2.5mm

ATL-2510C

3mm

ATL-2510D

4mm

ATL-2510E

5mm

ATL-2510F

6mm

ATL-2510G

8mm

ATL-2510H

10mm



ATL-2602

Spec: Fluorescent trouser band
Weight: 20g



ATL-2603

Spec: Trouser band ABS injection with
3M reflector
Weight: 18g



ATL-2604

Spec: L type Hex wrench
Size: 8mm x L 200mm
Weight: 111g



ATL-2607

Spec: 3-in-1 Y type allen key
Size: 4 / 5 / 6mm
Weight: 70g



ATL-2608

Spec: 3-in-1 Y type socket
Size: 8 / 9 / 10mm
Weight: 82g



ATL-2609

Spec: Nut wrench one side for chainring
Another side for self-extracted
crank cover
Size: 100mm
Weight: 20g



ATL-2610

Spec: Freewheel turner with chain whip
Size: 290mm
Weight: 276g



ATL-2611

Spec: Nylon body with bristles scrub
brush
For Derrailleux, chain or any parts
where get dirt
Weight: 31g



ATL-2612

Spec: Chain cleaner with plastic outer
case 4-sided scrub brushes inside
Weight: 267g



ATL-2613

Spec: 15mm open wrench for pedal axle
Size: 234mm
Weight: 183g



ATL-2621

Spec: 9pcs L type Hex wrench set
Size: 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10mm
with holder
Weight: 323g



ATL-2614

Spec: Freewheel remover for Shimano
HG cassette
Size: 234mm
Weight: 228g



ATL-2621C

Option: With colorful design



ATL-2620

Spec: ISIS drive cartridge BB tool Shi-
mano available
Size: 242mm
Weight: 307g



ATL-2701

Spec: Pre-Glued tire patch kit
Size: 12pcs 25mm round patches with
1pc sand paper
Weight: 6g / set within box



ATL-2702

Spec: Chain extractor upgraded design
a stainless chain holder added
Weight: 89g



ATL-2710

Spec: Ergonomic T-bar torx wrench
Size: T25 x L100mm
Weight: 32g



ATL-2711

Spec: Cable cutter with needle to fix/
re-shape cable whole
Weight: 157g



ATL-2712

Spec: Disc rotor tuning tool
Weight: 223g



ATL-2713

Spec: Crank tool for Shimano Hollowtech
2
Size: 252mm
Weight: 242g



ATL-2714

Spec: Freewheel remover for Campagno-
lo
Size: 234mm
Weight: 228g



ATL-2715

Spec: Crank tool for Octalink
Size: 234mm
Weight: 283g



ATL-2803

Spec: Chain indicator
 1% not to go 0.75% to go
Size: 140 x 48mm
Weight: 36g



ATL-2804

Spec: Torque wrench range 2 - 24Nm
 easy adjust by grip-twist
Size: Allen keys 3 / 4 / 5 / 6 / 8 / 10mm
 & T25 torx
Weight: 620g



ATL-2901

Spec: 15-Function tool kit
 Spoke wrench 14G / 15G, 0.136"
 Allen key 2 / 2.5 / 3 / 4 / 5 / 6 / 8mm
 #2 +/- screw driver, knife
 Tire lever & 10mm wrench
Weight: 119g



TRAINING WHEELS

ATW-21501

Spec: Adjustable stay for 16"-24"
 bikes 3mm steel plate stay
 bracket
 5" plastic & steel rim EVA
 black tire UPC coated steel
 stays
Weight: 962g / set



ATW-2401

Spec: Training wheels PP 5" wheel
 and rim adjustable stay
 UPC coated steel stays
 For 12" - 20" bikes
Weight: 652g



WATER BOTTLES

AWB-21401L

Spec: Candy color bottle food grade
 LDPE injection
 With spray nozzle design
 without dustproof cover
Size: 1000c.c.
Weight: 119g



AGENT LIST



AUSTRIA
BBF BIKE GmbH
 TEL:49 3342 354360
 FAX:49 3342 354333
<http://www.bbf-bike.de>
 E-Mail:info@bbf-bike.de



BELGIUM
Bike Trading NV
 TEL:32 57 487500
 FAX:32 57 487501
<http://www.acorsport.com>
 E-Mail:info@formula-cycling.be



CHINA
Beijing Yu Tai Hang Lun Sports Apparatus Co.,Ltd
 TEL:010 69272380
 FAX:010 69277543
<http://www.tibicycle.com/>
 E-Mail:sales@vnchina.com



COLOMBIA
LIBAR S.A.S.
 TEL:571 4851 211
 FAX:571 4026 156
 E-Mail:alievanoventas@libarbicicletas.com



CROATIA
Marko-Projekt
 TEL:385 1 4618 777
 FAX:385 1 4616 592
<http://www.markoprojekt.com>
 E-Mail:zdravko.bukarica@zg.htnet.hr



CZECH REPUBLIC
Velo C.Z.
 TEL:420 495 271 379
 FAX:420 495 269 198
<http://www.wheeler.cz>
 E-Mail:info@wheeler.cz



DENMARK
PYTHON PRO APS
 TEL:45 7011 1111
 FAX:45 7011 1108
 E-Mail:in@cobra.dk



GERMANY
BBF BIKE GmbH
 TEL:49 3342 354360
 FAX:49 3342 354333
<http://www.bbf-bike.de>
 E-Mail:info@bbf-bike.de



HOLLAND
Bike Trading NV
 TEL:32 57 487500
 FAX:32 57 487501
<http://www.acorsport.com>
 E-Mail:info@formula-cycling.be



HONG KONG
SUN HOP CYCLE CO.
 TEL:852 23966581
 FAX:852 7898182
<http://www.sunhop.com>
 E-Mail:sunhop@biznetvigator.com



HUNGARY
J. P. Mali
 TEL:36 1 420 5032
 FAX:36 1 420 5321
<http://www.mali.hu>
 E-Mail:mali@mali.hu



ITALY
BBF BIKE GmbH
 TEL:49 3342 354360
 FAX:49 3342 354333
<http://www.bbf-bike.de>
 E-Mail:info@bbf-bike.de



JAPAN
Action Sports
 TEL:81 48 2587811
 FAX:81 48 2587813
<http://www.actionsports.co.jp>
 E-Mail:acor@actionsports.co.jp



LUXEMBURG
Bike Trading NV
 TEL:32 57 487500
 FAX:32 57 487501
<http://www.acorsport.com>
 E-Mail:info@formula-cycling.be



POLAND
BBF BIKE GmbH
 TEL:49 3342 354360
 FAX:49 3342 354333
<http://www.bbf-bike.de>
 E-Mail:info@bbf-bike.de



ROMANIA
J. P. Mali
 TEL:36 1 420 5032
 FAX:36 1 420 5321
<http://www.mali.hu>
 E-Mail:mali@mali.hu



SLOVAKIA
AGF Invest, s.r.o.
 TEL:421 2 62 85 95 49
 FAX:421 2 62 85 90 52
<http://www.agfinvest.sk>
 E-Mail:solomonsgift@mweb.co.za



THAILAND
Asia International
 TEL:662 887 7813
 FAX:662 448 3150
<http://www.asiabike.com>
 E-Mail:seema1@ksc.th.com



U.K.
Greyville
 TEL:44 1 543 251328
 FAX:44 1 543 256260
<http://www.greyville.com>
 E-Mail:sales@greyville.com



ACORPLUS

CycleCraft



SEATPOSTS

APSP-21502

Spec: High modulus carbon fiber seat post w/alloy rail parts
OD: 27.2/30.9/31.6mm
Length: 350mm
Offset: 20mm
Weight: 186g / 31.6mm w/alloy rail parts



APSP-21501

Spec: High modulus carbon fiber seat post w/alloy rail parts
OD: 27.2/30.9/31.6mm
Length: 350mm
Offset: 0mm
Weight: 176g / 31.6mm w/alloy rail parts



FORKS

APFK-21501

Spec: 700C Carbon road fork alloy steerer 1-1/8" to 1.5" tapered w/replace post mount adapter
 For 140mm or 160mm rotor 15mm thru axle dropout OLD:100mm internal cable routing
 W/15mm thru axle quick release
Weight: 700g



APFK-21503

Spec: 29" Carbon MTB fork carbon steerer 1-1/8" to 1.5" tapered 15mm thru axle dropout
 LD:100mm w/post mount internal cable routing w/15mm thru axle quick release
Weight: 630g



APFK-21501A

Option: QR type w/o quick release

APFK-21502

Spec: 700C Carbon road fork alloy steerer 1-1/8" to 1.5" tapered Shimano flat mount system
 15mm thru axle dropout OLD:100mm internal cable routing w/15mm thru axle quick release
Weight: 700g
Weight: 301g / 800mm R12

APFK-21502A

Option: QR type w/o quick release

SPACER

APSR-21501

Spec: High modulus carbon spacer
OD:33mm **ID:**28.7mm **H:**5/10/15mm
Weight: 2g / H:10mm

STEMS

APSM-21501

Spec: High modulus carbon fiber stem alloy faceplate cover carbon fiber
Angle: +/- 8°
Size: 28.6 x EXT.: 70/90/110 x 31.8mm H:40mm
Weight: 138g / 110mm w/bolts



APSM-21502

Spec: High modulus carbon fiber stem
Angle: - 17°
Size: 28.6 x EXT.: 60/80 x 31.8mm H:26mm
Weight: 138g / 80mm w/bolts

APSM-21504

Spec: AL6061-T6 3D forged stem fully CNC-machined
Angle: +/- 0°
Size: 28.6 x EXT.: 45 x 35mm H:40mm
Weight: 173g w/bolts



APSM-21503

Spec: AL6061-T6 3D forged stem fully CNC-machined
Angle: +/- 6°
Size: 28.6 x EXT.: 45/60/75/85/100 x 31.8mm H:35mm
Weight: 148g / 100mm w/bolts

APSM-21505

Spec: Titanium stem Ti 6AL4V one-piece investment casting body
 Ti 3AL2.5V CNC-machined faceplate M5 stainless bolts
Angle: +/- 7°
Size: 28.6 x EXT.: 80/90/100/110/120 x 31.8mm H:43mm
Weight: 181g / 120mm w/bolts



APHB-21505

Spec: Ti 3AL2.5V rise handle bar
Width: 680/720/780/800mm
Barbore: 31.8mm
Rise: 20mm
Backsweep: 9°
Upsweep: 6°
Weight: 275g / 750mm

APHB-21506

Spec: Ti 3AL2.5V rise handle bar
Width: 780/800mm
Barbore: 31.8mm
Rise: 30mm
Backsweep: 9°
Upsweep: 5°



APHB-21507

Spec: High modulus carbon fiber road bar
Width: 400/420/440mm(o-o)
Barbore: 31.8mm
Drop: 120mm
Reach: 70mm
Weight: 250g / 420mm(o-o)
Weight: 275g / 750mm

HANDLE BARS

APHB-21501

Spec: High modulus carbon fiber flat handle bar
Width: 660/670/680/690/700/710/720/730/740/750mm
Barbore: 31.8mm
Rise: 4.8mm
Backsweep: 9°
Weight: 166g / 750mm



APHB-21502

Spec: High modulus carbon fiber rise handle bar
Width: 620/670/720/740mm
Barbore: 31.8mm
Rise: 15/25mm
Backsweep: 8°
Upsweep: 5°
Weight: 184g / 740mm R25
Weight: 184g / 740mm R25"

APHB-21503

Spec: AL7050-T74 DB rise handle bar
Width: 780/800mm
Barbore: 35mm
Rise: 12/25mm
Backsweep: 8°
Upsweep: 5.5°
Weight: 301g / 800mm R12

APHB-21504

SSpec: AL6061-T6 DB rise handle bar
Width: 780/800mm
Barbore: 35mm
Rise: 12/25mm
Backsweep: 8°
Upsweep: 5.5°





ACORPLUS

CycleCraft

CONTENTS
HANDLE BARS
STEMS
SEATPOSTS
FORKS
SPACER

ACORPLUS Product Feature

Through strong design and development supported by ACOR engineer team, ACORPLUS provides you the highest quality to meet market trends. The feature of ACORPLUS Stem & Handle Bar is its light weight 3D forged construction and butted forming techniques.

3 types of high grade material has been using through our product line (Titanium, Carbon, Aluminum). These make the product stiffer and stronger which offers you better feeling to handle and reduce the probability of deformation while riding.

ACORPLUS Root

With over decades of experience on Bicycle Parts & Accessories, ACOR keeps focus on developing innovative and stylish product to customers globally. ACORPLUS a brand new series of product comes from the combined expertise of professional riders and leading engineers. ACORPLUS gives you what you need to get the most out of your ride. Allow you experience life to the fullest.

