

ACOR



2020 PRODUCTS AND ACCESSORIES

CONTENTS

TITANIUM

frames	6
seat clamps	10
bells	10
spacers	10
stems	10
handlebars	11
seat posts	11

CARBON

wheels	13
forks	14
handlebars	16
seat posts	18
stems	19
bottle cages	19

PARTS

handlebars	20
stems	22
seatposts	24
seat clamps & quick releases	26
bar ends	27
padels	28
brakes	30
adapters	31
disc rotors	33
levers	34
chains	35
brake pads	36
bottom brackets	38
cables	40
grips	42
bar tapes & end plugs	44


ACCESSORIES

bags	46
baskets	49
cases	50
bike holders & carries	50
bells	51
bottle cages	54
bottles	56
chainguides & derailleur pulleys	57
fenders	58
kickstand	60
lights	62
pumps	64
protectors	66
tools	67





W O N D E R M E T A L



Titanium has always been heralded as a dream metal. Its light weight, high strength and non-corrosive properties makes it ideal for applications that demand exceptional performance in a variety of conditions. Finding a calling in bicycle framesets, titanium offers the perfect blend of efficient power transfer with inherent vibration-damping. At half the weight of steel yet with 30% more strength and zero need for protective finishes, titanium truly is a wonder metal.

ACOR titanium frames, parts and accessories atke advanatge of this material to offer the best performing products on the market. Our carefully selected 3AL/2.5V and 6AL/4V alloys combined with our high precision, aerospace-grade manufacturing processes benefit you, as the rider, ensuring the best possible products available.



AEROSPACE GRADE
ACORti uses aerospace grade titanium in high quality Ti3AL/2.5V and 6AL/4V titanium alloys for the right material to yield the perfect riding experience.



COLD WORKED
ACORti titanium is cold-worked to ensure proper hardness and fatigue strength of our tubes. Though this technique is more costly, it is a processed in which we are insistent.



PRECISION CRAFTED
The perfect titanium frame is achieved using the highest quality tubing and geometry. We precisely control every detail tubing shape, length, diameter and wall thickness to optimize function and feel.



OPTIMALLY TUNED
By varying wall thickness within each tube, we are able to tune the ride characteristics of each frame for an enhanced riding experience without sacrificing weight.

TITANIUM

FRAMES

T-R017

SPEC TI 3AL2.5V 700C ROAD BIKE FRAME MECHANICAL & SHIMANO DI2 SYSTEM 1-1/8"-1-1/2" HEAD TUBE SHIMANO FLAT MOUNT DISC BRAKE SYSTEM SHIMANO E-THRU SYSTEM FOR ROAD (12X142MM AXLE) WITH FENDER & CARRIER EYELETS

WEIGHT 1,800G / 54CM

* T47 BOTTOM BRACKET SHELL AVAILABLE *



T-R018

SPEC TI 3AL2.5V 700C GRAVEL BIKE FRAME MECHANICAL & SHIMANO DI2 SYSTEM 1-1/8"-1-1/2" HEAD TUBE SHIMANO FLAT MOUNT DISC BRAKE SYSTEM SHIMANO E-THRU SYSTEM FOR ROAD (12X142MM AXLE) WITH FENDER & CARRIER EYELETS

WEIGHT 1,900G / 54CM

* T47 BOTTOM BRACKET SHELL AVAILABLE *



T-R015

SPEC TI 3AL2.5V 700C ROAD BIKE FRAME MECHANICAL & SHIMANO DI2 SYSTEM 1-1/8"-1-1/2" HEAD TUBE SHIMANO BB86.5 PRESS-FIT BOTTOM BRACKET SHELL

WEIGHT 1,500G / 50CM



T-R005

SPEC TI 3AL2.5V ROAD BIKE FRAME DEFORMED PENTAGON SHAPED TOP & DOWN TUBE 1-1/8" CONVENTIONAL HEAD TUBE

WEIGHT 1,420G / 49CM



T-R003

SPEC TI 3AL2.5V ROAD BIKE FRAME 1-1/8" SEMI-INTEGRATED HEAD TUBE HEAD TUBE OD 45MM / ID 42MM

WEIGHT 1250G / 52CM



T-R016

SPEC TI 3AL2.5V 700C ROAD BIKE FRAME MECHANICAL & SHIMANO DI2 SYSTEM 1-1/8"-1-1/2" HEAD TUBE SHIMANO BB86.5 PRESS-FIT BOTTOM BRACKET SHELL SHIMANO FLAT MOUNT DISC BRAKE SYSTEM SHIMANO E-THRU SYSTEM FOR ROAD (12X142MM AXLE)

WEIGHT 1,650G / 50CM



SHIMANO FLAT MOUNT DISC & E-THRU SYSTEM



TITANIUM

T-R014

SPEC TI 3AL2.5V 700C ROAD BIKE FRAME
MECHANICAL & SHIMANO DI2
SYSTEM
DEFORMED TOP TUBE & OVAL DOWN
TUBE
1-1/8"-1-1/2" INTERNAL HEAD TUBE
WITH FENDER & CARRIER EYELETS

WEIGHT 1620G / 48CM




T-R013

SPEC TI 3AL2.5V 700C GRAVEL BIKE
FRAME
MECHANICAL & SHIMANO DI2
SYSTEM
1-1/8"-1-1/2" INTERNAL HEAD TUBE
SHIMANO BB86.5 PRESS-FIT
BOTTOM BRACKET SHELL
SHIMANO FLAT MOUNT DISC BRAKE
SYSTEM
SHIMANO E-THRU SYSTEM
(12X142MM AXLE)
WITH FENDER & CARRIER EYELETS

WEIGHT 1700G / 54CM



SHIMANO FLAT
MOUNT DISC &
E-THRU SYSTEM



T-M019

SPEC TI 3AL2.5V 27.5" PLUS MOUNTAIN
BIKE FRAME
1-1/8"-1-1/2" INTEGRATED HEAD
TUBE
SHIMANO BB92 PRESS-FIT BOTTOM
BRACKET SHELL
SHIMANO E-THRU I TYPE SYSTEM
(12X148MM AXLE)
SHIMANO DIRECT MOUNT HANGER

WEIGHT 1850G / 19"



SHIMANO E-THRU I TYPE



T-M021

SPEC TI 3AL2.5V 27.5" PLUS MOUNTAIN
BIKE FRAME
1-1/8"-1-1/2" INTEGRATED HEAD
TUBE
SHIMANO BB92 PRESS-FIT BOTTOM
BRACKET SHELL
SHIMANO E-THRU I TYPE SYSTEM
(12X148MM AXLE)
SHIMANO DIRECT MOUNT HANGER

WEIGHT 1850G / 15.5"



SHIMANO E-THRU I TYPE




T-M020

SPEC TI 3AL2.5V 29" MOUNTAIN BIKE
FRAME
MECHANICAL & SHIMANO DI2
SYSTEM
1-1/8"-1-1/2" INTERNAL HEAD TUBE
SHIMANO BB92 PRESS-FIT BOTTOM
BRACKET SHELL
SHIMANO E-THRU SYSTEM
(12X142MM AXLE)
SHIMANO DIRECT MOUNT HANGER

WEIGHT 1800G / 16.5"
27.5" AVAILABLE



SHIMANO E-THRU



TITANIUM

SEAT CLAMPS

T-CLP01

SPEC TI 6AL4V INVESTMENT CASTING
SEAT CLAMP
STRAIGHT CUT & SLOTTED DESIGN
M5 STAINLESS BOLTS

SIZE 31.8 / 34.9 X H12MM

WEIGHT 20G--31.8MM



T-CLP02

SPEC TI 6AL4V INVESTMENT CASTING
SEAT CLAMP
SLOPE CUT & SLOTTED DESIGN
M6 STAINLESS BOLTS

SIZE 31.8 / 34.9 X H12MM

WEIGHT 22G--31.8MM



BELLS

T-BE03

SPEC TI 3AL2.5V BELL DOME SIZE: 32MM

SIZE 22.2MM HANDLE BAR

WEIGHT 29G



SPACERS

T-SPAC

SPEC TI 3AL2.5V SPACER

SIZE 28.6 X 5 / 10 / 15 / 20MM

WEIGHT 2G--5MM



STEMS

T-STM02

SPEC TI 3AL2.5V STEM M5 STAINLESS BOLTS

ANGLE ±7°

SIZE 28.6 X 70 / 80 / 90 / 100 / 110 / 120MM X H:43MM

BARBORE 31.8MM

WEIGHT 132G--100MM



T-STM07

SPEC TI 3AL2.5V STEM M5 STAINLESS BOLTS

ANGLE ±7°

SIZE 28.6 X 70 / 80 / 90 / 100 / 110 / 120MM X H:43MM

BARBORE 31.8MM

WEIGHT 142G--100MM



T-STM08

SPEC TI 3AL2.5V STEM M5 STAINLESS BOLTS

ANGLE ±7°

SIZE 28.6 X 70 / 80 / 90 / 100 / 110 / 120MM X H:43MM

BARBORE 31.8MM

WEIGHT 145G--100MM



HANDLEBARS

T-HB02

SPEC TI 3AL2.5V FLAT HANDLEBAR

WIDTH 580 / 600 / 620MM

BARBORE 31.8MM

RISE 0MM

BACKSWEEP 5°

WEIGHT 160G--580MM



T-HB07

SPEC TI 3AL2.5V RISE HANDLEBAR

WIDTH 680 / 720MM

BARBORE 31.8MM

RISE 20MM

BACKSWEEP 9°

UPSWEEP 6°

WEIGHT 250G--720MM



SEATPOSTS

T-SEP04

SPEC TI 3AL2.5V SEATPOST
W/ ALLOY THRU-PIN CLAMP

SIZE 27.2 / 31.6 X 350MM

OFFSET 0MM

WEIGHT 231G--27.2 X 350MM



T-SEP06

SPEC TI 3AL2.5V SEATPOST
W/ ALLOY LATERAL CLAMP

SIZE 27.2 / 30.9 X 350MM, 31.6 X 350MM

OFFSET 15 / 25MM, 15MM

WEIGHT 310G--30.9 X 350MM



M A G I C A L E L E M E N T



ACOR has been committed to offering every category of cycling parts and accessories for over 25 years. We continuing this experience and spirit by offering the ACORPLUS series to meet the needs of those riders who pursue cycling as a profession and craft. When the time comes for you to use the uncompromisingly best, choose ACROPLUS.

The ideals of ACORPLUS are simple: Affordable Luxury. We utilize carbon fiber's unique properties to engineer from inside out, optimizing reliability and performance. ACORPLUS gives you the lightest, strongest, more durable and most comfortable experience cycling technology has to offer.




CARBON

WHEELSETS


APRM-21801

- SPEC** CARBON FIBER WHEELSET
INCLUDED BRAKE PADS / EXTENSION
VALVE / QUICK RELEASE
- RIM TYPE** 700C TUBELESS READY CLINCHER
- RIM DEPTH** 50MM
- SPOKE** F20 / R24
- HUB** F 9MM QR OLD:100MM
R 10MM QR SHIMANO 11SPD BODY
OLD:130MM
- WEIGHT** 660G(F) + 850G(R)



APRM-21802

- SPEC** CARBON FIBER WHEELSET
INCLUDED BRAKE PADS / EXTENSION
VALVE / QUICK RELEASE
- RIM TYPE** 700C TUBULAR
- RIM DEPTH** 60MM
- SPOKE** F20 / R24 AERO SHAPE
- HUB** F 9MM QR OLD:100MM
R 10MM QR SHIMANO 11SPD BODY
OLD:130MM
- WEIGHT** 635G(F) + 810G(R)



WHEELSETS / FORKS / HANDLEBARS / SEATPOSTS / STEMS / BOTTLE CAGES



FORKS

APFK-21901

SPEC	CARBON FIBER MONOCOQUE 700C GRAVEL FORK
STEERER	1-1/8"-1-1/2" TAPERED STEERER
DROPOUT	SHIMANO E-THRU SYSTEM FOR ROAD
BRAKE	SHIMANO FLAT MOUNT DISC BRAKE SYSTEM
	INTERNAL CABLE ROUTING, WITH FENDER EYELETS & LUGGAGE MOUNTS
AXLE	12MM THRU AXLE INCLUDED
ST LENGTH	300MM
OFFSET	50MM
CROWN HT	397MM
WEIGHT	500G

* APFK-21902 WITHOUT LUGGAGE MOUNTS *



APFK-21601

SPEC	CARBON FIBER MONOCOQUE 700C GRAVEL FORK
STEERER	1-1/8"-1-1/2" TAPERED STEERER
DROPOUT	15MM THRU AXLE DROPOUT
BRAKE	SHIMANO FLAT MOUNT DISC BRAKE INTERNAL CABLE ROUTING, WITH FENDER EYELETS
AXLE	12 OR 15MM THRU AXLE INCLUDED
ST LENGTH	300MM
OFFSET	45MM
CROWN HT	398MM
WEIGHT	475G



APFK-21801

SPEC	CARBON FIBER MONOCOQUE 700C RACING FORK
STEERER	1-1/8"-1-1/2" TAPERED STEERER
ST LENGTH	300MM
OFFSET	45MM
CROWN HT	370MM
WEIGHT	400G



APFK-21602

SPEC	CARBON FIBER MONOCOQUE 27.5" PLUS MTB FORK
STEERER	1-1/8"-1-1/2" TAPERED STEERER
DROPOUT	15MM THRU AXLE DROPOUT
BRAKE	INTERNAL CABLE ROUTING
AXLE	15MM THRU AXLE INCLUDED
ST LENGTH	300MM
OFFSET	51MM
O.L.D.	110MM
CROWN HT	495MM
WEIGHT	700G



HANDLEBARS

APHB-21801

SPEC CARBON FIBER RACING BAR
ERGONOMIC DESIGN FOR
MULTI-DIRECTION
INTERNAL ROUTING OF BRAKE &
DERAILLEUR CABLES

WIDTH 380 / 400 / 420MM (C-C)
BARBORE 31.8MM
REACH 78MM
DROP 125MM
WEIGHT 250G--380MM



APHB-21802

SPEC CARBON FIBER FLAT HANDLEBAR
ERGONOMIC AND MONOCOQUE DESIGN

WIDTH 680 / 700 / 720MM
BARBORE 31.8MM
BACKSWEEP 6°
UPSWEEP 0°
WEIGHT 185G--720MM



APHB-21803

SPEC CARBON FIBER RISE HANDLEBAR
ERGONOMIC AND MONOCOQUE DESIGN

WIDTH 700 / 720MM
RISE 15MM
BARBORE 31.8MM
BACKSWEEP 9°
UPSWEEP 4°
WEIGHT 175G--720MM



APHB-21804

SPEC CARBON FIBER RISE HANDLEBAR
ERGONOMIC AND MONOCOQUE DESIGN

WIDTH 700 / 720 / 740 / 760 / 780 / 800MM
RISE 16MM
BARBORE 31.8MM
BACKSWEEP 9°
UPSWEEP 4°
WEIGHT 220G--800MM



SEATPOSTS

APSP-21801

SPEC FULL CARBON FIBER SEATPOST
2 BOLTS AND MONOCOQUE DESIGN
SIZE 27.2 / 31.6 X 350MM
OFFSET 0 MM
WEIGHT 175G--31.6MM



APSP-21802

SPEC FULL CARBON FIBER SEATPOST
1 BOLTS AND MONOCOQUE DESIGN
MICRO ANGLE ADJUSTABLE
SIZE 27.2 / 31.6 X 350MM
OFFSET 30 MM
WEIGHT 175G--31.6MM



STEMS

APSM-21801

SPEC CARBON FIBER STEM
ERGONOMIC AND MONOCOQUE
DESIGN
STEERER BARBORE 28.6MM
LENGTH 80 / 90 / 100 / 110 / 120MM
ANGLE +/- 6°
WEIGHT 105G--90MM



BOTTLE CAGES

APBG-21801

SPEC CARBON FIBER BOTTLE CAGE
CLASSIC DESIGN FOR ROAD BIKE
EASILY TAKE IN & OUT FOR SLOPE
DESIGN
WEIGHT 26G



APBG-21802

SPEC CARBON FIBER BOTTLE CAGE
FITS THE DIAMETER 73 UP TO 77MM
WITH FOUR LOCK HOLD COULD CHANGE
THE LOCK POSITION EASILY
EVEN SMALL FRAME
WEIGHT 20G



APBG-21803

SPEC CARBON FIBER BOTTLE CAGE
COLUMNAR DESIGN EASY TAKE
IN & OUT
WEIGHT 30G



BOTTLE CAGES / STEMS / SEATPOSTS / HANDLEBARS / FORKS / WHEELSETS

WHEELSETS / FORKS / HANDLEBARS / SEATPOSTS / STEMS / BOTTLE CAGES



HANDLEBARS

AHB-21801

SPEC ALLOY DOUBLE-BUTTED ROAD BAR
WIDTH 400 / 420 / 440MM
REACH 80MM
DROP 125MM
BARBORE 31.8MM
WEIGHT 330G--420MM



AHB-21802

SPEC ALLOY DOUBLE-BUTTED ROAD BAR
WIDTH 400 / 420 / 440MM
REACH 84MM
DROP 131MM
BARBORE 31.8MM
WEIGHT 292G--440MM



AHB-21701

SPEC AL6061 DB TOP FLAT HANDLEBAR
WIDTH 690 / 700 / 710 / 720 / 730 / 740MM
BARBORE 31.8MM
RISE 0MM
BACKSWEEP 9°
WEIGHT 256G--720MM



AHB-2201

SPEC AL6061 DB RISE HANDLEBAR
WIDTH 640 / 660 / 680MM
RISE 30MM
BACKSWEEP 9°
BARBORE 25.4MM
WEIGHT 340G



--DITTO BACK SWEEP: 6°
 WIDTH: 640 / 660 / 680MM
 RISE: 30MM
 BARBORE: 31.8MM

AHB-21702

SPEC AL6061 FLARED DROP ROAD BAR
WIDTH 440 / 480MM
BARBORE 31.8MM
DROP 110MM
REACH 76MM
FLARE 21°
WEIGHT 320G--W480MM



AHB-21503

SPEC AL6061 DB LOW RISE HANDLEBAR
WIDTH 700 / 710 / 720 / 730 / 740 / 750MM
BARBORE 35MM
RISE 20MM
BACKSWEEP 9°
UPSWWEEP 4°
WEIGHT 347G--750MM



AHB-21703

SPEC AL6061 FLARED DROP ROAD BAR
WIDTH 420 / 460MM
BARBORE 31.8MM
DROP 110MM
REACH 80MM
FLARE 26°
WEIGHT 290G--W420MM



AHB-2711

SPEC EXTEND COMPUTER BAR AL6061
 CNC MACHINED CLAMP
 W/ 22.2MM CARBON EXTENSION
 FIT TO HANDLEBAR 31.8MM
WEIGHT 54G



STEMS

ASM-2607

SPEC ALLOY MELT-FORGED ADJUSTABLE
STEERER 28.6MM X H40MM
BARBORE 25.4MM
ANGLE 0° TO +60°
LENGTH 90 / 100 / 110 / 130MM
WEIGHT 307G--110MM



ASM-2703

SPEC AL6061 ULTRALIGHT 3D FORGED
STEERER 28.6MM X H41MM
BARBORE 25.4 / 31.8MM
ANGLE +/- 7°
LENGTH 90 / 100 / 110 / 120MM
WEIGHT 119G--90MM



ASM-21702

SPEC AL6061 ULTRALIGHT 3D FORGED
STEERER 28.6MM X H40MM
BARBORE 31.8MM
ANGLE +/- 17°
LENGTH 50 / 60 / 70 / 80 / 90MM
WEIGHT 123G--90MM



ASM-21704

SPEC AL6061 ULTRALIGHT 3D FORGED
STEERER 28.6MM X H40MM
BARBORE 31.8MM
ANGLE +/- 10°
LENGTH 70 / 80 / 90 / 100 / 110 / 120MM
WEIGHT 120G--90MM



ASM-21701

SPEC AL6061 3D FORGED
STEERER 28.6MM X H40MM
BARBORE 31.8 / 35MM
ANGLE +/- 7°
LENGTH (31.8MM) 40 / 50 / 60 / 70 / 80 / 90 / 100 / 110MM
 (35MM) 45 / 60 / 70 / 80 / 90MM
WEIGHT 123G--90MM



ASM-21703

SPEC AL6061 3D FORGED
STEERER 28.6MM X H40MM
BARBORE 31.8 / 35MM
ANGLE 0°
LENGTH 45 / 60MM
WEIGHT 131G--45MM



ASM-2319

SPEC ALLOY FORGED LOCK TYPE STEM ADAPTER WITH SPACERS AND TOP CAP
SIZE 28.6 X L117MM
WEIGHT 215G



ASM-2810

SPEC AL6061 BARBORE ADAPTER 4PCS-SET
SIZE OD 31.8 / ID 25.4MM
WEIGHT 21G / SET



ASM-2710

SPEC ALLOY SPACER SUPERLIGHT DESIGN 3PCS-SET
SIZE 28.6 X 3 / 5 / 10MM OR 5 / 10 / 15MM
WEIGHT 1G--5MM, 3G--10MM
UOM 100PCS BAG / SIZE AVAILABLE



ASM-2711

SPEC CARBON SPACER SUPERLIGHT DESIGN 3PCS-SET
SIZE 28.6 X 3 / 5 / 10MM OR 5 / 10 / 15MM
WEIGHT 1G--5MM, 2G--10MM
UOM 100PCS BAG / SIZE AVAILABLE



ASM-21404

SPEC ALLOY CNC-MACHINED SPACER 4PCS-SET
SIZE 28.6 X 3 / 5 / 8 / 10MM
WEIGHT 2G--5MM
UOM 100PCS BAG / SIZE AVAILABLE



ASM-21203

SPEC AL6061 CNC-MACHINED TOP CAP WITH STAR NUT & BOLT
SIZE 1" OR 1-1/8"
WEIGHT 20G / PC



ASM-21501

SPEC AL6061 2-STEP DESIGNED TOP CAP FOR CARBON STEERER TUBE
SIZE 1-1/8" X ID 22-23MM / 23-24MM / 24-25MM
WEIGHT 41G--22-23MM



SEATPOSTS

ASP-2305

SPEC ALLOY SUSPENSION SEATPOST
1-BOLT HEAD DESIGN
PRELOAD ADJUSTABLE
TRAVEL: 40MM

SIZE 25.4 TO 27.2 X 350MM
(OVERSIZE UP TO 31.8MM)

OFFSET 20MM

WEIGHT 470G



ASP-21601

SPEC AL6061 ONE PIECE
FORGED SEATPOST
MICRO-ANGLE ADJUSTABLE

SIZE 27.2 / 31.6 X 350MM

OFFSET 15MM

WEIGHT 294G--31.6MM



ASP-21602

SPEC AL6061 SIMPLY ANGLE
ADJUSTABLE SEATPOST

SIZE 27.2 / 31.6 X 350MM

OFFSET 0MM

WEIGHT 257G--31.6MM

ASP-2001

SPEC ALLOY COLD-FORGED SEATPOST
1-BOLT HEAD DESIGN

SIZE 25.0 TO 27.2 X 400MM
(OVERSIZE UP TO 31.8MM)

OFFSET 15MM

WEIGHT 280G



AQR-2101

SPEC ALLOY SEATPOST SHIM L:90MM

SIZE ID 25.4 / 27.2MM
OD OPTIONS FIT MOST
SIZES SEATPOSTS

WEIGHT 36G



SEAT CLAMPS & QUICK RELEASES

AQR-2305

SPEC AL6061 NC MACHINED SEAT CLAMP
SIZE 28.6 / 29.8 / 31.8 / 34.9MM
WEIGHT 26G



AQR-2502

SPEC AL6061 FORGED SEAT CLAMP WITH CARRIER BOSSES
 M5 THREAD FOR REAR CARRIER
SIZE 31.8 / 34.9MM
WEIGHT 37G



AQR-2705

SPEC AL6061 SEAT CLAMP WITH CARRIER BOSSES
 M5 THREAD FOR REAR CARRIER
SIZE 28.6 / 31.8 / 34.9MM
WEIGHT 35G



AQR-21501

SPEC AL6066 CNC MADE SEAT CLAMP OVAL HOLE DESIGN GOOD FOR CARBON FRAME
SIZE 31.8 / 34.9MM X H14MM
WEIGHT 18G--34.9MM



AQR-21209

SPEC AL6061 FORGED SEAT CLAMP WITH QR LEVER
SIZE 31.8 / 34.9MM
WEIGHT 48G--31.8MM




AQR-21504

SPEC AL6061 EXTRUSION CNC MACHINED QR LEVER SEAT CLAMP
SIZE 31.8 / 34.9MM
WEIGHT 44G--34.9MM



AQR-501FR

SPEC QUICK RELEASE SET FIXED WITH ALLEN KEY
SIZE F:110MM R:145MM HUB
WEIGHT 80G / PR



AQR-501

SPEC PROVIDE 3PCS-SET IS AVAILIABLE FOR F & R HUBS & SEAT TUBE 30MM
WEIGHT 90G / SET

BAR ENDS

ABZ-2903

SPEC AL6061-T6 TRIATHLON AERO BAR LENGTH AND ANGLE ADJUSTABLE
 ARM HOLDER POSITION ADJUSTABLE WITH COMFORT EVA PATCHES FOR 31.8MM PLUS SHIMS FOR 26.0 & 25.4 HANDLEBAR L345 X 31.8MM
SIZE L345 X 31.8MM
WEIGHT 590G / SET



ABZ-21203

SPEC AL6061 COMFORTABLE 3D FORGED & FULL CNC BAR END
 A. NORMAL END CAPS
 B. CONICAL END CAPS.
SIZE L80 X 22.2MM
WEIGHT 56G / PR



ABZ-21204

SPEC AL6061 COMFORTABLE BAR END
SIZE DROP 117 X 22.2MM
WEIGHT 126G / PR



ABZ-21601

SPEC AL6061/PP/TPR ERGONOMIC BAR END
SIZE L80 X 22.2MM
WEIGHT 137G / PR



PEDALS

APD-21901

SPEC PLASTIC ONE-PIECE PEDAL
9/16" BORON AXLE BALL BEARINGS
WITH GRIP TAPE & BS REFLECTORS

SIZE 111X87MM

WEIGHT 348G / PR



APD-21902

SPEC PLASTIC ONE-PIECE PEDAL
9/16" BORON AXLE POLYMER BEARINGS
WITH GRIP TAPE & BS REFLECTORS

SIZE 109X89.5MM

WEIGHT 331G / PR



APD-21904

SPEC PLASTIC ONE-PIECE PEDAL
9/16" BORON AXLE POLYMER BEARINGS
WITH BS REFLECTORS

SIZE 91X97MM

WEIGHT 250G / PR



APD-21006

SPEC ALLOY MULTI-FUNCTION PEDAL
1-SIDE BINDING TENSION ADJUSTABLE
9/16" CR-MOLY AXLE WITH SEALED BEARINGS

SIZE 93 X 66MM

WEIGHT 354G / PR



APD-21406

SPEC PLASTIC BODY / ALLOY CAGE PEDAL
WITH BS REFLECTORS
9/16" CR-MOLY AXLE BALL BEARINGS

SIZE 104 X 63.2MM

WEIGHT 240G / PR



APD-21105

SPEC ALLOY ONE-PIECE PEDAL
WITH BS REFLECTORS
9/16" CR-MOLY AXLE SEALED BEARINGS

SIZE 98 X 63MM

WEIGHT 250G / PR



APD-2502

SPEC ALLOY BARREL POLISHED BODY PEDAL
SERRATED PATTERN TOP ANCHORS THE SHOE FIRMLY
WITH BS REFLECTORS, TOE CLIP COMPATIBLE
9/16" CR-MOLY AXLE WITH BALL BEARINGS

SIZE 97 X 63MM

WEIGHT WEIGHT: 249G / PR



APD-21603

SPEC ALLOY BARREL POLISHED BODY PEDAL
WITH BS REFLECTORS
9/16" CR-MO AXLE SEALED BEARINGS

SIZE 98 X 65MM

WEIGHT 240G / PR



APD-21601

SPEC ALLOY EXTRUDED CNC-MACHINED PEDAL
9/16" CR-MO AXLE SEALED BEARINGS
REPLACEABLE ANTI-SLIP PINS

SIZE 87 X 98.5MM

WEIGHT 228G / PR



APD-21507

SPEC ALLOY EXTRUDED CNC-MACHINED PEDAL
9/16" CR-MOLY AXLE
LSL BUSHING & SEALED BEARINGS
REPLACEABLE ANTI-SLIP PINS

SIZE 100 X 97MM

WEIGHT 384G / PR



APD-21408

SPEC PEDAL PINS WITH TOOL 45PCS--BOTTLE

SIZE M4 / T20

WEIGHT 60G



BRAKES

SEMI-HYDRAULIC DISC BRAKE SET

- HYBRID HYDRO-MECHANICAL FRONT AND REAR DISC BRAKE
- NON-CORROSIVE AND STABLE MINERAL OIL
- NO NEED TO REPEATEDLY BLEED INTERNALLY ROUTED BRAKE LINES
- COMPATIBLE WITH VIRTUALLY ALL MECHANICAL LEVER SYSTEMS
- DUAL PISTON AND ACCURATE CENTERING OF PADS
- LIGHTWEIGHT
- SAFE AND PREDICABLE BRAKING OPERATION
- IDEAL FOR WHEELSETS USING CARBON RIMS

ABR-21801

- SPEC** SEMI-HYDRAULIC FLAT MOUNT DISC BRAKE FRONT BRAKE AND REAR BRAKE A SET
DUAL PISTON SYSTEM
CNC / FORGED ALUMINIUM
SEMI METALLIC PADS
INCLUDES FRONT BRAKE ADAPTER & BOLTS
INCLUDES REAR BRAKE BOLTS FOR FOUR SIZE
SUPPLIED WITH ROTORS 160MM X 2PCS
- WEIGHT** 296G / PR



ABR-21504

- SPEC** SEMI-HYDRAULIC POST MOUNT ROAD DISC BRAKE FRONT BRAKE AND REAR BRAKE A SET
DUAL PISTON SYSTEM
CNC / FORGED ALUMINIUM
SEMI METALLIC PADS
INCLUDES ADAPTERS AND BOLTS
SUPPLIED WITH ROTORS 160MM X 2PCS
- WEIGHT** 284G / PR



ABR-2209

- SPEC** ALLOY FORGED CALIPER BRAKE WITH NORMAL PADS
POWER REINFORCEMENT WITH DUAL-PIVOT DEVICE
- SIZE** 53-73MM
- WEIGHT** 184G / WHEEL



ABR-21105

- SPEC** ALLOY FORGED ARM V-BRAKE
DUAL LINEAR SPRING TENSION ADJUSTER
- SIZE** 108MM WITH EN 70MM BRAKE PADS
- WEIGHT** 194G / WHEEL



ADAPTERS

ABR-21802

- SPEC** ALLOY FLAT MOUNT ADAPTER
FITS POST MOUNT DISC BRAKE
INCLUDES BOLTS
- SIZE** FITS FRONT ROTOR 160MM
- WEIGHT** 70G



ABR-21803

- SPEC** ALLOY FLAT MOUNT ADAPTER
FITS POST MOUNT DISC BRAKE
INCLUDES BOLTS
- SIZE** FITS FLAT MOUNT THICKNESS 20 & 30MM
- WEIGHT** 80G



ABR-21503

- SPEC** ALLOY POST MOUNT DISC BRAKE ADAPTER
PM CALIPER TO FIT PM FORK/FRAME
ADAPTER FOR 140MM TO 160MM DISC
ADAPTER FOR 160MM TO 180MM DISC
- WEIGHT** 11G



ABR-21501

- SPEC** DISC ADAPTER FOR SHIMANO CENTER LOCK SYSTEM
SIZE FITS 6 BOLT STANDARD DISC
FOR 12 & 15 & 20MM THRU AXLE
- WEIGHT** 27G / PC



ABR-21506

- SPEC** DISC ADAPTER FOR SHIMANO CENTER LOCK SYSTEM
SIZE FITS 6 BOLT STANDARD DISC
FOR 9MM QR & 12MM THRU AXLE
- WEIGHT** 24G / PC



ABR-21701

SPEC AL6061 POST MOUNT DISC BRAKE ADAPTER
PM CALIPER TO FIT PM FORK/FRAME
SIZE ADAPTER FOR 140MM TO 160MM / 160MM TO 180MM DISC
ADAPTER FOR 160MM TO 203MM DISC
WEIGHT 8G



ABR-2210

SPEC ST ANTI RUST ANGLE PIPE 2PCS-SET
SIZE 90 / 110D
WEIGHT 8G



ABR-901

SPEC FREE ANGLE ADJUSTABLE LEAD PIPE
FOR V-BRAKE STAINLESS STEEL 2PCS-SET
WEIGHT 6G



ATL-21203


SPEC ALLOY CABLE HANGER FOR CANTI BRAKE
INCLUDE CABLE WIRE AND CABLE END
WEIGHT 20G / SET



DISC ROTORS


ABR-21901

SPEC CNC STAINLESS STEEL DISC ROTOR
203MM / 180MM / 160MM / 140MM
SIZE 108G--160MM
WEIGHT



ABR-21402

SPEC CNC STAINLESS STEEL DISC ROTOR
OD1.8T / 44PCD SPADES SHAPE
203MM / 180MM / 160MM
SIZE 145G--203MM
WEIGHT



ABR-21106

SPEC MULTI COLOR DISC ROTOR BOLT 12PCS-SET
T25, M5 X 10MM
WEIGHT 24G / SET



LEVERS

ABL-21401

SPEC ERGONOMIC DESIGN AND TOP MOUNT LEVER
ALLOY COLD FORGED WITH HINGED CLAMP
FOR CYCLOCROSS

SIZE 24.0 / 26.0 / 31.8 MM HANDLEBAR

WEIGHT 93G / PR



ABL-21403

SPEC ERGONOMIC ALLOY BRAKE LEVER WITH
KRATON INTEGRATED BELL
ALLOY FORGED 4 FINGER LEVER
FOR LINEAR PULL BRAKE

SIZE 22.2MM HANDLEBAR

WEIGHT 233G / PR



ABL-21502

SPEC ALLOY MELT-FORGED 4 FINGER LEVER
FOR V-BRAKE

SIZE 22.2MM HANDLEBAR

WEIGHT 239G / PR



CHAINS

ACA-21901

SPEC 12 SPD CHAIN HOLLOWED PIN L: 5.25MM 1/2" X 11/128"
SPEED OF SPROCKET:12 DHA CHROMIUM CARBIDE PIN
SLA SUPERIOR LUBRICATING AID WITH QUICK LOCK LINK

SIZE 126-LINK

WEIGHT 286G



ACA-21504

SPEC REUSABLE (ROUGHLY FIVE TIMES) QUICK LOCK LINK FOR CHAIN
IT'S INNOVATED DESIGN OF CHAIN CONNECTOR
HAVE TWO SAFE SECTIONS TO PRECISELY LOCK
COMPATIBLE WITH SHIMANO, CAMPAGNOLO AND SRAM CHAIN

WEIGHT 2G

A:FOR 11 SPD CHAIN
B:FOR 10 SPD CHAIN
C:FOR 9 SPD CHAIN
D:FOR 7 OR 8 SPD CHAIN



ACA-21505

SPEC REUSABLE (ROUGHLY FIVE TIMES) QUICK LOCK LINK FOR CHAIN
IT'S INNOVATED DESIGN OF CHAIN CONNECTOR
HAVE TWO SAFE SECTIONS TO PRECISELY LOCK
COMPATIBLE WITH SHIMANO, CAMPAGNOLO AND SRAM CHAIN

WEIGHT 2G

A:FOR 10 SPD CHAIN
B:FOR 9 SPD CHAIN
C:FOR 7 OR 8 SPD CHAIN
D:FOR SINGLE SPD CHAIN
E:FOR 11 SPD CHAIN



ACA-21506

SPEC SINGLE-USE QUICK FIX CONNECTING PIN
CHROMIUM CARBIDE TREATMENT
COMPATIBLE WITH SHIMANO, CAMPAGNOLO AND SRAM

WEIGHT 2G

A:FOR 11 SPD CHAIN
B:FOR 10 SPD CHAIN
C:FOR 9 SPD CHAIN



BRAKE PADS

ABS-2101

SPEC COMPOSITE MATERIAL DISC BRAKE PADS
2PCS-SET
SIZE HOPE, MAGURA, SHIMANO, FORMULA,
HAYES ETC.
WEIGHT 33G / PR



ABS-2101

SPEC COMPOSITE MATERIAL DISC BRAKE PADS
2PCS-SET
SIZE HOPE, MAGURA, SHIMANO, FORMULA,
HAYES ETC.
WEIGHT 33G / PR



ABS-21901

SPEC 5-IN-1 BRAKE SHOES COMPATIBLE WITH 5 TYPES OF
CARTRIDGES: SHIMANO, SRAM, CAMPY STANDARD,
DIRECT MOUNT AND UNIVERSAL
FOR ALLOY RIM 2PRS-SET
SIZE 55MM
WEIGHT 10G / PR



ABS-21902

SPEC 5-IN-1 BRAKE SHOES COMPATIBLE WITH 5 TYPES OF
CARTRIDGES: SHIMANO, SRAM, CAMPY STANDARD,
DIRECT MOUNT AND UNIVERSAL
FOR CARBON RIM 2PRS-SET
SIZE 55MM
WEIGHT 10G / PR



ABS-208

SPEC ROAD BRAKE SHOES 2PRS-SET
SIZE 50MM
WEIGHT 47G / PR



ABS-2804

SPEC GROOVE DESIGN V-BRAKE BRAKE SHOES
2PRS-SET
SIZE 72MM
WEIGHT 60G / PR



ABS-801V

SPEC V-BRAKE SHOES 2PRS-SET
SIZE 72MM
WEIGHT 67G / PR



ABS-801C

SPEC CANTI-BRAKE SHOES 2PRS-SET
SIZE 72MM
WEIGHT 58G / PR



ABS-21507

SPEC FULL CNC MACHINED EXTRA-LIGHT
ROAD BRAKE SHOES
HIGH-FRICTION COEFFICIENT COMPOUND 2PRS-SET
SIZE 55MM
WEIGHT 31G / PR



ABS-21505

SPEC CLEAR RUBBER COMPOUND V-BRAKE SHOES
FOR BMX BIKES 2PRS-SET
SIZE 72MM
WEIGHT 62G / PR



ABS-21505C

SPEC CLEAR RUBBER COMPOUND V-BRAKE SHOES
FOR BMX BIKES WITH COLORFUL BOLTS SET
2PRS-SET
SIZE 72MM
WEIGHT 62G / PR



ABS-21503

SPEC EXTRA LIGHT ROAD BRAKE SHOES 2PRS-SET
SIZE 55MM
WEIGHT 35G / PR



ABS-21506

SPEC EXTRA LIGHT BRAKE SHOES FOR CARBON RIM
VENTED FOR SUPERIOR HEAT DISSIPATION
2PRS-SET
SIZE 55MM
WEIGHT 10G / PR



ABS-21701

SPEC EXTRA LIGHT BRAKE SHOES FOR CARBON RIM
FITS SHIMANO DIRECT MOUNT CALIPER BRAKE
2PRS-SET
SIZE 55MM
WEIGHT 9G / PR



ABS-21702

SPEC EXTRA LIGHT BRAKE SHOES FOR ALLOY RIM
FITS SHIMANO DIRECT MOUNT CALIPER BRAKE
2PRS-SET
SIZE 55MM
WEIGHT 11G / PR



BOTTOM BRACKETS

ABB-21901

SPEC T47 BOTTOM BRACKET
ALLOY ADAPTERS & NYLON SLEEVE SEALED BEARINGS
COMPATIBLE SRAM SPINDLE 30MM CRANKSET WITH INSTALLATION WRENCH

SIZE FITS BB SHELL WIDTH 68 & 73MM

WEIGHT 101G



ABB-21902

SPEC T47 BOTTOM BRACKET
ALLOY ADAPTERS & NYLON SLEEVE SEALED BEARINGS
COMPATIBLE SHIMANO SPINDLE 24MM CRANKSET

SIZE FITS BB SHELL WIDTH 68 & 73MM

WEIGHT 109G



ABB-2101

SPEC SQUARE TAPERED BOTTOM BRACKET CR-MOLY AXLE
ALLOY CUPS SEALED BEARING THREAD 1.37" X 24T

SIZE 68 X 107 / 110 / 113 / 115 / 118 / 122.5 / 124 / 127.5MM

WEIGHT 73 X 110 / 113 / 118 / 122.5 / 124 / 127.5MM

WEIGHT 276G



ABB-21501

SPEC EXTERNAL BOTTOM BRACKET SHIMANO TYPE
PLASTIC SLEEVE SEALED BEARINGS
COMPATIBLE SHIMANO SPINDLE 24MM CRANKSET

SIZE FITS BB SHELL WIDTH 68MM & 73MM

WEIGHT 103G



ABB-21704

SPEC PRESS FIT BOTTOM BRACKET SHIMANO TYPE
NYLON ADAPTERS SEALED BEARINGS
COMPATIBLE SHIMANO SPINDLE 24MM CRANKSET

SIZE FITS BB SHELL WIDTH 86.5 & 89.5 & 92MM

WEIGHT 73G



ABB-21705

SPEC PRESS FIT BOTTOM BRACKET SHIMANO TYPE
NYLON ADAPTERS SEALED BEARINGS
COMPATIBLE SRAM SPINDLE 24/22MM CRANKSET

SIZE FITS BB SHELL WIDTH 86.5 & 89.5 & 92MM

WEIGHT 74G



ABB-21903

SPEC CONVERTER FOR PF30 BOTTOM BRACKET SHELL
TO BSA BOTTOM BRACKET ALLOY ADAPTERS

SIZE FITS BB SHELL WIDTH 68 & 73MM

WEIGHT 54G



ABB-21904

SPEC CONVERTER FOR BB30 BOTTOM BRACKET SHELL
TO BSA BOTTOM BRACKET ALLOY ADAPTERS

SIZE FITS BB SHELL WIDTH 68 & 73MM

WEIGHT 32G

ABB-21702

SPEC PRESS FIT BOTTOM BRACKET PF30 TYPE
NYLON ADAPTERS SEALED BEARINGS
COMPATIBLE SHIMANO SPINDLE 24MM CRANKSET

SIZE FITS BB SHELL WIDTH 68 & 73MM

WEIGHT 110G



ABB-21703

SPEC PRESS FIT BOTTOM BRACKET PF30 TYPE
NYLON ADAPTERS SEALED BEARINGS
COMPATIBLE SRAM SPINDLE 24 / 22MM CRANKSET

SIZE FITS BB SHELL WIDTH 68 & 73MM

WEIGHT 115G



ABB-21706

SPEC PRESS FIT BB BOTTOM BRACKET PF30 TYPE
NYLON ADAPTERS SEALED BEARINGS
COMPATIBLE SRAM SPINDLE 30MM CRANKSET

SIZE FITS BB SHELL WIDTH 68 & 73MM

WEIGHT 74G



ABB-21003


SPEC FULL SEALED BEARING FOR BB30 BOTTOM BRACKET SHELL

WEIGHT 2PCS-SET 44G



CABLES

INNER CABLE DIAGRAM (AVAILABLE IN 100PCS SHOP BOX)



ACB-21403

SPEC STAINLESS STEEL SLICK BRAKE CABLE FOR ROAD
SIZE 19 STRAND, OD:1.5 X L2000MM, 5.5 X 11.5MM NIPPLE
 SUITABLE FOR CAMPAGNOLO

ACB-21404

SPEC STAINLESS STEEL BRAKE CABLE
SIZE 19 STRAND, OD:1.5 X L2000MM,
 6 X 11MM NIPPLE
 SUITABLE FOR SHIMANO & SRAM

ACB-21405

SPEC STAINLESS STEEL BRAKE CABLE
 FOR MTB
SIZE 19 STRAND, OD:1.5 X L2000MM,
 7 X 6MM NIPPLE

ACB-21406

SPEC STAINLESS STEEL SLICK SHIFT CABLE
SIZE 19 STRAND, OD:1.1 X L2000MM,
 3.9 X 5MM NIPPLE
 SUITABLE FOR CAMPAGNOLO

ACB-21407

SPEC STAINLESS STEEL SLICK SHIFT CABLE
SIZE 19 STRAND, OD:1.1 X L2000MM,
 4.4 X 4.4MM NIPPLE
 SUITABLE FOR SHIMANO & SRAM

OUTER CASING

ACB-2402

SPEC 5MM BRAKE OUTER CASING SILVER
 MESH OUTER LAYER
SIZE 30M / BOX

ACB-2412

SPEC 4.5MM SHIFT OUTER CASING SILVER
 MESH OUTER LAYER
SIZE 30M / BOX



ACB-2403

SPEC 5MM BRAKE OUTER CASING SILVER
 MESH OUTER LAYER
SIZE 30M / BOX



ACB-21506

SPEC 4MM SP SHIFT OUTER CASING
 11 SPD COMPATTIABLE
SIZE 30M / BOX



ACB-21507

SPEC 4MM SP SHIFT OUTER CASING
 POLYMER LINED FOR REDUCED
 FRICTION
SIZE 30M / BOX



ACB-21508

SPEC 5MM 2P BRAKE OUTER CASING
 POLYMER LINED FOR REDUCED
 FRICTION
SIZE 30M / BOX

CABLE ACCESSORIES

ACB-2102

SPEC PLASTIC INJECTION CABLE HOLDER
 WITH 3M STICKER STICKS TO THE
 FORK OR FRAME
SIZE Ø4 AND Ø5MM CABLE HOUSING
 COMPATIBLE
WEIGHT 1G



ACB-21201

SPEC ALLOY CABLE O-RING PROTECTOR
 6PCS/SET 3PCS FOR BRAKE & 3PCS
 FOR SHIFT
SIZE 1.2MM FOR SHIFT / 1.8MM FOR BRAKE
WEIGHT 6G / SET



ACB-21401

SPEC ALLOY C-CLIP FOR HYDRAULIC HOSE
 5PCS-SET
SIZE Ø10.5MM
WEIGHT 2G / SET



GRIPS

ASG-2905

SPEC KRATON/GEL/RUBBER GRIPS WITH ACOR LOGO END PLUGS
SIZE 7/8" X 125MM
WEIGHT 100G / PR



ASG-2906

SPEC ERGONOMIC KRATON/GEL GRIPS DESIGNED TO ABSORB SHOCK WITH ACOR LOGO END PLUGS
SIZE 7/8" X 125MM
WEIGHT 158G / PR



ASG-21103

SPEC KRATON/GEL/PP GRIPS WITH CLASSICAL PATTERN DESIGN WITH ACOR LOGO END PLUGS
SIZE 7/8" X 134.5MM
WEIGHT 150G / PR



ASG-21304

SPEC ANTI-SLIP RUBBER/GEL GRIPS WITH ACOR LOGO END PLUGS
SIZE 7/8" X 128MM
WEIGHT 190G / PR



ASG-2806

SPEC COMFORTABLE KRATON GRIPS WITH LOCKING SYSTEM WITH END CAPS
SIZE 7/8" X 128MM
WEIGHT 101G / PR



ASG-21201

SPEC SKULL DESIGN PP GRIPS WITH LOCKING SYSTEM WITH END PLUGS
SIZE 7/8" X 128MM
WEIGHT 119G / PR



ASG-21601

SPEC ERGONOMIC KRATON/PU GRIPS WITH LOCKING SYSTEM WITH END PLUGS
SIZE 7/8" X 128MM / 138MM
WEIGHT 182G / PR--128MM



ASG-21603

SPEC 2 COLOR SEGMENT KRATON/RUBBER GRIPS WITH LOCKING SYSTEM WITH END PLUGS
SIZE 7/8" X 128MM
WEIGHT 125G / PR



ASG-21507

SPEC GEL/SILICON GRIPS WITH LOCKING SYSTEM WITH END PLUGS
SIZE 7/8" X 129MM
WEIGHT 130G / PR



ASG-2809

SPEC CHOLOPRENE HIGH DENSITY FOAMED GRIPS WITH ACOR LOGO END PLUGS
SIZE 7/8" X 125MM
WEIGHT 41G / PR



ASG-21607

SPEC ANTI-SLIP SILICONE FOAM GRIPS SHOCK-ABSORB & ABRATION-RESIST WITH ACOR LOGO END PLUGS
SIZE 7/8" X 130MM
WEIGHT 55G / PR



ASG-21610

SPEC SPECIAL NANO FOAM GRIPS WITH ACOR LOGO END PLUGS
SIZE 7/8" X 130MM
WEIGHT 11G / PR



ASG-2104

SPEC MULTIBAR FOAM GRIPS FIT ON BUTTERFLY BARS SUITABLE FOR Ø 19-22MM HANDLEBAR DIAMETERS CAN BE CUT TO LENGTH INDIVIDUALLY
SIZE 500MM
WEIGHT 82G / PR



BAR TAPE & END PLUGS

ASG-21901

SPEC 4MM EVA FOAM
W/ ACOR CARBON FIBER PATTERN
END PLUGS
SIZE 3 X 185CM
WEIGHT 52G / PR



ASG-21902

SPEC SILICONE FOAM
W/ ACOR CARBON FIBER PATTERN
END PLUGS
SIZE 3 X 155CM
WEIGHT 193G / PR



ASG-21903

SPEC PU & EVA FOAM W/ ACOR DIAMOND
PATTERN
REFLECTIVE LOGO END PLUGS
SIZE 3 X 200CM
WEIGHT 46G / PR



ASG-21203

SPEC BRUSH EFFECT WITH EVA CORK
COMFORTABLE DESIGN
W/ END PLUGS
SIZE 3 X 185CM
WEIGHT 55G / PR



ASG-2404

SPEC COMFORT ENHANCED EVA FOAM /
SOFT GEL
WATER RESISTANT WITH END PLUGS
SIZE 3 X 185CM
WEIGHT 36G / PR



ASG-21504

SPEC PU/EVA FOAM W/ OBLIQUE LINE
SURFACE
ACOR CARBON FIBER PATTERN
END PLUGS
SIZE 3 X 200CM
WEIGHT 70G / PR



ASG-21506

SPEC PU/EVA FOAMED STAR PATTERN
W/ ACOR CARBON FIBER PATTERN
END PLUGS
SIZE 3 X 200CM
WEIGHT 56G / PR



ASG-21608

SPEC 3 LINES PERFORATED PU+EVA
SHOCK-PROOF W/ ACOR CARBON
FIBER PATTERN END PLUGS
SIZE 3 X 200CM
WEIGHT 55G / PR



ASG-21611

SPEC MICROFIBER+3M REFLECTIVE BAR
TAPE WITH END PLUGS
SIZE 3 X 200CM
WEIGHT 80G / PR



ASG-21910

SPEC ACOR LOGO REFLECTIVE END PLUGS
FOR BAR TAPE
WEIGHT 6G / PR



ASG-21911

SPEC ACOR LOGO REFLECTIVE END PLUGS
FOR GRIP
WEIGHT 6G / PR



ASG-21912

SPEC ACOR LOGO STICKER & REFLECTIVE
END PLUGS FOR BAR TAPE
WEIGHT 7G / SET



ABZ-602E

SPEC ACOR PLASTIC END PLUGS
FOR GRIP
WEIGHT 2G / PR



ASG-2510

SPEC ACOR CARBON FIBER PATTERN END
PLUGS FOR GRIP
WEIGHT 6G / PR



ASG-2511

SPEC ACOR CARBON FIBER PATTERN END
PLUGS FOR BAR TAPE
WEIGHT 6G / PR



ASG-21612

SPEC ALUMINUM / RUBBER END PLUGS
SIZE CAP DIAMETER:30.5MM
BODY DIAMETER 13/15/18MM
WEIGHT 47G / PR--18MM



ASG-21613

SPEC ALUMINUM / RUBBER END PLUGS
SIZE CAP DIAMETER:25.5MM
BODY DIAMETER 13/15/18MM
WEIGHT 38G / PR--18MM



ACCESSORIES

BAGS

ABG-21902

1

SPEC TOP TUBE BAG WATER RESISTANT
600D POLYESTER
SIZE 25.5*5*8CM
WEIGHT 77G



ABG-21903

2

SPEC TOP TUBE BAG WATER RESISTANT
420D POLYESTER
SIZE 20*4*8.5*4.5(W)CM
WEIGHT 61G



ABG-21904

3

SPEC FRAME BAG WATER RESISTANT
420D POLYESTER
SIZE 48*13.5*45.5*10*6(W)CM
WEIGHT 226G



ABG-21906

4

SPEC BIKE PACKING ROLL-TOP SADDLE
BAG WATER RESISTANT
420D POLYESTER
SIZE 50*17*17(ROLLED)
WEIGHT 520G



ABK-21907

5

SPEC ROUND BAG WATER RESISTANT 210D NYLON TPU
AVAILABLE BRACKET SYSTEM ON THE FORK ALSO
FITS FRAME
TWO WEBBING STRAPS, ONE CAGE, ONE ROUND
BAG INCLUDED
SIZE 12.5*12.5*27CM(BAG)
WEIGHT 265G--SET

* ABG-21907B ONLY ROUND BAG WITHOUT CAGE& WEBBING STRAPS.
ABG-21908 ONLY ONE CAGE WITH TWO WEBBING STRAPS WITHOUT
ROUND BAG *



BAGS / BASKETS / CASES / BIKE HOLDERS & CARRIERS / BELLS



ACCESSORIES

BAGS

ABG-21905

SPEC TRUNK BAG WATER RESISTANT
600D POLYESTER 840D JACQUARD FABRIC
W/ MIK BRACKET W/ FOR 700C CARRIER

SIZE 30.5*21.5*19.5CM

WEIGHT 905G



ABG-21001

SPEC NYLON BAG FOR SPORT GLASSES
WITH HOLDING LOCK

WEIGHT 32G

* PROVIDE NEOPRENE MATERIAL *



ABG-2705

SPEC SADDLE BAG WATER RESISTANCE
1680D POLYESTER PU COATED
SAFETY 3M REFLECTOR AND
ORANGE WEB TRIM

SIZE 82 X 124 X 63MM

WEIGHT 123G



ABG-2704

SPEC SADDLE BAG WATER RESISTANT 1680D
POLYESTER PU COATED
SAFETY 3M REFLECTOR AND
ORANGE WEB TRIM
EXPENDABLE GUSSET DESIGN

SIZE 105 X 170 X 90 / 150MM--L
90 X 139 X 80 / 130MM--S

WEIGHT 192G--L / 162G--S



ABG-2707

SPEC SADDLE BAG WATER RESISTANCE
1680D POLYESTER PU COATED
SAFETY 3M REFLECTOR AND
ORANGE WEB TRIM

SIZE 94 X 185 X 102MM--L
75 X 175 X 90MM--S

WEIGHT 137G--L / 112G--S



ABG-2706

SPEC SADDLE BAG WATER RESISTANCE
1680D POLYESTER WITH EVA INNER
SAFETY 3M REFLECTOR AND
ORANGE WEB TRIM

SIZE 107 X 142 X 75MM

WEIGHT 138G



BASKETS

ABK-21502

SPEC PE WILLOW & RATTAN WEAVE FRONT
BASKET W/QUICK RELEASE BRACKET
FITS HANDLEBAR

SIZE 37 X 25 X 23.5 CM / 6MM PE

WEIGHT 1,232G



ABK-21302

SPEC PE WILLOW & RATTAN WEAVE REAR
BASKET QUICK RELEASE DESIGN
FITS REAR CARRIER

SIZE 40 X 30 X 20CM

WEIGHT 1,320G



ABK-21303

SPEC ALLOY MESH WEAVE REAR BASKET
QUICK RELEASE DESIGN
FITS REAR CARRIER

SIZE 40 X 30 X 17 / 13.5CM

WEIGHT 1,190G



ABK-21501

SPEC PE WILLOW & RATTAN WEAVE FRONT
BASKET WITH QUICK RELEASE
BRACKET FITS HANDLEBAR

SIZE 34 X 27 X 18 / 20 CM

WEIGHT 1,334G



ACCESSORIES

CASES

ABP-21101

- SPEC** ECO-TROLLEY WHEELS FOR TRAVEL CONVENIENCE, RE-USABLE, QUICK RELEASE, 360° ROTATABLE ROLLERS
SINGLE WHEEL MAX.STRENGTH: 297KG
NYLON TROUSER BAND HOOK AND LOOP FASTENER MAX.STRENGTH: 80KG
- SIZE** 2SETS OF 250CM VELCRO STRAPS WITH 4 TROLLEY WHEELS
- WEIGHT** 935G / SET



BIKE HOLDERS & CARRIES

AWS-2503

- SPEC** HI-TEN L TYPE BIKE STAND WITH ANTI-SCRATCH PROTECTOR
- SIZE** FITS 24" & 26" BIKES
- WEIGHT** 2,344G



AWS-21402

- SPEC** HI-TEN L TYPE BIKE STAND WITH ANTI-SCRATCH PROTECTOR
- SIZE** FITS 29" & 700C BIKES
- WEIGHT** 2,455G



AWS-2701

- SPEC** FOLDING MAINTENANCE BIKE STAND HOLLOWED ST TUBING FIXED REAR HUB TYPE, ADJUST THE DERAILLEUR AND OTHER PARTS, COMPATIBLE WITH A RANGE OF WHEEL SIZE
- SIZE** 26~29"
- WEIGHT** 757G



ACR-21901

- SPEC** ALLOY REAR CARRIER WITH STEEL SPRING CLIP REFLECTOR PLATE FOR 26" - 29" BIKES
- SIZE** 26" - 29"
- WEIGHT** 780G



BELLS

ABE-21901

- SPEC** DOUBLE SOUNDS BELL BRASS DOME WITH PLASTIC BASE
- SIZE** 22.2 & 25.4MM HANDLEBAR
- WEIGHT** 42G



ABE-21802

- SPEC** MINI BRASS BELL BRASS DOME WITH ADJUSTABLE STRAP
- SIZE** 22.2 TO 34.9MM HANDLEBAR
- WEIGHT** 21G



ABE-21803

- SPEC** GRIP BRASS BELL INSTALL INTO HANDLEBAR NEAT LOOKING BRASS TOP PLASTIC BASE
- SIZE** 22.2MM HANDLEBAR
- WEIGHT** 45G



ABE-21801

- SPEC** LOUD AND CLEAR BRASS BELL BRASS DOME WITH STEEL BASE & LEVER
- SIZE** DOME SIZE: 55MM
22.2 & 25.4MM HANDLEBAR
- WEIGHT** 86G



ACCESSORIES

ABE-2101

SPEC ALLOY DOME WITH CARTOON KNOCKING BELL
SIZE 22.2MM HANDLEBAR
WEIGHT 20G
UOM 20PCS BOX



ABE-21303

SPEC ANIMAL PATTERN BELL
 DOME SIZE: 55MM
SIZE 22.2MM HANDLEBAR
WEIGHT 50G



ABE-21101

SPEC YO YO BELL SPECIAL DOME WITH ADJUSTABLE STRAP

SIZE 22.2 TO 31.8MM HANDLEBAR
WEIGHT 25G



ABE-2201

SPEC LADYBUG STYLE KNOCKING BELL WITH PLASTIC WINGS
SIZE 22.2MM HANDLEBAR
WEIGHT 32G



ABE-2802

SPEC FOOTBALL STYLE KNOCKING BELL ALLOY DOME PLASTIC CLAMP
SIZE 22.2MM HANDLEBAR
WEIGHT 29G



ABE-2807

SPEC MINI KNOCKING BELL WITH DETACHABLE AND FLEXIBLE TIE
SIZE 22 TO 31.8MM HANDLEBAR
WEIGHT 22G
UOM 20PCS / BOX



ABE-2904

SPEC GLITTER STYLE BELL 6 COLORFUL LED DOME
SIZE 22.2MM HANDLEBAR
WEIGHT 60G
UOM 6PCS BLUE & 6PCS PINK / BOX



ABE-2401

SPEC KNOCKING BELL ALLOY DOME PLASTIC CLAMP WITH ERGONOMIC LEVER
SIZE 22.2MM HANDLEBAR
WEIGHT 26G



ABE-21501

SPEC DING DONG BELL STEEL DOME & CLAMP DOME SIZE: 55MM
SIZE 22.2MM HANDLEBAR
WEIGHT 89G

A:SILVER COLOR
B:WHITE WALLPAPER STYLE
C:ROSE STYLE
D:CARTOONS FLOWER STYLE
E:PEONY STYLE
F:BLACK WALLPAPER STYLE



ACCESSORIES

BOTTLE CAGES

ABC-21901

SPEC ALLOY BOTTLE CAGE
ULTRALIGHT
1.0MM THICKNESS

WEIGHT 18G



ABC-21902

SPEC PLASTIC BOTTLE CAGE
MOSAIC LINES
EXTERIOR

WEIGHT 36G



ABC-21903

SPEC PLASTIC BOTTLE CAGE
RIGHT OR LEFT
ENTRY

WEIGHT 38G



ABC-21904

SPEC PLASTIC BOTTLE CAGE
ADJUSTABLE POSITION
ON CARRIER

WEIGHT 48G



ABC-21905

SPEC PLASTIC BOTTLE CAGE
MINIMALIST DESIGN

WEIGHT 31G



ABC-21801

SPEC PC DOUBLE
COLOR
INJECTION MOLD
BOTTLE CAGE

WEIGHT 33G




ABC-21304

SPEC PLASTIC BOTTLE CAGE
MICRO ADJUST
TPE DESIGN

WEIGHT 26G

* PROVIDE PAINTING COLOR *



ABC-21405

SPEC PLASTIC COLOR
INJECTION MOLDED
BOTTLE CAGE

WEIGHT 30G

* PROVIDE PAINTING COLOR *



ABC-21504

SPEC PLASTIC
SIDE OPEN
BOTTLE CAGE

WEIGHT 42G



ABC-2901

SPEC NYLON FIBER
BOTTLE CAGE

WEIGHT 37G



ABC-2001N

SPEC ALLOY BOTTLE CAGE 6MM TUBING & PLASTIC PLUGS

WEIGHT 63G



ABC-21501

SPEC ALLOY BOTTLE CAGE 1.2MM THICKNESS
RUBBER PART MAKES CAGE MORE EXTENSION
WITH NON-FILM STICKER DECAL

WEIGHT 31G



ABC-21502

SPEC ALLOY BOTTLE CAGE SPECIAL DESIGN
TAKING THE BOTTLES FROM RIGHT AND LEFT SIDE

WEIGHT 43G



ABC-21505

SPEC ALLOY ULTRALIGHT BOTTLE CAGE
WITH TPE DESIGN MACRO ADJUSTABLE

WEIGHT 22G



ABC-21906

SPEC PLASTIC BOTTLE CAGE ADAPTER ADJUST VERTICAL OR LATERAL
DIRECTION TO FITS HANDLEBAR, STEM, SEATPOST
FITS DIAMETER 22.2 TO 31.8MM

WEIGHT 48G



ABC-21206

SPEC ALLOY BOTTLE CAGE ADAPTER FOR HANDLEBAR
FOR 22.2 & 25.4MM HANDLEBAR

WEIGHT 39G



ACCESSORIES

CHAIN GUIDES & DERAILLEUR PULLEYS

ABC-21207

SPEC ALLOY BOTTLE CAGE ADAPTER FOR HANDLEBAR
SIZE FOR 25.4 & 31.8MM HANDLEBAR
WEIGHT 40G

ABC-2801

SPEC CAGE ADAPTER FOR HANDLEBAR STAINLESS STEEL CLIP
SIZE S: FOR DIA. 19.0 - 22.4MM
 M: FOR DIA. 22.4 - 27.0MM
 L: FOR DIA. 28.6 - 31.8MM
WEIGHT 34G

ABC-21107

SPEC ALLOY BOTTLE CAGE ADAPTER ASSEMBLE WITH SADDLE RAIL
 FITS TWO BOTTLE CAGE
WEIGHT 122G

ABC-21407

SPEC AL6061 T6 CNC-MACHINED BOLTS
 FOR BOTTLE CAGE
 4PCS--SET
SIZE M5 X 15MM
WEIGHT 4G / SET



ABC-21408

SPEC AL7075 BOLTS
 FOR BOTTLE CAGE
 4PCS--SET
SIZE M5 X 15MM
WEIGHT 4G / SET



ARO-601

SPEC ALLOY DERAILLEUR PULLEYS
 2PCS-SET
 INDUSTRIAL BEARINGS
SIZE 10T COMPATIBLE WITH 7 OR 8 SPEED
WEIGHT 27G / SET

ARO-2501

SPEC PROVIDE 11T COMPATIBLE WITH 9-10
 SPEED
WEIGHT 31G / SET



ACC-21501

SPEC AL6061 T6 CHAIN KEEPER WITH
 PLASTIC UPPER GUARD
 FOR MTB 1 X 9 OR 1 X 10 DRIVE TRAIN
SIZE 34.9MM WITH ADAPTER TO 31.8MM
WEIGHT 49G / SET

ACC-21502

SPEC AL6061 T6 CHAIN KEEPER WITH
 CH-EX PLASTIC UPPER GUARD
 FOR MTB 1 X 9 OR 1 X 10 DRIVE TRAIN
SIZE 34.9MM WITH ADAPTER TO 31.8MM
WEIGHT 85G / SET



BOTTLES

AWB-21901

SPEC PP WATER BOTTLE WITH BIGGER
 FLOW NOZZLES CAP
SIZE 710CC
WEIGHT 66G



AWB-21902

SPEC PP WATER BOTTLE WITH BIGGER
 FLOW NOZZLES CAP
SIZE 550CC
WEIGHT 57G



AWB-21903

SPEC LDPE WATER BOTTLE WITH BIGGER
 FLOW NOZZLES CAP
SIZE 750CC
WEIGHT 70G



AWB-21904

SPEC LDPE WATER BOTTLE WITH BIGGER
 FLOW NOZZLES CAP
SIZE 600CC
WEIGHT 67G



ACC-21001

SPEC CHAIN TENSIONER FOR
 SINGLE SPEED
SIZE C-C: 51 FOR 16 - 18T
 C-C: 34 FOR 12-14T
WEIGHT 122G (16 - 18T) / 117G (12-14T)



ACC-2602

SPEC PC INJECTION CHAIN GUARD
 CRANK TO CHAINRING DISTANCE
 6 TO 16MM
SIZE 42 / 44T & 46 / 48T
WEIGHT 82G (42 / 44T) / 90G (46 / 48T)



BOTTLE CAGES / BOTTLES / CHAINGUIDES & DERAILLEUR PULLEYS / FENDERS

BOTTLE CAGES / BOTTLES / CHAINGUIDES & DERAILLEUR PULLEYS / FENDERS



ACCESSORIES

FENDERS

AFD-21801

SPEC FRONT & REAR PP INJECTION FENDER SET QR DESIGN FRONT TO FIT Ø18.5~34.5MM HEAD TUBE ID LENGTH ADJUSTABLE 3 POSITION REAR BRIDGE TO FIT UP 29" WHEEL (30MM ADJUSTING RANGE, 15MM FOR EACH POSITION)

SIZE F 585 X 95MM, R 530 X 100MM

WEIGHT 520G / SET



AFD-21202

SPEC FRONT & REAR PP INJECTION FENDER SET FOR INTEGRATION WITH FORK BLADES AND REAR SEAT STAY FRONT WITH 3M REFLECTOR REAR OPTIONS: ECO RED LED W/1*CR2032 BATTERY OR 3M REFLECTOR LIGHT CONTINUOUSLY APPROX.160 HRS 20" TO 700C BIKES FOR TIRE 1.25"~1.75"

SIZE 1.25"~1.75"

WEIGHT 108G / SET



AFD-2503

SPEC FRONT & REAR PC INJECTION FENDER SET QR DESIGN FOR ASSEMBLE WITH FORK BLADES AND REAR SEAT STAYS STAINLESS STAYS AND ANIT-RUST BOLTS

SIZE 700C 35 / 45 / 50 / 55MM

WEIGHT 407G / SET



AFD-2403

SPEC PP INJECTION DOWN TUBE FENDER FOR MTB BIKES WITH RUBBER TIE

WEIGHT 77G



AFD-21202A

SPEC PROVIDE QR SYSTEM FITS SEATPOST, WITH TOOL-FREE ADJUSTABLE ANGLE

WEIGHT 194G / SET



AFD-21003

SPEC FRONT & REAR PP INJECTION FENDER SET FITS ALL REGULAR FORKS AND SUSPENSION FORKS WITH BRACE FENDER HOLE TOOL-FREE ADJUSTABLE ANGLE 24" & 26" MTB BIKES

SIZE 24" & 26" MTB BIKES

WEIGHT 403G / SET



AFD-21701

SPEC FRONT & REAR ALLOY FENDER SET STAINLESS STEEL STAYS F: SINGLE R: V-TYPE

SIZE 700C X W50MM

WEIGHT 640G / SET



ACCESSORIES

KICKSTANDS

AKS-21901

SPEC ALLOY CENTER KICKSTAND W/ ALLOY TOP PLATE SUITABLE ALSO FIT E-BIKES
ADJUSTABLE LENGTH

SIZE FITS 24" TO 29" BIKES

WEIGHT 295G



AKS-21902

SPEC ALLOY CENTER KICKSTAND WITH ALLOY TOP PLATE SUITABLE ALSO FIT E-BIKES
ADJUSTABLE LENGTH

SIZE FITS 24" TO 29" BIKES

WEIGHT 298G



AKS-2802

SPEC ALLOY REAR KICKSTAND ADJUSTABLE LENGTH 360° ROTATORY AND HEIGHT ADJUSTABLE TOP BRACKET

SIZE FITS 24" TO 28" BIKES

WEIGHT 286G



AKS-21201

SPEC ALLOY REAR KICKSTAND EASY FIXED WITH 3 SCREWS ADJUSTABLE LENGTH FITS ON 45° TO 65° OF SEAT STAY AND CHAIN STAY

SIZE FITS 24" TO 28" BIKES

WEIGHT 354G



AKS-21802

SPEC ALLOY REAR KICKSTAND FITS SHIMANO FLAT MOUNT ADJUSTABLE LENGTH

SIZE FITS 700C BIKES

WEIGHT 155G



AKS-21801

SPEC ALLOY CENTER KICKSTAND WITH ALLOY TOP PLATE ADJUSTABLE LENGTH

SIZE FITS 20" TO 29" BIKES

WEIGHT 190G




AKS-21409

SPEC ALLOY REAR KICKSTAND ADJUSTABLE LENGTH

SIZE FITS 24" TO 29" BIKES

WEIGHT 376G



AKS-21407

SPEC ALLOY REAR KICKSTAND FITS MULTI-DIMENSION CHAIN STAY TUBES ADJUSTABLE LENGTH

SIZE FITS 24" TO 29" BIKES

WEIGHT 320G



AKS-21410

SPEC ALLOY CENTER KICKSTAND WITH STEEL TOP PLATE ADJUSTABLE LENGTH

SIZE FITS 24" TO 28" BIKES

WEIGHT 252G



AKS-2001

SPEC ALLOY REAR WIDE ANGLE TYPE KICKSTAND ADJUSTABLE LENGTH

SIZE FITS 24" TO 28" BIKES

WEIGHT 339G



AKS-21501

SPEC ALLOY REAR KICKSTAND ADD INSTALL POSITION AT THE DROPOUT FITS ORIGINAL QR TYPE ADJUSTABLE LENGTH

SIZE FITS 26" TO 29" BIKES

WEIGHT 181G



AKS-21403

SPEC ALLOY CENTER KICKSTAND DOUBLE LEG WITH ALLOY TOP PLATE ADJUSTABLE LENGTH

SIZE FITS 26" TO 29" BIKES

WEIGHT 468G



ACCESSORIES

LIGHTS

ALT-21901

SPEC USB RECHARGEABLE FRONT LIGHT
ALLOY BASE
3 WHITE LED
4 MODES FUNCTION
LITHIUM-ION POLYMER BATTERY INCLUDED WITH BRACKET & STRAP
EASY TO INSTALL
IPX4 WATERPROOF STANDARD
MODE MEMORY FUNCTION WILL RECALL THE LAST LIGHTING MODE USED
HIGH-BEAM(1.5HRS)
LOW-BEAM(5.5HRS)
FLASHING 1(7HRS)
FLASHING 2(20HRS)

WEIGHT WEIGHT: 35G



ALT-21701

SPEC USB RECHARGEABLE SUPER BRIGHT REAR LIGHT
WATER RESISTANT
16 CHIPS COB RED LED
5 MODES FUNCTION
LITHIUM-ION POLYMER BATTERY INCLUDED
USB CABLE & STRAP
CAN FIT ROUND AND AERO STYLE SEATPOSTS, SEATSTAYS AND FORKS
HIGH-BEAM(1.5HRS)
LOW-BEAM(6HRS)
FLASHING 1(24HRS)/
FLASHING 2(27HRS)
PULSATING(4HRS)

WEIGHT 31G



ALT-21702

SPEC USB RECHARGEABLE FRONT LIGHT
WATER RESISTANT
1 WHITE LED
4 MODES FUNCTION
LITHIUM-ION POLYMER BATTERY INCLUDED BRACKET & STRAP
CABLE FREE CHARGING
CAN BE CLIPPED ON WAISTBAND OR BAG
HIGH-BEAM(2HRS)
LOW-BEAM(8HRS)
FLASHING(48HRS)
PULSATING(10HRS)

WEIGHT 14.5G



ALT-21602

SPEC USB RECHARGEABLE FRONT LIGHT
IN ALUMINUM CASE
WATER RESISTANT
3W HI-POWER WHITE LED
4 MODES FUNCTION
LITHIUM-ION POLYMER BATTERY INCLUDED
CABLE FREE CHARGING
WITH BRACKET & STRAP
EASY TO INSTALL
LIGHT OUTPUT CAN REACH 150 LUMENS
SUPER BRIGHT(2HRS)
BOOST(4HRS)
CONSTANT(9HRS)
FLASHING(18HRS)

WEIGHT 52G



ALT-21601F

SPEC SAFETY FRONT LIGHT IN ALUMINUM CASE
WATER RESISTANT
0.5W WHITE LED
2 MODES FUNCTION
INCLUDES STRAP & CR2032*2 BATTERIES
EASY TO INSTALL
FLASHING(90HRS)
CONSTANT(30HRS)

WEIGHT 27G



ALT-21601R

SPEC SAFETY REAR LIGHT IN ALUMINUM CASE
WATER RESISTANT
0.12W RED LED
2 MODES FUNCTION
INCLUDES STRAP & CR2032*2 BATTERIES
EASY TO INSTALL
FLASHING(120HRS)
CONSTANT(60HRS)

WEIGHT 27G



ALT-21702R

SPEC USB RECHARGEABLE REAR LIGHT
2 RED LED
4 MODES FUNCTION
LITHIUM-ION POLYMER BATTERY INCLUDED WITH BRACKET & STRAP
EASY TO INSTALL AND FIT
WATER RESISTANT
CABLE FREE CHARGING
CAN BE CLIPPED ON WAISTBAND OR BAG
HIGH-BEAM(2HRS)
LOW-BEAM(5HRS)
FLASHING(17HRS)
PULSATING(9HRS)

WEIGHT 14.5G



ACCESSORIES

PUMPS

AMP-21801

SPEC STEEL FLOOR PUMP W/
STABLE BASE
STEEL BARREL
SMART TWIN VALVE
PRESTA & SCHRADER
2.5" GAUGE
MAX.PRESSURE 160PSI

WEIGHT 1,600G



AMP-21401

SPEC FULL ALLOY HIGH POLISH
FLOOR PUMP
SMART TWIN VALVE FITS
PRESTA & SCHRADER
2.5" GAUGE
MAX.PRESSURE 240PSI

WEIGHT 1,210G



AMP-21501

SPEC ALLOY FLOOR PUMP
WOODEN HANDLE
SMART TWIN VALVE
PRESTA & SCHRADER
2.5" GAUGE
MAX.PRESSURE 240 PSI

WEIGHT 1,330G



AMP-2602

SPEC FLOOR PUMP RESIN BARREL
& ALLOY BODY
REVERSIBLE VALVE FITS
PRESTA & SCHRADER
MID MOUNTED GAUGE

WEIGHT 798G



AMP-21503

SPEC ALLOY MINI PUMP
CNC MACHINED W/
RETRACTABLE HOSE
SCREW-IN SMART VALVE
DUST CAP,
FITS PRESTA & SCHRADER
MAX.PRESSURE 120 PSI

WEIGHT 130G



AMP-21505

SPEC 2 IN 1 CO2 MINI PUMP
INNOVATIVE HEAD DESIGN
COMBINES MINI PUMP &
CO2 CARTRIDGE INFLATING
INCLUDES DUST CAP
USES 16G CO2 CARTRIDGE
PRESTA & SCHRADER
ALLOY CONSTRUCTION

WEIGHT 143G



AMP-21504

SPEC FOLDING HOSE W/
PRESTA ADAPTER
MAX.PRESSURE 300 PSI
2-3 PSI MICRO ADJUST
DUAL FUNCTION FOR
SHOCKS AND TIRES

WEIGHT 246G



AMP-21901

SPEC ALLOY CO2 CARTRIDGE
CARRIER
SUITABLE 16G THREADED
CARTRIDGESHOCKS AND
TIRES

WEIGHT 246G



AMP-21405

SPEC CO2 16 GRAMS
THREADED CATRIDGES
2PCS-SET

WEIGHT 44G / PC



ACCESSORIES

PROTECTORS

AOS-21002

SPEC NEOPRENE CHAIN STAY PROTECTOR W/ NONSLIP BACK & FASTENER
SIZE 280 X 80 X 100MM
WEIGHT 19G



AOS-21201

SPEC PU CHAIN STAY PROTECTOR W/ FASTENER
SIZE 260 X 90 / 110MM
WEIGHT 24G



AOS-21601

SPEC PU CHAIN STAY PROTECTOR THICKNESS: 1.2MM CARBON FIBER PATTERN 3M ADHESIVE STRIP
SIZE 260 X 27 X 20MM
WEIGHT 5G



AOS-21602

SPEC SILICONE CHAIN STAY PROTECTOR THICKNESS: 1MM 3M ADHESIVE STRIP
SIZE 260 X 27 X 20MM
WEIGHT 5G



AOS-21401

SPEC PLASTIC CHAIN STAY PROTECTOR 3M ADHESIVE STRIP
SIZE 225MM
WEIGHT 8G



AOS-21203

SPEC ALLOY VALVE CAP FITS BOTH PRESTA & SCHRADER
WEIGHT 3.5G / PR



AOS-21205

SPEC ALLOY BULLET SHAPE VALVE CAP FITS BOTH PRESTA & SCHRADER
WEIGHT 3.5G / PR



TOOLS

ATL-21901

SPEC BICYCLE TOOL SET 20PCS BOX CHAIN RIVET EXTRACTOR, FLAT 5MM/PHILIPS SCREWDRIVERS CHAINRING NUT WRENCH DUST CAP WRENCH (FOR SHIMANO HOLLOWTECH II) TIRE LEVER OF 3PCS 8MM HEX KEY WRENCH PEDAL WRENCH CASSETTE FREEWHEEL TURNER MF FREEWHEELS TURNER BOTTOM BRACKET WRENCH LOCKRING REMOVER HUB CONE SPANNER 13/14/15/16MM SET OF 2PCS CRANK PULLER "0" SPOKE WRENCH CARTRIDGE B.B. TOOL (FOR SHIMANO HOLLOWTECH II), HEX KEY WRENCH 2/2.5/3/4/5/6MM PATCH KIT, T25/T30 TORX WRENCH 3MM SCREWDRIVERS
WEIGHT 2,600G

ATL-21902

SPEC 1/4" TORQUE WRENCH SET 2-24NM BIT SOCKET SCALE WINDOW TYPE HEX KEYS: 3 / 4 / 5 / 6 / 8 / 10MM, 4MM-L:75MM,HEX 5MM-L:100MM TORX KEYS: T20 / T25 / T30
WEIGHT 826G



ATL-21912

SPEC BRISTLES SCRUB BRUSH
WEIGHT 37G



ATL-21903

SPEC 2-IN-1 CONNECT & DISCONNECT CHAIN QUICK LINK TOOL
WEIGHT 129G



ATL-21913

SPEC CHAIN SPLITTER WITH SOFT HANDLE FOR UP TO 11 SPEED REPLACEABLE PIN
WEIGHT 160G



ATL-21914

SPEC CHAIN SPLITTER WITH WOOD HANDLE FOR UP TO 11 SPEED REPLACEABLE PIN
WEIGHT 155G



ACCESSORIES

ATL-22001

SPEC 9-PACK L-TYPE HEX WRENCH WITH HOLDER
CR-V HIGH POLISH CP COLORFUL DESIGN

SIZE 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10MM

WEIGHT 416G



ATL-21904

SPEC L TYPE TORX WRENCH 7PCS-SET WITH PLASTIC HOLDER

SIZE T10 / T15 / T20 / T25 / T27 / T30 / T40

WEIGHT 135G



ATL-21911

SPEC Y TYPE HEX WRENCH

SIZE 4 / 5 / 6MM

WEIGHT 69G



ATL-21908

SPEC CRANK EXTRACTOR FOR OCTALINK & ISIS DRIVE

WEIGHT 316G



ATL-21905

SPEC FREEWHEEL REMOVER FOR SHIMANO HG CASSETTE

WEIGHT 263G



ATL-21910

SPEC CHAINRING TOOL USED TO TIGHTEN R LOOSEN CHAINRING NUTS AND SECURELY HOLDS THE SLOTTED NUT TO PREVENT SPINNING

WEIGHT 28G



ATL-21906

SPEC BOTTOM BRACKET WRENCH FOR SHIMANO CARTRIDGE B.B. & ISIS DRIVE

WEIGHT 317G



ATL-21907

SPEC 3 IN 1 FIXED-GEAR BIKES WRENCH LOCKRING TOOL FREEWHEEL TURNER, SPOKE TOOL FOR 3.2/3.3/3.5 NIPPLE

SIZE FOR 3.2/3.3/3.5 NIPPLE

WEIGHT 258G



ATL-21806

SPEC FREEWHEEL REMOVER FOR CAMPAGNOLO CASSETTE

WEIGHT 246G



ATL-21805

SPEC DISC ROTOR TUNING WRENCH

WEIGHT 226G



ATL-21909

SPEC HEADSET OPEN END WRENCH

SIZE 30 / 32 / 36 / 40MM

WEIGHT 265G



ATL-2602

SPEC FLUORESCENT TROUSER BANDS MINIMUM DIAMETER 80MM

WEIGHT 20G / PR



ATL-21501

SPEC NYLON TROUSER BANDS WITH 3M REFLECTOR & FASTENER TIES

SIZE 20 X 350MM

WEIGHT 16G / PR



ATL-21205

SPEC PUNCTURE REPAIR KIT
2PCS 24 X 35MM OVAL PATCHES,
4PCS 25MM ROUND TUBE PATCHES
2PCS 2CM VALVE TUBING
1PC 7CC RUBBER CEMENT
1PC ROUND METAL BUFFER

WEIGHT 26G / BOX



ATL-21804

SPEC 2 IN 1 15MM PEDAL OPEN END WRENCH & 14/15MM BOX WRENCH

WEIGHT 238G



ATL-21916

SPEC BOTTOM BRACKET TOOL FOR SHIMANO HOLOWTECH II

WEIGHT 273G



ATL-2603

SPEC ABS INJECTION 3M REFLECTOR TROUSER BANDS MINIMUM DIAMETER 80MM

WEIGHT 18G / PR



ATL-2701

SPEC ADHESIVE PUNCTURE REPAIR KIT
12PCS 25MM ROUND PATCHES
1PC SAND PAPER

WEIGHT 6G / BOX



ATL-21206

SPEC GLUELESS PUNCTURE REPAIR KIT
2PCS NYLON TIRE LEVER
6PCS 25MM GLUELESS PATCHES
1PCS 4CM MARKER PEN
1PC 3 X 7CM SAND PAPER

WEIGHT 40G / BOX



ACCESSORIES

ATL-21107

SPEC HYDRAULIC BRAKE BLEEDING KIT INCLUDES 2 X 50ML SYRINGES AND TRANSPARENT PLASTIC HOSES DIFFERENT THREADED CONNECTION FITTINGS TO SUIT DIFFERENT BRAKE SYSTEMS
MAGURA, HAYES, AVID, HOPE, FORMULA

SIZE 190 X 133 X 65MM
WEIGHT 383G



ATL-22002

SPEC BIKE REPAIR MINI TOOL
HEX 3/4/5/6/PH2/FLAT5/T25
SPOKE WRENCH 13/14/15/16G/MAVIC SPLINE
CHAIN CUTTER FOR 7-11 SPEED
RUBBER STICKER*3PCS
GLUELESS PATCH KIT*2PCS
BOTTLE OPENER
CHAIN LINK STORAGE(W/O QUICK LINK)
KNIFE/FILE/PUNCTURE NEEDLE
CO2 INFLATER

WEIGHT 223G



ATL-21604

SPEC 19 FUNCTION MINI TOOL KIT
HEX KEYS: 2 / 2.5 / 3 / 4 / 5 / 6 / 8MM,
L-TYPE 2 / 2.5 / 3MM
NP, PHILIP & FLAT SCREW DRIVER
BOX WRENCHES 8 & 10MM
CALIPER SPREADER WITH MAVIC MTB 3.22
BOTTLE OPENER WITH 3.2 & 3.4MM SPOKE WRENCHES

WEIGHT 190G



ATL-21305

SPEC STEEL CORE TIRE LEVER
3PCS-SET
WEIGHT 97G / SET



ATL-21605

SPEC POM TIRE LEVER 3PCS-SET
WEIGHT 53G / SET



ATL-21801

SPEC NYLON FIBER 2 IN 1 TIRE LEVER WITH BOTTLE OPENER DESIGN
3PCS-SET
WEIGHT 34G / SET



ATL-2304

SPEC 19 FUNCTION MINI TOOL KIT
HEX KEYS: 2 / 2.5 / 3 / 4 / 5 / 6 / 8MM
BOX WRENCHES: 8 / 9 / 10 / 12MM
SPOKE WRENCHES: 0.127 / 0.130 / 0.136"
PHILIPS & FLAT SCREW DRIVERS
TIRE LEVER, CHAIN BREAKER, KNIFE

WEIGHT 206G



ATL-2901

SPEC 15 FUNCTION MINI TOOL KIT
HEX KEYS: 2 / 2.5 / 3 / 4 / 5 / 6 / 8MM
SPOKE WRENCHES: 14G / 15G, 0.136"
PHILIP & FLAT SCREW DRIVER
TIRE LEVER, 10MM WRENCH, KNIFE

WEIGHT 119G



ATL-2405

SPEC MAGNETIC SPOKE WRENCH COMPACT
3-WAY
CR-MOLY SPOKE KEY
COMPATIBLE WITH 3.2, 3.3, 3.5MM NIPPLES

WEIGHT 47G



ATL-21114

SPEC ALLOY SPOKE WRENCH 3PCS-SET
COMPATIBLE WITH 3.2, 3.3, 3.5MM NIPPLES
WEIGHT 20G



ATL-21112

SPEC 17 FUNCTION MINI TOOL KIT
HEX KEYS: 2 / 2.5 / 3 / 4 / 5 / 6 / 8MM
SPOKE WRENCHES: 14G / 15G, 0.136", 0.156"
PHILIP & FLAT SCREW DRIVER, T25 TORX
CHAIN TOOL FOR 9 / 10 SPD
8 & 10MM WRENCHES

WEIGHT 168G



ATL-21603

SPEC 11 FUNCTION MINI TOOL KIT
HEX KEYS: 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8MM
TORX KEYS: T10 / T20 / T25

WEIGHT 158G



ATL-21802

SPEC CHAIN HOOK AND WEAR INDICATOR TOOL
INTEGRATED CHAIN HOOK HOLDS LINKS DURING ASSEMBLY AND CHAIN WEAR INDICATOR PROVIDES PRECISE CHAIN MEASUREMENT FOR MAINTENANCE

WEIGHT 38G



ATL-21803

SPEC DUST CAP WRENCH
FITS SHIMANO SYSTEM
MAGNETICALLY MOUNTED FOR 8 INTERNAL SPLINES OF THE CRANK ARM DUST CAP
WEIGHT 13G



ACCESSORIES

ATL-2612

SPEC CHAIN CLEANER WITH PLASTIC OUTER CASE
4-SIDED SCRUB BRUSHES INSIDE
WEIGHT 267G



ATL-2702

SPEC CHAIN SPLITTER WITH PVC HANDLE
& RETAINER FOR REPAIR
FITS 6 TO 10 SPEED CHAIN
WEIGHT 89G



ATL-2604

SPEC L TYPE HEX WRENCH
SIZE 8MM
WEIGHT 111G



ATL-2610

SPEC CHAIN WHIP TOOL
HOLDS SPROCKET IN PLACE WHEN
REMOVING CASSETTE LOCKRING
WEIGHT 276G



ATL-2608

SPEC 3 IN 1 Y TYPE SOCKET WRENCH
SIZE 8 / 9 / 10MM
WEIGHT 82G



ATL-2711

SPEC HARDENED STEEL CORE
CABLE CUTTER
SUITABLE FOR CUTTING CABLES OR
OUTER CASINGS
CLOSING CLIP FOR SAFE STORAGE
WEIGHT 157G



ATL-2713

SPEC BOTTOM BRACKET TOOL
WITH DUST CAP WRENCH
FITS SHIMANO, TRUVATIV, RACE FACE &
CAMPAGNOLO BOTTOM BRACKET
16 NOTCH EXTERNAL CUPS TYPE
WEIGHT 242G




ATL-21103

SPEC BOTTOM BRACKET TOOL
FITS SHIMANO, TRUVATIV, RACE FACE
& CAMPAGNOLO BOTTOM BRACKET
16 NOTCH EXTERNAL CUPS TYPE
WEIGHT 402G



ATL-2510

SPEC ERGONOMIC T-BAR 8PCS
HEX WRENCH SET
W/ STORAGE STAND
SIZE 2MM (ATL-2510A) / 2.5MM (ATL-2510B) /
3MM(ATL-2510C) / 4MM(ATL-2510E) /
5MM(ATL-2510F) / 6MM(ATL-2510G) /
8MM(ATL-2510H) / 10MM(I)
WEIGHT 1,062G / SET



ATL-2710

SPEC ERGONOMIC T-BAR TORX WRENCH
SIZE T25
WEIGHT 32G



ATL-21403

SPEC HUB OPEN END WRENCH
SIZE 13 / 14 / 15 / 16 / 17 / 18MM
WEIGHT 185G



ATL-2621

SPEC L TYPE HEX WRENCH 9PCS-SET W/
PLASTIC HOLDER
BALL HEAD DESIGN FOR HARD TO
REACH BOLT HEADS
SIZE 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10MM
WEIGHT 323G / SET



ATL-2621C

SPEC L TYPE HEX WRENCH 9PCS-SET
COLORFUL W/ PLASTIC HOLDER
BALL HEAD DESIGN FOR HARD TO
REACH BOLT HEADS
SIZE 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 10MM
WEIGHT 323G / SET



ATL-21915

SPEC BACK CONVEX MIRROR 3" WITH EASY
FIT BRACKET
WEIGHT 36G



ATW-2401

SPEC TRAINING WHEELS
UPC COATED
STEEL STAYS
5" PLASTIC WHEEL
AND RIM
SIZE ADJUSTABLE
HEIGHT FOR
12"-20" BIKES
WEIGHT 652G



KICKSTANDS / LIGHTS / PUMPS / PROTECTORS / TOOLS

KICKSTANDS / LIGHTS / PUMPS / PROTECTORS / TOOLS





DISTRIDUTORS

UNITED KINGDOM

GREYVILLE ENTERPRISES LTD
TEL:+44 1 543 251328
E-MAIL: SALES@GREYVILLE.COM
HTTP://WWW.GREYVILLE.COM

AUSTRIA
BBF BIKE
GMBH
TEL:+49 3342 354360
E-MAIL: INFO@BBF-BIKE.DE
HTTP://WWW.BBF-BIKE.DE

ROMAIN

BBF BIKE GMBH
TEL:+49 3342 354360
E-MAIL: INFO@BBF-BIKE.DE
HTTP://WWW.BBF-BIKE.DE

ITALY

BBF BIKE GMBH
TEL:+49 3342 354360
E-MAIL: INFO@BBF-BIKE.DE
HTTP://WWW.BBF-BIKE.DE

GERMANY

BBF BIKE GMBH
TEL:+49 3342 354360
E-MAIL: INFO@BBF-BIKE.DE
HTTP://WWW.BBF-BIKE.DE

HUNGARY

J.P MALI LTD
TEL:+36 1 420 5032
E-MAIL: MALI@MALI.HU
HTTP://WWW.MALI.HU

POLAND


BBF BIKE GMBH
TEL:+49 3342 354360
E-MAIL: INFO@BBF-BIKE.DE
HTTP://WWW.BBF-BIKE.DE


JAPAN

ACTION SPORTS
TEL:+81 48 2587811
E-MAIL: ACOR@ACTIONSPORTS.CO.JP
HTTP://WWW.ACTIONSPORTS.CO.JP

CROATIA

MARKO-PROJEKT
TEL:+385 1 4618 777
E-MAIL: ZDRAVKO.BUKARICA@ZG.HTNET.HR
HTTP://WWW.MARKOPROJEKT.COM





ACOR

ACOR PLUS

No.18, 8th Rd., Taichung Industrial Park,
Xitun Dist., Taichung City 40755, Taiwan

Tel: +886 (4) 2359-1201

Fax: +886 (4) 2359-1562

Website: www.acorsports.com

Email: acor@acorsports.com.tw